

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources  
  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-104  
Revised August 1, 2011  
  
Submit one copy to appropriate District Office  
  
☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

|                                                                                                                                   |                                                                |                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br><br>Devon Energy Production Company, L.P.<br>333 West Sheridan, Oklahoma City, OK 73102 |                                                                | <sup>2</sup> OGRID Number<br><br>6137                                |
|                                                                                                                                   |                                                                | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW / 10/10/21 |
| <sup>4</sup> API Number<br>30-015-47423                                                                                           | <sup>5</sup> Pool Name<br><br>; WC-015 G-05 S233031K; WOLFCAMP | <sup>6</sup> Pool Code<br>98241                                      |
| <sup>7</sup> Property Code<br>328932                                                                                              | <sup>8</sup> Property Name<br>YUKON GOLD 31 19 FEDERAL COM     | <sup>9</sup> Well Number<br>623H                                     |

II. <sup>10</sup> Surface Location

| Ul or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| H             | 31      | 23S      | 30E   |         | 2192          | North            | 1228          | East           | EDDY   |

<sup>11</sup> Bottom Hole Location

| UL or lot no.               | Section                                  | Township                                      | Range                             | Lot Idn                            | Feet from the                       | North/South line | Feet from the | East/West line | County |
|-----------------------------|------------------------------------------|-----------------------------------------------|-----------------------------------|------------------------------------|-------------------------------------|------------------|---------------|----------------|--------|
| B                           | 19                                       | 23S                                           | 30E                               |                                    | 424                                 | North            | 1640          | East           | EDDY   |
| <sup>12</sup> Lse Code<br>F | <sup>13</sup> Producing Method Code<br>F | <sup>14</sup> Gas Connection Date<br>10/10/21 | <sup>15</sup> C-129 Permit Number | <sup>16</sup> C-129 Effective Date | <sup>17</sup> C-129 Expiration Date |                  |               |                |        |

III. Oil and Gas Transporters

| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address                                             | <sup>20</sup> O/G/W |
|---------------------------------|----------------------------------------------------------------------------------------|---------------------|
| 320009                          | EnLink Midstream Operating, LP<br>2501 Cedar Springs Road, Suite 100, Dallas, TX 75201 | Oil                 |
| 036785                          | DCP Midstream<br>P.O. Box 50020 Midland, TX 79710-0020                                 | Gas                 |
|                                 |                                                                                        |                     |
|                                 |                                                                                        |                     |
|                                 |                                                                                        |                     |
|                                 |                                                                                        |                     |

IV. Well Completion Data

|                                    |                                      |                           |                                          |                                             |                       |
|------------------------------------|--------------------------------------|---------------------------|------------------------------------------|---------------------------------------------|-----------------------|
| <sup>21</sup> Spud Date<br>5/14/21 | <sup>22</sup> Ready Date<br>10/10/21 | <sup>23</sup> TD<br>23246 | <sup>24</sup> PBDT<br>23234 MD/10577 TVD | <sup>25</sup> Perforations<br>10850 - 23222 | <sup>26</sup> DHC, MC |
| <sup>27</sup> Hole Size            | <sup>28</sup> Casing & Tubing Size   | <sup>29</sup> Depth Set   | <sup>30</sup> Sacks Cement               |                                             |                       |
| 17.5                               | 13.375                               | 287.8                     | 340                                      |                                             |                       |
| 9.875                              | 8 5/8                                | 10110.7                   | 780                                      |                                             |                       |
| 7.875                              | 5.5                                  | 23236                     | 2990                                     |                                             |                       |
|                                    |                                      |                           |                                          |                                             |                       |

V. Well Test Data

Tubing set: 9/25/2021; 10194.7, 329 JNT, 2-7/8" L-80

|                                                                                                                                                                                                                                                                                                            |                                             |                                     |                                                                                                                                |                                        |                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|----------------------------------------|
| <sup>31</sup> Date New Oil<br>10/20/21                                                                                                                                                                                                                                                                     | <sup>32</sup> Gas Delivery Date<br>10/20/21 | <sup>33</sup> Test Date<br>10/20/21 | <sup>34</sup> Test Length<br>24 hrs                                                                                            | <sup>35</sup> Tbg. Pressure<br>596 psi | <sup>36</sup> Csg. Pressure<br>490 psi |
| <sup>37</sup> Choke Size<br>n/a                                                                                                                                                                                                                                                                            | <sup>38</sup> Oil<br>1481 bbl               | <sup>39</sup> Water<br>4235 bbl     | <sup>40</sup> Gas<br>3064 mcf                                                                                                  |                                        | <sup>41</sup> Test Method              |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:  |                                             |                                     | OIL CONSERVATION DIVISION<br>Approved by:  |                                        |                                        |
| Printed name: Jenny Harms                                                                                                                                                                                                                                                                                  |                                             |                                     | Title: Petroleum Engineer                                                                                                      |                                        |                                        |
| Title: Regulatory Specialist                                                                                                                                                                                                                                                                               |                                             |                                     | Approval Date: 06/23/22                                                                                                        |                                        |                                        |
| E-mail Address: jenny.harms@dvN.com                                                                                                                                                                                                                                                                        |                                             |                                     | COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.                                                 |                                        |                                        |
| Date: 6/16/2022                                                                                                                                                                                                                                                                                            | Phone: 405-552-6560                         |                                     |                                                                                                                                |                                        |                                        |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720

**District III**  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170

**District IV**  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
**OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to  
appropriate District Office☒ AMENDED REPORT

AS-DRILLED

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

|                                         |                                                                     |                                                          |
|-----------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------|
| <sup>1</sup> API Number<br>30-015-47423 | <sup>2</sup> Pool Code<br>98241                                     | <sup>3</sup> Pool Name<br>WC-015 G-05 S233031K; WOLFCAMP |
| <sup>4</sup> Property Code<br>328932    | <sup>5</sup> Property Name<br>YUKON GOLD 31-19 FED COM              | <sup>6</sup> Well Number<br>623H                         |
| <sup>7</sup> GRID No.<br>6137           | <sup>8</sup> Operator Name<br>DEVON ENERGY PRODUCTION COMPANY, L.P. | <sup>9</sup> Elevation<br>3136.6'                        |

**Surface Location**


| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| H             | 31      | 23-S     | 30-E  |         | 2192          | NORTH            | 1228          | EAST           | EDDY   |

**Bottom Hole Location If Different From Surface**

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| B             | 19      | 23-S     | 30-E  |         | 424           | NORTH            | 1640          | EAST           | EDDY   |

|                                      |                               |                                  |                         |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br>800 | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

**YUKON GOLD 31-19****FED COM 623H**

ELEV: 3136.6'  
LAT: 32.262531°  
LON: -103.916164°  
N: 459492.56  
E: 670285.68

**KICK OFF POINT**

LAT: 32.2614635°  
LON: 103.9175156°  
N: 459102.53  
E: 669869.40

**FIRST TAKE POINT**

LAT: 32.2625178°  
LON: 103.9174783°  
N: 459486.10  
E: 669879.45

**LAST TAKE POINT**

LAT: 32.2964920°  
LON: 103.9176027°  
N: 471845.38  
E: 669793.10

**BOTTOM HOLE LOCATION**

LAT: 32.2965579°  
LON: 103.9176033°  
N: 471869.37  
E: 669792.81

- STONE
- ◆ NO. 4 REBAR
- ◆ IRON PIPE
- USGLO BRASS CAP

**NOTES:**

1. BEARINGS SHOWN ARE GRID BASED ON THE NEW MEXICO STATE PLANE EAST ZONE COORDINATE SYSTEM (3001), NAD 83 (2011), BASED FROM GPS OBSERVATIONS, OCCUPYING A WHS CONTROL POINT (5/8" REBAR), LOCATED AT AT N:457834.965 E:670241.029 ELEV:3198.327 DETERMINED BY AN OPUS SOLUTION ON DECEMBER 3RD, 2018.
2. DISTANCES DEPICTED HEREON ARE REPORTED AS GROUND DISTANCE IN US SURVEY FEET USING A COMBINED SCALE FACTOR OF 1.000221017
3. ELEVATIONS ARE OF NAVD 88 COMPUTED USING GEOID 12B.
4. DRILL PATH INFORMATION HAS BEEN PROVIDED TO WHS BY THE CLIENT.
5. SURFACE HOLE LOCATIONS (SHL) ARE DERIVED FROM THE ORIGINALLY PLATTED WELL LOCATIONS.

**OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

*Jenny Harms* 11-15-2021  
Signature Date

**JENNY HARMS**  
Printed Name  
**JENNY.HARMS@DVN.COM**  
E-mail Address


**SURVEYOR CERTIFICATION**

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

09/23/2021

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate No. 23261 Albert Dehoyos  
Drawn by: JEB Checked by: ARD Date: 09/24/2021

Intent ☐ As Drilled ☒

|                                                         |                                            |                     |
|---------------------------------------------------------|--------------------------------------------|---------------------|
| API #<br>30-015-47423                                   |                                            |                     |
| Operator Name:<br>DEVON ENERGY PRODUCTION COMPANY, L.P. | Property Name:<br>YUKON GOLD 31-19 FED COM | Well Number<br>623H |

## Kick Off Point (KOP)

|                         |               |                  |               |     |                            |                   |              |                  |                |
|-------------------------|---------------|------------------|---------------|-----|----------------------------|-------------------|--------------|------------------|----------------|
| UL<br>G                 | Section<br>31 | Township<br>23-S | Range<br>30-E | Lot | Feet<br>2581               | From N/S<br>NORTH | Feet<br>1647 | From E/W<br>EAST | County<br>EDDY |
| Latitude<br>32.2614635° |               |                  |               |     | Longitude<br>-103.9175156° |                   |              | NAD<br>83        |                |

## First Take Point (FTP)

|                         |               |                  |               |     |                           |                   |              |                  |                |
|-------------------------|---------------|------------------|---------------|-----|---------------------------|-------------------|--------------|------------------|----------------|
| UL<br>G                 | Section<br>31 | Township<br>23-S | Range<br>30-E | Lot | Feet<br>2197              | From N/S<br>NORTH | Feet<br>1634 | From E/W<br>EAST | County<br>EDDY |
| Latitude<br>32.2625178° |               |                  |               |     | Longitude<br>103.9174783° |                   |              | NAD<br>83        |                |

## Last Take Point (LTP)

|                         |               |                  |               |     |                           |                   |              |                  |                |
|-------------------------|---------------|------------------|---------------|-----|---------------------------|-------------------|--------------|------------------|----------------|
| UL<br>B                 | Section<br>19 | Township<br>23-S | Range<br>30-E | Lot | Feet<br>448               | From N/S<br>NORTH | Feet<br>1639 | From E/W<br>EAST | County<br>EDDY |
| Latitude<br>32.2964920° |               |                  |               |     | Longitude<br>103.9176027° |                   |              | NAD<br>83        |                |

Is this well the defining well for the Horizontal Spacing Unit? ☐ YESIs this well an infill well? ☐ NO

If infill is yes provide API if available, Operator name and well number for Defining well for Horizontal Spacing Unit.

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

DW 11/12/2019



## Final MWD Survey Certification

Eddy County, New Mexico

Client: Devon Energy

Well Name: Yukon Gold 31-19 Fed Com 623H

Total Job No: SW-210407

API No: 33-015-47423

Start Date: 14 May, 2021

End Date: 6 August, 2021

Measured Start Depth: 0 feet

Measured End Depth: 23246 feet

I, "Mike Smitham", certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 6 August, 2021

Signed: *Mike Smitham*



## Devon Energy

Eddy County, NM (NAD83)

Yukon Gold 31-19 Fed Com

Yukon Gold 31-19 Fed Com 623H

OH

Design: OH

## Survey Report - Geographic

09 August, 2021





## Total Directional Services

## Survey Report - Geographic



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Company:</b>  | Devon Energy                  | <b>Local Co-ordinate Reference:</b> | Well Yukon Gold 31-19 Fed Com 623H |
| <b>Project:</b>  | Eddy County, NM (NAD83)       | <b>TVD Reference:</b>               | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Site:</b>     | Yukon Gold 31-19 Fed Com      | <b>MD Reference:</b>                | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Well:</b>     | Yukon Gold 31-19 Fed Com 623H | <b>North Reference:</b>             | Grid                               |
| <b>Wellbore:</b> | OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Design:</b>   | OH                            | <b>Database:</b>                    | EDM 5000.15 Single User Db         |

|                    |                           |                      |                |
|--------------------|---------------------------|----------------------|----------------|
| <b>Project</b>     | Eddy County, NM (NAD83)   |                      |                |
| <b>Map System:</b> | US State Plane 1983       | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983 |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone   |                      |                |

|                       |           |                          |                 |                   |             |
|-----------------------|-----------|--------------------------|-----------------|-------------------|-------------|
| Site                  |           | Yukon Gold 31-19 Fed Com |                 |                   |             |
| Site Position:        |           | Northing:                | 459,642.65 usft | Latitude:         | 32.262944   |
| From:                 | Map       | Easting:                 | 670,314.68 usft | Longitude:        | -103.916069 |
| Position Uncertainty: | 0.00 usft | Slot Radius:             | 13-3/16 "       | Grid Convergence: | 0.22 °      |

| Well                 |       | Yukon Gold 31-19 Fed Com 623H |                     |                 |               |               |
|----------------------|-------|-------------------------------|---------------------|-----------------|---------------|---------------|
| Well Position        | +N/-S | 0.00 usft                     | Northing:           | 459,492.56 usft | Latitude:     | 32.262531     |
|                      | +E/-W | 0.00 usft                     | Easting:            | 670,285.68 usft | Longitude:    | -103.916164   |
| Position Uncertainty |       | 0.00 usft                     | Wellhead Elevation: | usft            | Ground Level: | 3,136.60 usft |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | OH                |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | IGRF2020          | 3/21/2021          | 6.74                   | 59.89                | 47,507.60641159            |

|                          |                                |                     |                     |                      |      |
|--------------------------|--------------------------------|---------------------|---------------------|----------------------|------|
| <b>Design</b>            | OH                             |                     |                     |                      |      |
| <b>Audit Notes:</b>      |                                |                     |                     |                      |      |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>       | ACTUAL              | <b>Tie On Depth:</b> | 0.00 |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Direction (°)</b> |      |
|                          | 0.00                           | 0.00                | 0.00                | 357.72               |      |

|                       |                  |                              |                  |                     |  |
|-----------------------|------------------|------------------------------|------------------|---------------------|--|
| <b>Survey Program</b> | <b>Date</b>      | 8/9/2021                     |                  |                     |  |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b>     | <b>Tool Name</b> | <b>Description</b>  |  |
| 194.00                | 1,088.00         | Survey #1 - Surface MWD (OH) | OWSG (Rev2) MWD  | OWSG MWD - Standard |  |
| 1,183.00              | 23,246.00        | Survey #2 - MWD (OH)         | OWSG (Rev2) MWD  | OWSG MWD - Standard |  |

|                              |                        |                    |                              |                     |                     |                            |                           |                 |                  |
|------------------------------|------------------------|--------------------|------------------------------|---------------------|---------------------|----------------------------|---------------------------|-----------------|------------------|
| <b>Survey</b>                |                        |                    |                              |                     |                     |                            |                           |                 |                  |
| <b>Measured Depth (usft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Map Northing (usft)</b> | <b>Map Easting (usft)</b> | <b>Latitude</b> | <b>Longitude</b> |
| 0.00                         | 0.00                   | 0.00               | 0.00                         | 0.00                | 0.00                | 459,492.56                 | 670,285.68                | 32.262531       | -103.916164      |
| 194.00                       | 1.00                   | 146.40             | 193.99                       | -1.41               | 0.94                | 459,491.15                 | 670,286.62                | 32.262527       | -103.916161      |
| 222.00                       | 1.10                   | 147.70             | 221.99                       | -1.84               | 1.22                | 459,490.72                 | 670,286.90                | 32.262526       | -103.916160      |
| 333.00                       | 1.30                   | 151.20             | 332.96                       | -3.84               | 2.39                | 459,488.72                 | 670,288.08                | 32.262521       | -103.916157      |
| 427.00                       | 1.30                   | 154.40             | 426.94                       | -5.74               | 3.37                | 459,486.82                 | 670,289.05                | 32.262515       | -103.916153      |
| 522.00                       | 1.40                   | 153.30             | 521.91                       | -7.75               | 4.35                | 459,484.81                 | 670,290.04                | 32.262510       | -103.916150      |
| 616.00                       | 1.40                   | 149.60             | 615.88                       | -9.77               | 5.45                | 459,482.79                 | 670,291.14                | 32.262504       | -103.916147      |
| 711.00                       | 1.50                   | 147.10             | 710.85                       | -11.81              | 6.71                | 459,480.75                 | 670,292.40                | 32.262499       | -103.916143      |
| 805.00                       | 1.60                   | 144.60             | 804.82                       | -13.91              | 8.14                | 459,478.65                 | 670,293.83                | 32.262493       | -103.916138      |
| 899.00                       | 1.70                   | 140.30             | 898.78                       | -16.06              | 9.79                | 459,476.50                 | 670,295.48                | 32.262487       | -103.916133      |
| 994.00                       | 1.90                   | 179.80             | 993.74                       | -18.72              | 10.70               | 459,473.85                 | 670,296.38                | 32.262480       | -103.916130      |



## Total Directional Services

## Survey Report - Geographic



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Company:</b>  | Devon Energy                  | <b>Local Co-ordinate Reference:</b> | Well Yukon Gold 31-19 Fed Com 623H |
| <b>Project:</b>  | Eddy County, NM (NAD83)       | <b>TVD Reference:</b>               | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Site:</b>     | Yukon Gold 31-19 Fed Com      | <b>MD Reference:</b>                | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Well:</b>     | Yukon Gold 31-19 Fed Com 623H | <b>North Reference:</b>             | Grid                               |
| <b>Wellbore:</b> | OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Design:</b>   | OH                            | <b>Database:</b>                    | EDM 5000.15 Single User Db         |

| Survey                |                 |             |                       |              |              |                     |                    |           |             |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|-----------|-------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude  | Longitude   |
| 1,088.00              | 2.50            | 196.60      | 1,087.67              | -22.24       | 10.12        | 459,470.32          | 670,295.80         | 32.262470 | -103.916132 |
| 1,183.00              | 2.60            | 196.30      | 1,182.57              | -26.29       | 8.92         | 459,466.27          | 670,294.61         | 32.262459 | -103.916136 |
| 1,277.00              | 2.30            | 203.00      | 1,276.49              | -30.07       | 7.59         | 459,462.49          | 670,293.27         | 32.262449 | -103.916140 |
| 1,372.00              | 2.00            | 211.60      | 1,371.42              | -33.24       | 5.97         | 459,459.32          | 670,291.66         | 32.262440 | -103.916145 |
| 1,466.00              | 1.90            | 200.50      | 1,465.37              | -36.10       | 4.57         | 459,456.46          | 670,290.25         | 32.262432 | -103.916150 |
| 1,562.00              | 2.10            | 184.70      | 1,561.31              | -39.34       | 3.87         | 459,453.22          | 670,289.55         | 32.262423 | -103.916152 |
| 1,657.00              | 2.60            | 201.40      | 1,656.23              | -43.08       | 2.94         | 459,449.48          | 670,288.62         | 32.262413 | -103.916155 |
| 1,752.00              | 2.80            | 203.60      | 1,751.12              | -47.21       | 1.22         | 459,445.35          | 670,286.91         | 32.262401 | -103.916161 |
| 1,848.00              | 2.70            | 223.20      | 1,847.02              | -51.01       | -1.27        | 459,441.55          | 670,284.42         | 32.262391 | -103.916169 |
| 1,943.00              | 3.50            | 244.20      | 1,941.88              | -53.91       | -5.41        | 459,438.65          | 670,280.28         | 32.262383 | -103.916182 |
| 2,039.00              | 4.90            | 244.30      | 2,037.62              | -56.96       | -11.74       | 459,435.60          | 670,273.94         | 32.262375 | -103.916203 |
| 2,134.00              | 6.60            | 239.90      | 2,132.14              | -61.46       | -20.12       | 459,431.10          | 670,265.56         | 32.262363 | -103.916230 |
| 2,230.00              | 7.80            | 232.00      | 2,227.38              | -68.23       | -30.03       | 459,424.33          | 670,255.66         | 32.262344 | -103.916262 |
| 2,325.00              | 7.60            | 229.50      | 2,321.52              | -76.28       | -39.88       | 459,416.28          | 670,245.80         | 32.262322 | -103.916294 |
| 2,421.00              | 7.30            | 228.30      | 2,416.71              | -84.46       | -49.27       | 459,408.10          | 670,236.42         | 32.262300 | -103.916325 |
| 2,517.00              | 6.70            | 228.80      | 2,512.00              | -92.21       | -58.03       | 459,400.35          | 670,227.65         | 32.262278 | -103.916353 |
| 2,612.00              | 7.30            | 230.40      | 2,606.29              | -99.71       | -66.85       | 459,392.85          | 670,218.83         | 32.262258 | -103.916382 |
| 2,707.00              | 7.40            | 222.60      | 2,700.51              | -108.06      | -75.65       | 459,384.50          | 670,210.04         | 32.262235 | -103.916410 |
| 2,803.00              | 8.70            | 214.20      | 2,795.57              | -118.61      | -83.91       | 459,373.95          | 670,201.77         | 32.262206 | -103.916437 |
| 2,898.00              | 8.40            | 210.10      | 2,889.51              | -130.56      | -91.43       | 459,362.00          | 670,194.25         | 32.262173 | -103.916462 |
| 2,993.00              | 7.90            | 207.50      | 2,983.55              | -142.35      | -97.92       | 459,350.21          | 670,187.76         | 32.262141 | -103.916483 |
| 3,089.00              | 8.90            | 207.40      | 3,078.52              | -154.80      | -104.39      | 459,337.76          | 670,181.30         | 32.262107 | -103.916504 |
| 3,185.00              | 9.70            | 206.10      | 3,173.26              | -168.66      | -111.36      | 459,323.90          | 670,174.32         | 32.262069 | -103.916527 |
| 3,280.00              | 9.80            | 210.00      | 3,266.89              | -182.85      | -118.93      | 459,309.72          | 670,166.76         | 32.262030 | -103.916551 |
| 3,375.00              | 9.30            | 221.90      | 3,360.58              | -195.56      | -128.10      | 459,297.00          | 670,157.59         | 32.261995 | -103.916581 |
| 3,471.00              | 8.60            | 226.90      | 3,455.41              | -206.24      | -138.52      | 459,286.32          | 670,147.17         | 32.261966 | -103.916615 |
| 3,566.00              | 8.40            | 226.80      | 3,549.37              | -215.84      | -148.76      | 459,276.72          | 670,136.92         | 32.261940 | -103.916648 |
| 3,662.00              | 8.30            | 226.00      | 3,644.35              | -225.46      | -158.86      | 459,267.10          | 670,126.83         | 32.261913 | -103.916681 |
| 3,757.00              | 8.00            | 225.20      | 3,738.39              | -234.88      | -168.48      | 459,257.68          | 670,117.20         | 32.261887 | -103.916712 |
| 3,853.00              | 7.80            | 224.80      | 3,833.48              | -244.21      | -177.81      | 459,248.35          | 670,107.87         | 32.261862 | -103.916743 |
| 3,948.00              | 7.70            | 223.30      | 3,927.61              | -253.41      | -186.72      | 459,239.15          | 670,098.96         | 32.261837 | -103.916772 |
| 4,043.00              | 7.80            | 227.30      | 4,021.75              | -262.42      | -195.82      | 459,230.14          | 670,089.86         | 32.261812 | -103.916801 |
| 4,139.00              | 7.90            | 231.60      | 4,116.85              | -270.93      | -205.78      | 459,221.63          | 670,079.90         | 32.261789 | -103.916833 |
| 4,234.00              | 7.60            | 232.00      | 4,210.98              | -278.86      | -215.85      | 459,213.70          | 670,069.84         | 32.261767 | -103.916866 |
| 4,330.00              | 7.10            | 232.00      | 4,306.19              | -286.42      | -225.53      | 459,206.14          | 670,060.16         | 32.261746 | -103.916897 |
| 4,425.00              | 6.70            | 230.30      | 4,400.50              | -293.57      | -234.42      | 459,198.99          | 670,051.27         | 32.261727 | -103.916926 |
| 4,520.00              | 7.60            | 228.90      | 4,494.76              | -301.24      | -243.41      | 459,191.32          | 670,042.27         | 32.261706 | -103.916956 |
| 4,615.00              | 7.80            | 228.60      | 4,588.91              | -309.63      | -252.98      | 459,182.93          | 670,032.70         | 32.261683 | -103.916987 |
| 4,711.00              | 7.90            | 228.10      | 4,684.01              | -318.35      | -262.78      | 459,174.21          | 670,022.90         | 32.261659 | -103.917018 |
| 4,806.00              | 7.60            | 228.00      | 4,778.14              | -326.91      | -272.31      | 459,165.65          | 670,013.38         | 32.261636 | -103.917049 |
| 4,902.00              | 7.20            | 227.70      | 4,873.34              | -335.21      | -281.48      | 459,157.35          | 670,004.21         | 32.261613 | -103.917079 |
| 4,997.00              | 6.80            | 227.90      | 4,967.63              | -342.99      | -290.05      | 459,149.57          | 669,995.63         | 32.261592 | -103.917107 |
| 5,092.00              | 6.40            | 227.60      | 5,062.00              | -350.33      | -298.14      | 459,142.23          | 669,987.55         | 32.261571 | -103.917133 |
| 5,188.00              | 6.50            | 228.30      | 5,157.39              | -357.55      | -306.14      | 459,135.01          | 669,979.54         | 32.261552 | -103.917159 |
| 5,283.00              | 7.60            | 227.20      | 5,251.67              | -365.40      | -314.77      | 459,127.17          | 669,970.92         | 32.261530 | -103.917187 |
| 5,378.00              | 8.90            | 228.60      | 5,345.69              | -374.52      | -324.89      | 459,118.04          | 669,960.79         | 32.261505 | -103.917220 |
| 5,473.00              | 9.60            | 229.80      | 5,439.45              | -384.50      | -336.45      | 459,108.06          | 669,949.23         | 32.261478 | -103.917258 |
| 5,569.00              | 9.80            | 229.70      | 5,534.08              | -394.95      | -348.80      | 459,097.61          | 669,936.89         | 32.261449 | -103.917298 |
| 5,664.00              | 9.00            | 235.90      | 5,627.81              | -404.34      | -361.12      | 459,088.22          | 669,924.57         | 32.261424 | -103.917338 |
| 5,760.00              | 8.30            | 244.40      | 5,722.72              | -411.55      | -373.59      | 459,081.01          | 669,912.10         | 32.261404 | -103.917378 |
| 5,855.00              | 7.50            | 248.90      | 5,816.81              | -416.74      | -385.55      | 459,075.82          | 669,900.13         | 32.261390 | -103.917417 |
| 5,950.00              | 7.10            | 253.50      | 5,911.05              | -420.64      | -396.97      | 459,071.92          | 669,888.72         | 32.261379 | -103.917454 |
| 6,046.00              | 5.40            | 259.50      | 6,006.47              | -423.15      | -407.10      | 459,069.41          | 669,878.59         | 32.261372 | -103.917487 |
| 6,141.00              | 4.40            | 265.90      | 6,101.12              | -424.23      | -415.13      | 459,068.33          | 669,870.56         | 32.261370 | -103.917513 |
| 6,237.00              | 3.10            | 274.70      | 6,196.92              | -424.28      | -421.39      | 459,068.28          | 669,864.30         | 32.261369 | -103.917533 |



## Total Directional Services

## Survey Report - Geographic



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Company:</b>  | Devon Energy                  | <b>Local Co-ordinate Reference:</b> | Well Yukon Gold 31-19 Fed Com 623H |
| <b>Project:</b>  | Eddy County, NM (NAD83)       | <b>TVD Reference:</b>               | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Site:</b>     | Yukon Gold 31-19 Fed Com      | <b>MD Reference:</b>                | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Well:</b>     | Yukon Gold 31-19 Fed Com 623H | <b>North Reference:</b>             | Grid                               |
| <b>Wellbore:</b> | OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Design:</b>   | OH                            | <b>Database:</b>                    | EDM 5000.15 Single User Db         |

| Survey                                        |                 |             |                       |              |              |                     |                    |           |             |
|-----------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|-----------|-------------|
| Measured Depth (usft)                         | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude  | Longitude   |
| 6,332.00                                      | 1.50            | 293.80      | 6,291.84              | -423.56      | -425.09      | 459,069.00          | 669,860.60         | 32.261371 | -103.917545 |
| 6,428.00                                      | 1.50            | 15.80       | 6,387.82              | -421.85      | -425.90      | 459,070.71          | 669,859.79         | 32.261376 | -103.917547 |
| 6,523.00                                      | 1.70            | 25.20       | 6,482.78              | -419.38      | -424.96      | 459,073.18          | 669,860.73         | 32.261383 | -103.917544 |
| 6,618.00                                      | 1.60            | 26.50       | 6,577.74              | -416.91      | -423.76      | 459,075.65          | 669,861.92         | 32.261390 | -103.917540 |
| 6,714.00                                      | 1.50            | 30.00       | 6,673.70              | -414.63      | -422.54      | 459,077.93          | 669,863.15         | 32.261396 | -103.917536 |
| 6,809.00                                      | 1.30            | 31.80       | 6,768.68              | -412.63      | -421.35      | 459,079.93          | 669,864.34         | 32.261402 | -103.917533 |
| 6,904.00                                      | 1.20            | 31.90       | 6,863.65              | -410.87      | -420.26      | 459,081.69          | 669,865.43         | 32.261406 | -103.917529 |
| 7,000.00                                      | 1.00            | 32.30       | 6,959.64              | -409.31      | -419.28      | 459,083.25          | 669,866.41         | 32.261411 | -103.917526 |
| 7,095.00                                      | 0.80            | 23.70       | 7,054.62              | -408.00      | -418.57      | 459,084.56          | 669,867.12         | 32.261414 | -103.917523 |
| 7,191.00                                      | 0.70            | 18.20       | 7,150.62              | -406.83      | -418.11      | 459,085.73          | 669,867.57         | 32.261417 | -103.917522 |
| 7,286.00                                      | 0.50            | 10.10       | 7,245.61              | -405.87      | -417.86      | 459,086.69          | 669,867.82         | 32.261420 | -103.917521 |
| 7,382.00                                      | 0.30            | 354.00      | 7,341.61              | -405.21      | -417.81      | 459,087.35          | 669,867.87         | 32.261422 | -103.917521 |
| 7,477.00                                      | 0.30            | 329.80      | 7,436.61              | -404.75      | -417.96      | 459,087.81          | 669,867.72         | 32.261423 | -103.917521 |
| 7,572.00                                      | 0.70            | 254.60      | 7,531.60              | -404.69      | -418.65      | 459,087.87          | 669,867.04         | 32.261423 | -103.917524 |
| 7,668.00                                      | 1.30            | 247.40      | 7,627.59              | -405.26      | -420.22      | 459,087.30          | 669,865.47         | 32.261422 | -103.917529 |
| 7,763.00                                      | 1.20            | 260.70      | 7,722.57              | -405.84      | -422.20      | 459,086.72          | 669,863.49         | 32.261420 | -103.917535 |
| 7,859.00                                      | 0.50            | 332.30      | 7,818.56              | -405.63      | -423.38      | 459,086.93          | 669,862.30         | 32.261421 | -103.917539 |
| 7,953.00                                      | 0.60            | 37.50       | 7,912.55              | -404.88      | -423.27      | 459,087.68          | 669,862.41         | 32.261423 | -103.917539 |
| 8,048.00                                      | 1.50            | 291.40      | 8,007.54              | -404.03      | -424.13      | 459,088.53          | 669,861.56         | 32.261425 | -103.917541 |
| 8,143.00                                      | 1.00            | 292.60      | 8,102.52              | -403.25      | -426.05      | 459,089.31          | 669,859.63         | 32.261427 | -103.917548 |
| 8,239.00                                      | 0.90            | 326.80      | 8,198.51              | -402.30      | -427.24      | 459,090.26          | 669,858.45         | 32.261430 | -103.917551 |
| 8,335.00                                      | 0.10            | 27.30       | 8,294.50              | -401.60      | -427.61      | 459,090.96          | 669,858.07         | 32.261432 | -103.917553 |
| 8,430.00                                      | 0.30            | 97.50       | 8,389.50              | -401.56      | -427.33      | 459,091.00          | 669,858.36         | 32.261432 | -103.917552 |
| 8,526.00                                      | 0.70            | 107.60      | 8,485.50              | -401.77      | -426.52      | 459,090.79          | 669,859.16         | 32.261431 | -103.917549 |
| 8,621.00                                      | 1.50            | 87.60       | 8,580.48              | -401.89      | -424.72      | 459,090.67          | 669,860.96         | 32.261431 | -103.917543 |
| 8,717.00                                      | 1.30            | 80.90       | 8,676.45              | -401.66      | -422.39      | 459,090.90          | 669,863.29         | 32.261432 | -103.917536 |
| 8,812.00                                      | 0.70            | 86.80       | 8,771.44              | -401.46      | -420.75      | 459,091.10          | 669,864.93         | 32.261432 | -103.917530 |
| 8,907.00                                      | 0.70            | 1.90        | 8,866.43              | -400.85      | -420.15      | 459,091.71          | 669,865.53         | 32.261434 | -103.917529 |
| 9,003.00                                      | 0.80            | 337.80      | 8,962.42              | -399.64      | -420.39      | 459,092.92          | 669,865.30         | 32.261437 | -103.917529 |
| 9,099.00                                      | 0.60            | 80.00       | 9,058.42              | -398.93      | -420.14      | 459,093.63          | 669,865.54         | 32.261439 | -103.917528 |
| 9,194.00                                      | 1.00            | 100.70      | 9,153.41              | -399.00      | -418.84      | 459,093.56          | 669,866.85         | 32.261439 | -103.917524 |
| 9,289.00                                      | 1.00            | 132.70      | 9,248.40              | -399.72      | -417.42      | 459,092.84          | 669,868.27         | 32.261437 | -103.917520 |
| 9,385.00                                      | 1.00            | 157.00      | 9,344.38              | -401.06      | -416.47      | 459,091.50          | 669,869.21         | 32.261433 | -103.917517 |
| 9,480.00                                      | 1.10            | 145.20      | 9,439.37              | -402.57      | -415.63      | 459,089.99          | 669,870.06         | 32.261429 | -103.917514 |
| 9,576.00                                      | 1.40            | 157.20      | 9,535.34              | -404.41      | -414.65      | 459,088.15          | 669,871.04         | 32.261424 | -103.917511 |
| 9,671.00                                      | 1.50            | 189.20      | 9,630.32              | -406.70      | -414.40      | 459,085.86          | 669,871.29         | 32.261418 | -103.917510 |
| 9,767.00                                      | 1.50            | 186.50      | 9,726.28              | -409.19      | -414.74      | 459,083.37          | 669,870.94         | 32.261411 | -103.917511 |
| 9,862.00                                      | 2.00            | 189.20      | 9,821.24              | -412.06      | -415.15      | 459,080.50          | 669,870.54         | 32.261403 | -103.917512 |
| 9,957.00                                      | 2.30            | 197.00      | 9,916.17              | -415.52      | -415.97      | 459,077.04          | 669,869.72         | 32.261393 | -103.917515 |
| 10,053.00                                     | 2.20            | 208.90      | 10,012.10             | -418.98      | -417.42      | 459,073.58          | 669,868.26         | 32.261384 | -103.917520 |
| 10,066.00                                     | 2.20            | 210.00      | 10,025.09             | -419.41      | -417.67      | 459,073.15          | 669,868.02         | 32.261383 | -103.917521 |
| 10,176.00                                     | 1.50            | 191.30      | 10,135.03             | -422.65      | -419.01      | 459,069.91          | 669,866.68         | 32.261374 | -103.917525 |
| <b>KOP @ 10176' MD, 2615' FSL, 1647' FWL</b>  |                 |             |                       |              |              |                     |                    |           |             |
| 10,272.00                                     | 16.30           | 8.80        | 10,229.85             | -410.48      | -417.18      | 459,082.09          | 669,868.51         | 32.261407 | -103.917519 |
| 10,367.00                                     | 29.40           | 358.90      | 10,317.23             | -373.81      | -415.58      | 459,118.75          | 669,870.11         | 32.261508 | -103.917513 |
| 10,388.00                                     | 31.45           | 358.34      | 10,335.34             | -363.18      | -415.83      | 459,129.38          | 669,869.85         | 32.261537 | -103.917514 |
| <b>X FTP @ 10388' MD, 2555' FNL, 812' FEL</b> |                 |             |                       |              |              |                     |                    |           |             |
| 10,462.00                                     | 38.70           | 356.80      | 10,395.86             | -320.73      | -417.69      | 459,171.83          | 669,868.00         | 32.261654 | -103.917520 |
| 10,557.00                                     | 45.40           | 359.00      | 10,466.37             | -257.18      | -419.94      | 459,235.38          | 669,865.75         | 32.261829 | -103.917526 |
| 10,653.00                                     | 51.30           | 4.70        | 10,530.17             | -185.58      | -417.46      | 459,306.98          | 669,868.22         | 32.262026 | -103.917517 |
| 10,748.00                                     | 66.20           | 4.70        | 10,579.31             | -104.87      | -410.82      | 459,387.69          | 669,874.86         | 32.262247 | -103.917495 |
| 10,844.00                                     | 85.30           | 1.00        | 10,602.84             | -12.38       | -406.35      | 459,480.18          | 669,879.34         | 32.262502 | -103.917479 |
| 10,939.00                                     | 85.90           | 1.40        | 10,610.13             | 82.32        | -404.36      | 459,574.88          | 669,881.32         | 32.262762 | -103.917471 |
| 11,034.00                                     | 88.10           | 359.80      | 10,615.10             | 177.18       | -403.37      | 459,669.74          | 669,882.31         | 32.263023 | -103.917467 |
| 11,130.00                                     | 87.40           | 0.00        | 10,618.87             | 273.10       | -403.54      | 459,765.66          | 669,882.15         | 32.263286 | -103.917466 |



## Total Directional Services

## Survey Report - Geographic



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Company:</b>  | Devon Energy                  | <b>Local Co-ordinate Reference:</b> | Well Yukon Gold 31-19 Fed Com 623H |
| <b>Project:</b>  | Eddy County, NM (NAD83)       | <b>TVD Reference:</b>               | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Site:</b>     | Yukon Gold 31-19 Fed Com      | <b>MD Reference:</b>                | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Well:</b>     | Yukon Gold 31-19 Fed Com 623H | <b>North Reference:</b>             | Grid                               |
| <b>Wellbore:</b> | OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Design:</b>   | OH                            | <b>Database:</b>                    | EDM 5000.15 Single User Db         |

| Survey                               |                 |             |                       |              |              |                     |                    |           |             |
|--------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|-----------|-------------|
| Measured Depth (usft)                | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude  | Longitude   |
| 11,225.00                            | 86.30           | 359.40      | 10,624.09             | 367.96       | -404.04      | 459,860.52          | 669,881.65         | 32.263547 | -103.917467 |
| 11,321.00                            | 87.50           | 359.90      | 10,629.28             | 463.81       | -404.62      | 459,956.37          | 669,881.06         | 32.263811 | -103.917467 |
| 11,416.00                            | 88.10           | 0.20        | 10,632.93             | 558.74       | -404.54      | 460,051.30          | 669,881.15         | 32.264071 | -103.917466 |
| 11,511.00                            | 90.20           | 359.60      | 10,634.34             | 653.73       | -404.70      | 460,146.29          | 669,880.98         | 32.264333 | -103.917465 |
| 11,606.00                            | 89.50           | 359.50      | 10,634.59             | 748.72       | -405.45      | 460,241.28          | 669,880.23         | 32.264594 | -103.917467 |
| 11,702.00                            | 89.40           | 358.30      | 10,635.51             | 844.70       | -407.29      | 460,337.26          | 669,878.39         | 32.264858 | -103.917471 |
| 11,797.00                            | 90.00           | 358.90      | 10,636.01             | 939.67       | -409.61      | 460,432.23          | 669,876.07         | 32.265119 | -103.917478 |
| 11,893.00                            | 88.30           | 357.30      | 10,637.43             | 1,035.60     | -412.80      | 460,528.16          | 669,872.89         | 32.265382 | -103.917487 |
| 11,988.00                            | 89.70           | 359.30      | 10,639.09             | 1,130.53     | -415.61      | 460,623.09          | 669,870.07         | 32.265643 | -103.917495 |
| 12,083.00                            | 93.00           | 0.70        | 10,636.85             | 1,225.49     | -415.61      | 460,718.05          | 669,870.07         | 32.265904 | -103.917493 |
| 12,178.00                            | 91.30           | 359.40      | 10,633.29             | 1,320.42     | -415.53      | 460,812.98          | 669,870.15         | 32.266165 | -103.917492 |
| 12,273.00                            | 91.40           | 358.30      | 10,631.05             | 1,415.37     | -417.44      | 460,907.93          | 669,868.25         | 32.266426 | -103.917497 |
| 12,369.00                            | 91.60           | 359.10      | 10,628.54             | 1,511.31     | -419.62      | 461,003.87          | 669,866.07         | 32.266690 | -103.917503 |
| 12,464.00                            | 91.40           | 359.20      | 10,626.05             | 1,606.27     | -421.02      | 461,098.83          | 669,864.66         | 32.266951 | -103.917506 |
| 12,559.00                            | 91.50           | 0.00        | 10,623.65             | 1,701.24     | -421.69      | 461,193.80          | 669,864.00         | 32.267212 | -103.917507 |
| 12,655.00                            | 90.00           | 0.30        | 10,622.39             | 1,797.23     | -421.44      | 461,289.79          | 669,864.25         | 32.267476 | -103.917505 |
| 12,751.00                            | 89.50           | 0.20        | 10,622.81             | 1,893.22     | -421.02      | 461,385.78          | 669,864.67         | 32.267740 | -103.917503 |
| 12,845.00                            | 89.00           | 359.60      | 10,624.04             | 1,987.21     | -421.18      | 461,479.77          | 669,864.50         | 32.267998 | -103.917502 |
| 12,939.00                            | 88.80           | 359.70      | 10,625.84             | 2,081.20     | -421.76      | 461,573.76          | 669,863.93         | 32.268257 | -103.917503 |
| 13,034.00                            | 88.40           | 359.40      | 10,628.16             | 2,176.16     | -422.50      | 461,668.72          | 669,863.18         | 32.268518 | -103.917504 |
| 13,050.00                            | 88.91           | 359.25      | 10,628.54             | 2,192.16     | -422.69      | 461,684.72          | 669,862.99         | 32.268562 | -103.917504 |
| X Sec @ 13050' MD, 0' FSL, 1651' FEL |                 |             |                       |              |              |                     |                    |           |             |
| 13,128.00                            | 91.40           | 358.50      | 10,628.33             | 2,270.14     | -424.22      | 461,762.70          | 669,861.46         | 32.268776 | -103.917508 |
| 13,223.00                            | 92.70           | 359.50      | 10,624.93             | 2,365.06     | -425.88      | 461,857.62          | 669,859.80         | 32.269037 | -103.917512 |
| 13,317.00                            | 86.40           | 0.40        | 10,625.67             | 2,459.01     | -425.96      | 461,951.57          | 669,859.72         | 32.269295 | -103.917511 |
| 13,412.00                            | 87.90           | 359.50      | 10,630.39             | 2,553.89     | -426.05      | 462,046.45          | 669,859.64         | 32.269556 | -103.917511 |
| 13,506.00                            | 87.60           | 359.10      | 10,634.08             | 2,647.81     | -427.19      | 462,140.37          | 669,858.49         | 32.269814 | -103.917513 |
| 13,600.00                            | 90.80           | 0.00        | 10,635.39             | 2,741.78     | -427.93      | 462,234.34          | 669,857.75         | 32.270072 | -103.917514 |
| 13,695.00                            | 93.30           | 0.90        | 10,632.00             | 2,836.71     | -427.19      | 462,329.27          | 669,858.50         | 32.270333 | -103.917511 |
| 13,789.00                            | 91.70           | 1.30        | 10,627.90             | 2,930.60     | -425.38      | 462,423.16          | 669,860.30         | 32.270591 | -103.917504 |
| 13,884.00                            | 91.60           | 1.30        | 10,625.16             | 3,025.53     | -423.23      | 462,518.09          | 669,862.46         | 32.270852 | -103.917496 |
| 13,978.00                            | 89.10           | 359.80      | 10,624.59             | 3,119.52     | -422.33      | 462,612.08          | 669,863.36         | 32.271111 | -103.917491 |
| 14,073.00                            | 89.70           | 0.50        | 10,625.58             | 3,214.51     | -422.08      | 462,707.07          | 669,863.61         | 32.271372 | -103.917489 |
| 14,167.00                            | 89.80           | 359.10      | 10,625.99             | 3,308.51     | -422.41      | 462,801.07          | 669,863.28         | 32.271630 | -103.917489 |
| 14,263.00                            | 90.20           | 359.30      | 10,625.99             | 3,404.50     | -423.75      | 462,897.06          | 669,861.94         | 32.271894 | -103.917492 |
| 14,358.00                            | 90.20           | 359.30      | 10,625.66             | 3,499.49     | -424.91      | 462,992.05          | 669,860.78         | 32.272155 | -103.917495 |
| 14,453.00                            | 90.20           | 359.10      | 10,625.33             | 3,594.48     | -426.23      | 463,087.04          | 669,859.45         | 32.272416 | -103.917498 |
| 14,549.00                            | 89.40           | 358.30      | 10,625.66             | 3,690.45     | -428.41      | 463,183.01          | 669,857.27         | 32.272680 | -103.917504 |
| 14,644.00                            | 89.30           | 358.00      | 10,626.74             | 3,785.40     | -431.48      | 463,277.96          | 669,854.21         | 32.272941 | -103.917513 |
| 14,740.00                            | 89.00           | 356.70      | 10,628.17             | 3,881.28     | -435.92      | 463,373.84          | 669,849.77         | 32.273205 | -103.917526 |
| 14,836.00                            | 89.10           | 359.00      | 10,629.76             | 3,977.20     | -439.52      | 463,469.76          | 669,846.17         | 32.273469 | -103.917536 |
| 14,931.00                            | 88.10           | 357.90      | 10,632.08             | 4,072.13     | -442.09      | 463,564.69          | 669,843.60         | 32.273730 | -103.917543 |
| 15,026.00                            | 89.90           | 359.50      | 10,633.74             | 4,167.08     | -444.24      | 463,659.64          | 669,841.44         | 32.273991 | -103.917549 |
| 15,121.00                            | 91.60           | 359.50      | 10,632.49             | 4,262.07     | -445.07      | 463,754.63          | 669,840.62         | 32.274252 | -103.917551 |
| 15,217.00                            | 91.60           | 2.10        | 10,629.81             | 4,358.01     | -443.73      | 463,850.57          | 669,841.96         | 32.274515 | -103.917545 |
| 15,312.00                            | 87.10           | 359.20      | 10,630.89             | 4,452.97     | -442.65      | 463,945.53          | 669,843.03         | 32.274776 | -103.917540 |
| 15,407.00                            | 89.70           | 359.70      | 10,633.54             | 4,547.92     | -443.56      | 464,040.48          | 669,842.12         | 32.275037 | -103.917542 |
| 15,503.00                            | 91.50           | 0.90        | 10,632.54             | 4,643.90     | -443.06      | 464,136.46          | 669,842.62         | 32.275301 | -103.917539 |
| 15,598.00                            | 90.90           | 0.30        | 10,630.55             | 4,738.88     | -442.07      | 464,231.44          | 669,843.62         | 32.275562 | -103.917535 |
| 15,693.00                            | 90.60           | 359.60      | 10,629.30             | 4,833.87     | -442.15      | 464,326.43          | 669,843.54         | 32.275823 | -103.917534 |
| 15,788.00                            | 91.40           | 359.30      | 10,627.65             | 4,928.85     | -443.06      | 464,421.41          | 669,842.62         | 32.276084 | -103.917536 |
| 15,884.00                            | 90.80           | 0.00        | 10,625.80             | 5,024.83     | -443.65      | 464,517.39          | 669,842.04         | 32.276348 | -103.917537 |
| 15,980.00                            | 90.00           | 359.30      | 10,625.13             | 5,120.82     | -444.23      | 464,613.38          | 669,841.45         | 32.276612 | -103.917537 |
| 16,075.00                            | 89.40           | 359.00      | 10,625.63             | 5,215.81     | -445.64      | 464,708.37          | 669,840.04         | 32.276873 | -103.917541 |
| 16,170.00                            | 90.50           | 359.30      | 10,625.71             | 5,310.80     | -447.05      | 464,803.36          | 669,838.63         | 32.277134 | -103.917544 |



## Total Directional Services

## Survey Report - Geographic



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Company:</b>  | Devon Energy                  | <b>Local Co-ordinate Reference:</b> | Well Yukon Gold 31-19 Fed Com 623H |
| <b>Project:</b>  | Eddy County, NM (NAD83)       | <b>TVD Reference:</b>               | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Site:</b>     | Yukon Gold 31-19 Fed Com      | <b>MD Reference:</b>                | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Well:</b>     | Yukon Gold 31-19 Fed Com 623H | <b>North Reference:</b>             | Grid                               |
| <b>Wellbore:</b> | OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Design:</b>   | OH                            | <b>Database:</b>                    | EDM 5000.15 Single User Db         |

| Survey                               |                 |             |                       |              |              |                     |                    |           |             |
|--------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|-----------|-------------|
| Measured Depth (usft)                | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude  | Longitude   |
| 16,265.00                            | 89.10           | 357.90      | 10,626.04             | 5,405.76     | -449.37      | 464,898.33          | 669,836.31         | 32.277395 | -103.917550 |
| 16,361.00                            | 89.20           | 358.00      | 10,627.47             | 5,501.69     | -452.81      | 464,994.25          | 669,832.88         | 32.277659 | -103.917560 |
| 16,456.00                            | 89.80           | 0.60        | 10,628.30             | 5,596.67     | -453.97      | 465,089.23          | 669,831.72         | 32.277920 | -103.917563 |
| 16,551.00                            | 92.20           | 1.00        | 10,626.64             | 5,691.64     | -452.64      | 465,184.20          | 669,833.04         | 32.278181 | -103.917557 |
| 16,646.00                            | 92.30           | 0.60        | 10,622.91             | 5,786.56     | -451.32      | 465,279.12          | 669,834.37         | 32.278442 | -103.917552 |
| 16,742.00                            | 91.40           | 0.40        | 10,619.81             | 5,882.51     | -450.48      | 465,375.07          | 669,835.21         | 32.278706 | -103.917548 |
| 16,837.00                            | 91.50           | 0.50        | 10,617.41             | 5,977.47     | -449.73      | 465,470.03          | 669,835.95         | 32.278967 | -103.917544 |
| 16,933.00                            | 88.90           | 359.20      | 10,617.07             | 6,073.46     | -449.98      | 465,566.02          | 669,835.70         | 32.279231 | -103.917544 |
| 17,029.00                            | 90.20           | 359.20      | 10,617.83             | 6,169.45     | -451.32      | 465,662.01          | 669,834.36         | 32.279495 | -103.917547 |
| 17,123.00                            | 92.50           | 0.30        | 10,615.61             | 6,263.41     | -451.73      | 465,755.97          | 669,833.95         | 32.279753 | -103.917547 |
| 17,218.00                            | 89.70           | 1.30        | 10,613.79             | 6,358.37     | -450.41      | 465,850.93          | 669,835.28         | 32.280014 | -103.917542 |
| 17,314.00                            | 88.80           | 1.20        | 10,615.04             | 6,454.34     | -448.31      | 465,946.90          | 669,837.37         | 32.280278 | -103.917534 |
| 17,409.00                            | 89.10           | 0.40        | 10,616.79             | 6,549.32     | -446.99      | 466,041.88          | 669,838.70         | 32.280539 | -103.917528 |
| 17,504.00                            | 91.00           | 1.70        | 10,616.70             | 6,644.29     | -445.25      | 466,136.85          | 669,840.44         | 32.280800 | -103.917521 |
| 17,615.00                            | 89.00           | 358.80      | 10,616.70             | 6,755.28     | -444.76      | 466,247.84          | 669,840.92         | 32.281105 | -103.917518 |
| 17,710.00                            | 88.30           | 358.90      | 10,618.94             | 6,850.23     | -446.67      | 466,342.79          | 669,839.02         | 32.281366 | -103.917523 |
| 17,806.00                            | 87.60           | 358.60      | 10,622.37             | 6,946.14     | -448.76      | 466,438.70          | 669,836.92         | 32.281630 | -103.917529 |
| 17,901.00                            | 89.30           | 358.00      | 10,624.94             | 7,041.06     | -451.58      | 466,533.62          | 669,834.11         | 32.281891 | -103.917537 |
| 17,996.00                            | 89.10           | 0.00        | 10,626.27             | 7,136.03     | -453.24      | 466,628.60          | 669,832.45         | 32.282152 | -103.917541 |
| 18,091.00                            | 88.60           | 359.00      | 10,628.18             | 7,231.01     | -454.07      | 466,723.57          | 669,831.62         | 32.282413 | -103.917543 |
| 18,187.00                            | 89.50           | 357.50      | 10,629.77             | 7,326.95     | -457.00      | 466,819.51          | 669,828.69         | 32.282677 | -103.917551 |
| 18,282.00                            | 91.70           | 356.10      | 10,628.77             | 7,421.79     | -462.30      | 466,914.35          | 669,823.39         | 32.282937 | -103.917567 |
| 18,357.00                            | 91.94           | 357.70      | 10,626.39             | 7,496.64     | -466.36      | 466,989.20          | 669,819.33         | 32.283143 | -103.917579 |
| X Sec @ 18357' MD, 0' FSL, 1694' FEL |                 |             |                       |              |              |                     |                    |           |             |
| 18,376.00                            | 92.00           | 358.10      | 10,625.74             | 7,515.61     | -467.05      | 467,008.17          | 669,818.63         | 32.283195 | -103.917581 |
| 18,472.00                            | 92.00           | 357.60      | 10,622.39             | 7,611.49     | -470.65      | 467,104.05          | 669,815.03         | 32.283459 | -103.917591 |
| 18,567.00                            | 88.80           | 358.80      | 10,621.73             | 7,706.42     | -473.63      | 467,198.98          | 669,812.05         | 32.283720 | -103.917600 |
| 18,662.00                            | 87.00           | 1.00        | 10,625.21             | 7,801.35     | -473.80      | 467,293.91          | 669,811.88         | 32.283981 | -103.917599 |
| 18,758.00                            | 85.70           | 3.80        | 10,631.32             | 7,897.06     | -469.79      | 467,389.62          | 669,815.89         | 32.284244 | -103.917585 |
| 18,853.00                            | 84.80           | 7.50        | 10,639.19             | 7,991.26     | -460.47      | 467,483.82          | 669,825.21         | 32.284503 | -103.917554 |
| 18,950.00                            | 92.60           | 12.00       | 10,641.39             | 8,086.73     | -444.06      | 467,579.29          | 669,841.62         | 32.284765 | -103.917499 |
| 19,045.00                            | 91.70           | 7.40        | 10,637.82             | 8,180.28     | -428.07      | 467,672.84          | 669,857.61         | 32.285022 | -103.917447 |
| 19,141.00                            | 93.00           | 5.30        | 10,633.89             | 8,275.60     | -417.46      | 467,768.16          | 669,868.22         | 32.285284 | -103.917411 |
| 19,235.00                            | 91.90           | 2.90        | 10,629.87             | 8,369.27     | -410.75      | 467,861.83          | 669,874.93         | 32.285541 | -103.917388 |
| 19,330.00                            | 93.50           | 359.50      | 10,625.39             | 8,464.13     | -408.76      | 467,956.69          | 669,876.92         | 32.285802 | -103.917380 |
| 19,426.00                            | 92.40           | 358.80      | 10,620.45             | 8,559.99     | -410.18      | 468,052.55          | 669,875.50         | 32.286065 | -103.917384 |
| 19,521.00                            | 93.40           | 357.60      | 10,615.64             | 8,654.82     | -413.16      | 468,147.38          | 669,872.52         | 32.286326 | -103.917392 |
| 19,616.00                            | 93.10           | 357.30      | 10,610.26             | 8,749.57     | -417.38      | 468,242.13          | 669,868.30         | 32.286587 | -103.917405 |
| 19,711.00                            | 94.30           | 357.70      | 10,604.13             | 8,844.28     | -421.52      | 468,336.84          | 669,864.17         | 32.286847 | -103.917417 |
| 19,807.00                            | 91.80           | 358.30      | 10,599.02             | 8,940.08     | -424.86      | 468,432.64          | 669,860.82         | 32.287110 | -103.917427 |
| 19,903.00                            | 92.50           | 358.80      | 10,595.42             | 9,035.98     | -427.29      | 468,528.54          | 669,858.39         | 32.287374 | -103.917433 |
| 19,998.00                            | 92.20           | 358.10      | 10,591.52             | 9,130.86     | -429.86      | 468,623.42          | 669,855.83         | 32.287635 | -103.917440 |
| 20,094.00                            | 91.90           | 358.30      | 10,588.09             | 9,226.75     | -432.87      | 468,719.31          | 669,852.81         | 32.287898 | -103.917449 |
| 20,189.00                            | 89.60           | 357.10      | 10,586.85             | 9,321.66     | -436.69      | 468,814.22          | 669,849.00         | 32.288159 | -103.917460 |
| 20,284.00                            | 93.80           | 359.90      | 10,584.03             | 9,416.55     | -439.17      | 468,909.11          | 669,846.51         | 32.288420 | -103.917467 |
| 20,380.00                            | 93.20           | 359.60      | 10,578.17             | 9,512.37     | -439.59      | 469,004.93          | 669,846.09         | 32.288684 | -103.917467 |
| 20,475.00                            | 89.80           | 358.80      | 10,575.68             | 9,607.32     | -440.92      | 469,099.88          | 669,844.77         | 32.288945 | -103.917470 |
| 20,571.00                            | 89.40           | 358.40      | 10,576.35             | 9,703.29     | -443.26      | 469,195.85          | 669,842.42         | 32.289208 | -103.917477 |
| 20,666.00                            | 88.70           | 358.40      | 10,577.93             | 9,798.24     | -445.91      | 469,290.80          | 669,839.77         | 32.289470 | -103.917484 |
| 20,761.00                            | 88.70           | 358.60      | 10,580.08             | 9,893.18     | -448.40      | 469,385.74          | 669,837.28         | 32.289731 | -103.917491 |
| 20,856.00                            | 89.80           | 358.50      | 10,581.33             | 9,988.14     | -450.80      | 469,480.70          | 669,834.88         | 32.289992 | -103.917497 |
| 20,951.00                            | 90.20           | 358.60      | 10,581.33             | 10,083.11    | -453.21      | 469,575.67          | 669,832.48         | 32.290253 | -103.917504 |
| 21,046.00                            | 90.20           | 358.50      | 10,580.99             | 10,178.08    | -455.61      | 469,670.64          | 669,830.07         | 32.290514 | -103.917511 |
| 21,142.00                            | 89.70           | 358.40      | 10,581.08             | 10,274.04    | -458.21      | 469,766.60          | 669,827.48         | 32.290778 | -103.917518 |
| 21,240.00                            | 89.30           | 358.20      | 10,581.93             | 10,371.99    | -461.12      | 469,864.55          | 669,824.57         | 32.291047 | -103.917526 |



## Total Directional Services

## Survey Report - Geographic



|                  |                               |                                     |                                    |
|------------------|-------------------------------|-------------------------------------|------------------------------------|
| <b>Company:</b>  | Devon Energy                  | <b>Local Co-ordinate Reference:</b> | Well Yukon Gold 31-19 Fed Com 623H |
| <b>Project:</b>  | Eddy County, NM (NAD83)       | <b>TVD Reference:</b>               | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Site:</b>     | Yukon Gold 31-19 Fed Com      | <b>MD Reference:</b>                | 3136.6' GE + 30' KB @ 3166.60usft  |
| <b>Well:</b>     | Yukon Gold 31-19 Fed Com 623H | <b>North Reference:</b>             | Grid                               |
| <b>Wellbore:</b> | OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature                  |
| <b>Design:</b>   | OH                            | <b>Database:</b>                    | EDM 5000.15 Single User Db         |

| Survey                          |                 |             |                       |              |              |                     |                    |           |             |
|---------------------------------|-----------------|-------------|-----------------------|--------------|--------------|---------------------|--------------------|-----------|-------------|
| Measured Depth (usft)           | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Map Northing (usft) | Map Easting (usft) | Latitude  | Longitude   |
| 21,335.00                       | 89.20           | 358.00      | 10,583.18             | 10,466.93    | -464.27      | 469,959.49          | 669,821.42         | 32.291308 | -103.917535 |
| 21,431.00                       | 88.30           | 357.60      | 10,585.27             | 10,562.84    | -467.95      | 470,055.40          | 669,817.73         | 32.291572 | -103.917546 |
| 21,526.00                       | 88.50           | 358.80      | 10,587.92             | 10,657.75    | -470.93      | 470,150.31          | 669,814.75         | 32.291832 | -103.917554 |
| 21,621.00                       | 91.10           | 0.60        | 10,588.25             | 10,752.74    | -471.43      | 470,245.30          | 669,814.25         | 32.292094 | -103.917555 |
| 21,717.00                       | 92.30           | 1.10        | 10,585.41             | 10,848.68    | -470.01      | 470,341.24          | 669,815.68         | 32.292357 | -103.917549 |
| 21,812.00                       | 89.50           | 0.20        | 10,583.91             | 10,943.66    | -468.93      | 470,436.22          | 669,816.76         | 32.292618 | -103.917544 |
| 21,908.00                       | 89.20           | 0.00        | 10,585.00             | 11,039.65    | -468.76      | 470,532.21          | 669,816.92         | 32.292882 | -103.917542 |
| 22,003.00                       | 89.00           | 359.80      | 10,586.50             | 11,134.64    | -468.93      | 470,627.20          | 669,816.76         | 32.293143 | -103.917542 |
| 22,098.00                       | 88.60           | 359.70      | 10,588.49             | 11,229.62    | -469.34      | 470,722.18          | 669,816.34         | 32.293404 | -103.917542 |
| 22,194.00                       | 88.00           | 359.60      | 10,591.33             | 11,325.57    | -469.93      | 470,818.13          | 669,815.76         | 32.293668 | -103.917543 |
| 22,289.00                       | 89.50           | 359.60      | 10,593.41             | 11,420.54    | -470.59      | 470,913.10          | 669,815.09         | 32.293929 | -103.917543 |
| 22,384.00                       | 89.80           | 358.80      | 10,593.99             | 11,515.53    | -471.92      | 471,008.09          | 669,813.77         | 32.294190 | -103.917547 |
| 22,479.00                       | 88.90           | 356.90      | 10,595.06             | 11,610.45    | -475.48      | 471,103.01          | 669,810.20         | 32.294451 | -103.917557 |
| 22,574.00                       | 89.60           | 357.00      | 10,596.31             | 11,705.31    | -480.54      | 471,197.87          | 669,805.15         | 32.294712 | -103.917572 |
| 22,670.00                       | 90.90           | 357.90      | 10,595.89             | 11,801.21    | -484.81      | 471,293.77          | 669,800.88         | 32.294976 | -103.917585 |
| 22,765.00                       | 91.10           | 358.70      | 10,594.23             | 11,896.15    | -487.62      | 471,388.71          | 669,798.06         | 32.295237 | -103.917593 |
| 22,860.00                       | 91.60           | 359.20      | 10,591.99             | 11,991.11    | -489.36      | 471,483.67          | 669,796.32         | 32.295498 | -103.917597 |
| 22,956.00                       | 92.30           | 359.50      | 10,588.73             | 12,087.05    | -490.45      | 471,579.61          | 669,795.23         | 32.295761 | -103.917599 |
| 23,051.00                       | 92.50           | 359.80      | 10,584.75             | 12,181.96    | -491.03      | 471,674.52          | 669,794.65         | 32.296022 | -103.917600 |
| 23,147.00                       | 92.20           | 359.40      | 10,580.81             | 12,277.88    | -491.70      | 471,770.44          | 669,793.98         | 32.296286 | -103.917601 |
| 23,189.00                       | 91.90           | 359.30      | 10,579.31             | 12,319.85    | -492.18      | 471,812.41          | 669,793.51         | 32.296401 | -103.917602 |
| 23,246.00                       | 91.90           | 359.30      | 10,577.42             | 12,376.81    | -492.87      | 471,869.37          | 669,792.81         | 32.296558 | -103.917604 |
| PBHL & LTP; 427' FNL, 1643' FEL |                 |             |                       |              |              |                     |                    |           |             |

| Design Annotations    |                       |                   |              |                                        |  |
|-----------------------|-----------------------|-------------------|--------------|----------------------------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              |                                        |  |
|                       |                       | +N/-S (usft)      | +E/-W (usft) | Comment                                |  |
| 10,176.00             | 10,135.03             | -422.65           | -419.01      | KOP @ 10176' MD, 2615' FSL, 1647' FWL  |  |
| 10,388.00             | 10,335.34             | -363.18           | -415.83      | X FTP @ 10388' MD, 2555' FNL, 812' FEL |  |
| 13,050.00             | 10,628.54             | 2,192.16          | -422.69      | X Sec @ 13050' MD, 0' FSL, 1651' FEL   |  |
| 18,357.00             | 10,626.39             | 7,496.64          | -466.36      | X Sec @ 18357' MD, 0' FSL, 1694' FEL   |  |
| 23,246.00             | 10,577.42             | 12,376.81         | -492.87      | PBHL & LTP; 427' FNL, 1643' FEL        |  |



Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_



Marwari 21-16 State Fed Com 623H



| WELL DETAILS: Yukon Gold 31-19 Fed Com 623H |       |           |           |           |             |          |           |                                        |
|---------------------------------------------|-------|-----------|-----------|-----------|-------------|----------|-----------|----------------------------------------|
|                                             |       |           |           | 3136.60   |             |          |           |                                        |
| +N/-S                                       | +E/-W | Northing  | Easting   | Latitude  | Longitude   |          |           |                                        |
| 0.00                                        | 0.00  | 459492.56 | 670285.68 | 32.262531 | -103.916164 |          |           |                                        |
| SECTION DETAILS                             |       |           |           |           |             |          |           |                                        |
| MD                                          | Inc   | Azi       | TVD       | +N/-S     | +E/-W       | VSect    | Departure | Annotation                             |
| 10176.00                                    | 1.50  | 191.30    | 10135.03  | -422.65   | -419.01     | -405.65  | 708.01    | KOP @ 10176' MD, 2615' FSL, 1647' FWL  |
| 10388.00                                    | 31.45 | 358.34    | 10335.34  | -363.18   | -415.83     | -346.35  | 771.38    | X FTP @ 10388' MD, 2555' FNL, 812' FEL |
| 13050.00                                    | 88.91 | 359.25    | 10628.54  | 2192.16   | -422.69     | 2207.24  | 3326.46   | X Sec @ 13050' MD, 0' FSL, 1651' FEL   |
| 18357.00                                    | 91.94 | 357.70    | 10626.39  | 7496.64   | -466.36     | 7509.26  | 8632.10   | X Sec @ 18357' MD, 0' FSL, 1694' FEL   |
| 23246.00                                    | 91.90 | 359.30    | 10577.42  | 12376.81  | -492.87     | 12386.62 | 13518.07  | PBHL & LTP; 427' FNL, 1643' FEL        |
|                                             |       |           |           |           |             |          |           |                                        |



Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised August 1, 2011

|                                                                                                                                                                                                                         |  |                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------|
| SUNDRY NOTICES AND REPORTS ON WELLS<br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)                  |  | WELL API NO.<br>30-015-47423                                                             |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>                                                                                          |  | 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input type="checkbox"/> |
| 2. Name of Operator<br>Devon Energy Production Company, L.P.                                                                                                                                                            |  | 6. State Oil & Gas Lease No.                                                             |
| 3. Address of Operator<br>333 West Sheridan, Oklahoma City, OK 73102                                                                                                                                                    |  | 7. Lease Name or Unit Agreement Name<br>YUKON GOLD 31 19 FEDERAL COM                     |
| 4. Well Location<br>Unit Letter <u>H</u> : <u>2192</u> feet from the <u>North</u> line and <u>1228</u> feet from the <u>East</u> line<br>Section <u>31</u> Township <u>23S</u> Range <u>30E</u> NMPM County <u>EDDY</u> |  | 8. Well Number<br>623H                                                                   |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>GL: 3136.6                                                                                                                                                        |  | 9. OGRID Number<br>6137                                                                  |
|                                                                                                                                                                                                                         |  | 10. Pool name or Wildcat<br>; WC-015 G-05 S233031K; WOLFCAMP                             |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: COMPLETION ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8/24/2021-9/12/2021: MIRU WL & PT. PT csg to 11500 PSI for 30min, OK.. TIH w/pump through frac plug and guns. Perf WOLFCAMP, 10850-23222. Frac totals 31526690# prop, 532755 bbl fluid, 288 bbls acid. DO plugs & CO to PBTD w/cmt plug 23234' MD/10577.8' TVD CHC, FWB, ND BOP. Tubing set: 9/25/2021; 10194.7, 329 JNT, 2-7/8" L-80 TOP: 10/10/2021

Formation/Top Depth  
 RUSTLER-190  
 SALT-530  
 BASE OF SALT-3150  
 LAMAR-3390  
 BELL CANYON-3450  
 CHERRY CANYON-4355  
 Brushy Canyon-5945  
 1st Bone Spring Lime-7235  
 Bone Spring 1st-8220  
 Bone Spring 2nd-9090  
 3rd Bone Spring Lime-9403  
 Bone Spring 3rd-10169  
 Wolfcamp-10549  
 Strawn-12400

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jenny Harms TITLE Regulatory Specialist DATE 11/15/2021

Type or print name Jenny Harms E-mail address: jenny.harms@dvn.com PHONE: 405-552-6560

**For State Use Only** Jenny Harms

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

|                                                                                                                                                                                                                                                                                                                                                                                           |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------|----------|---------------|--|
| Submit To Appropriate District Office<br>Two Copies<br><u>District I</u><br>1625 N. French Dr., Hobbs, NM 88240<br><u>District II</u><br>811 S. First St., Artesia, NM 88210<br><u>District III</u><br>1000 Rio Brazos Rd., Aztec, NM 87410<br><u>District IV</u><br>1220 S. St. Francis Dr., Santa Fe, NM 87505                                                                          |                                 | <b>State of New Mexico</b><br><b>Energy, Minerals and Natural Resources</b><br><br><b>Oil Conservation Division</b><br><b>1220 South St. Francis Dr.</b><br><b>Santa Fe, NM 87505</b> |                             |                                                                                                                                |                                | <b>Form C-105</b><br>Revised August 1, 2011                                                                                                             |                             |                       |          |               |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                 | 1. WELL API NO.<br>30-015-47423                                                                                                                                                       |                             | 2. Type of Lease<br><input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN |                                | 3. State Oil & Gas Lease No.                                                                                                                            |                             |                       |          |               |  |
| <b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>                                                                                                                                                                                                                                                                                                                                     |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| 4. Reason for filing:<br><br><input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)<br><br><input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                | 5. Lease Name or Unit Agreement Name<br><b>YUKON GOLD 31 19 FEDERAL COM</b><br><br>6. Well Number:<br><b>623H</b>                                       |                             |                       |          |               |  |
| 7. Type of Completion:<br><input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER                                                                                                                                 |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| 8. Name of Operator<br><b>Devon Energy Production Company, L.P.</b>                                                                                                                                                                                                                                                                                                                       |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                | 9. OGRID<br><b>6137</b>                                                                                                                                 |                             |                       |          |               |  |
| 10. Address of Operator<br><b>333 West Sheridan Avenue, Oklahoma City, OK 73102</b>                                                                                                                                                                                                                                                                                                       |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                | 11. Pool name or Wildcat<br><b>; WC-015 G-05 S233031K; WOLFCAMP</b>                                                                                     |                             |                       |          |               |  |
| 12. Location                                                                                                                                                                                                                                                                                                                                                                              | Unit Ltr                        | Section                                                                                                                                                                               | Township                    | Range                                                                                                                          | Lot                            | Feet from the                                                                                                                                           | N/S Line                    | Feet from the         | E/W Line | County        |  |
| Surface:                                                                                                                                                                                                                                                                                                                                                                                  | H                               | 31                                                                                                                                                                                    | 23S                         | 30E                                                                                                                            |                                | 2192                                                                                                                                                    | North                       | 1228                  | East     | EDDY          |  |
| BH:                                                                                                                                                                                                                                                                                                                                                                                       | B                               | 19                                                                                                                                                                                    | 23S                         | 30E                                                                                                                            |                                | 424                                                                                                                                                     | North                       | 1640                  | East     | EDDY          |  |
| 13. Date Spudded<br>5/14/21                                                                                                                                                                                                                                                                                                                                                               | 14. Date T.D. Reached<br>8/5/21 | 15. Date Rig Released<br>8/9/21                                                                                                                                                       |                             | 16. Date Completed (Ready to Produce)<br>10/10/21                                                                              |                                | 17. Elevations (DF and RKB, RT, GR, etc.)<br>3136.6 GL                                                                                                  |                             |                       |          |               |  |
| 18. Total Measured Depth of Well<br><br>23246 MD, 10577.42 TVD                                                                                                                                                                                                                                                                                                                            |                                 | 19. Plug Back Measured Depth<br><br>23234 MD/10577 TVD                                                                                                                                |                             | 20. Was Directional Survey Made?<br><br>Yes                                                                                    |                                | 21. Type Electric and Other Logs Run<br><br>NO LOGS RAN                                                                                                 |                             |                       |          |               |  |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name<br>10850-23222, WC-015 G-05 S233031K; WOLFCAMP                                                                                                                                                                                                                                                                          |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| <b>23. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                                                                                                                                                 |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| CASING SIZE                                                                                                                                                                                                                                                                                                                                                                               |                                 | WEIGHT LB./FT.                                                                                                                                                                        |                             | DEPTH SET                                                                                                                      |                                | HOLE SIZE                                                                                                                                               |                             | CEMENTING RECORD      |          | AMOUNT PULLED |  |
| 13.375                                                                                                                                                                                                                                                                                                                                                                                    |                                 | 54.5                                                                                                                                                                                  |                             | 287.8                                                                                                                          |                                | 17.5                                                                                                                                                    |                             | 340                   |          |               |  |
| 8 5/8                                                                                                                                                                                                                                                                                                                                                                                     |                                 | 32                                                                                                                                                                                    |                             | 10110.7                                                                                                                        |                                | 9.875                                                                                                                                                   |                             | 780                   |          |               |  |
| 5.5                                                                                                                                                                                                                                                                                                                                                                                       |                                 | 20                                                                                                                                                                                    |                             | 23236                                                                                                                          |                                | 7.875                                                                                                                                                   |                             | 2990                  |          |               |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| <b>24. LINER RECORD</b>                                                                                                                                                                                                                                                                                                                                                                   |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                | <b>25. TUBING RECORD</b>                                                                                                                                |                             |                       |          |               |  |
| SIZE                                                                                                                                                                                                                                                                                                                                                                                      | TOP                             | BOTTOM                                                                                                                                                                                | SACKS CEMENT                | SCREEN                                                                                                                         |                                | SIZE                                                                                                                                                    | DEPTH SET                   | PACKER SET            |          |               |  |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                | Tubing set: 9/25/2021; 10194.7, 329 JNT, 2-7/8" L-80                                                                                                    |                             |                       |          |               |  |
| 26. Perforation record (interval, size, and number)<br><br>10850 - 23222, total 1834 holes                                                                                                                                                                                                                                                                                                |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.<br>DEPTH INTERVAL      AMOUNT AND KIND MATERIAL USED<br>10850-23222      Acidize and frac in 62 stages. |                             |                       |          |               |  |
| <b>28. PRODUCTION</b>                                                                                                                                                                                                                                                                                                                                                                     |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| Date First Production<br><br>10/10/21                                                                                                                                                                                                                                                                                                                                                     |                                 | Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> )                                                                                                          |                             |                                                                                                                                |                                | Well Status ( <i>Prod. or Shut-in</i> )<br><br>Producing                                                                                                |                             |                       |          |               |  |
| Date of Test<br><br>10/20/21                                                                                                                                                                                                                                                                                                                                                              | Hours Tested<br><br>24          | Choke Size                                                                                                                                                                            | Prod'n For Test Period      | Oil - Bbl<br><br>1565                                                                                                          | Gas - MCF<br><br>2993          | Water - Bbl.<br><br>4210                                                                                                                                | Gas - Oil Ratio<br><br>1912 |                       |          |               |  |
| Flow Tubing Press.                                                                                                                                                                                                                                                                                                                                                                        | Casing Pressure                 | Calculated 24-Hour Rate                                                                                                                                                               | Oil - Bbl.                  | Gas - MCF                                                                                                                      | Water - Bbl.                   | Oil Gravity - API - ( <i>Corr.</i> )                                                                                                                    |                             |                       |          |               |  |
| 29. Disposition of Gas ( <i>Sold, used for fuel, vented, etc.</i> )<br><br>Sold                                                                                                                                                                                                                                                                                                           |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             | 30. Test Witnessed By |          |               |  |
| 31. List Attachments<br><br>Directional Survey, Logs                                                                                                                                                                                                                                                                                                                                      |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.                                                                                                                                                                                                                                                                                        |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| 33. If an on-site burial was used at the well, report the exact location of the on-site burial:                                                                                                                                                                                                                                                                                           |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| Latitude                                                                                                                                                                                                                                                                                                                                                                                  |                                 |                                                                                                                                                                                       |                             | Longitude                                                                                                                      |                                |                                                                                                                                                         |                             | NAD 1927 1983         |          |               |  |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief                                                                                                                                                                                                                                                        |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |
| Signature                                                                                                                                                                                                                                                                                              |                                 |                                                                                                                                                                                       | Printed Name<br>Jenny Harms |                                                                                                                                | Title<br>Regulatory Specialist |                                                                                                                                                         | Date<br>11/15/2021          |                       |          |               |  |
| E-mail Address<br>jenny.harms@dv.com                                                                                                                                                                                                                                                                                                                                                      |                                 |                                                                                                                                                                                       |                             |                                                                                                                                |                                |                                                                                                                                                         |                             |                       |          |               |  |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

| Southeastern New Mexico     |  | Northwestern New Mexico |  |
|-----------------------------|--|-------------------------|--|
|                             |  |                         |  |
| RUSTLER - 190               |  |                         |  |
| SALT - 530                  |  |                         |  |
| BASE OF SALT - 3150         |  |                         |  |
| LAMAR - 3390                |  |                         |  |
| BELL CANYON - 3450          |  |                         |  |
| CHERRY CANYON - 4355        |  |                         |  |
| Brushy Canyon - 5945        |  |                         |  |
| 1st Bone Spring Lime - 7235 |  |                         |  |
| Bone Spring 1st - 8220      |  |                         |  |
| Bone Spring 2nd - 9090      |  |                         |  |
| 3rd Bone Spring Lime - 9403 |  |                         |  |
| Bone Spring 3rd - 10169     |  |                         |  |
| Wolfcamp - 10549            |  |                         |  |
| Strawn - 12400              |  |                         |  |
|                             |  |                         |  |
|                             |  |                         |  |

|                  |         |                  |         |
|------------------|---------|------------------|---------|
| No. 1, from..... | to..... | No. 3, from..... | to..... |
| No. 2, from..... | N/A     | No. 4, from..... | N/A     |
|                  | N/A     |                  | N/A     |

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

| From | To | Thickness<br>In Feet | Lithology |
|------|----|----------------------|-----------|
|      |    |                      |           |

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 61827

**ACKNOWLEDGMENTS**

|                                                                                                       |                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>DEVON ENERGY PRODUCTION COMPANY, LP<br>333 West Sheridan Ave.<br>Oklahoma City, OK 73102 | OGRID:<br>6137                                     |
|                                                                                                       | Action Number:<br>61827                            |
|                                                                                                       | Action Type:<br>[C-104] Completion Packet (C-104C) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 61827

CONDITIONS

|                                                                                                       |                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>DEVON ENERGY PRODUCTION COMPANY, LP<br>333 West Sheridan Ave.<br>Oklahoma City, OK 73102 | OGRID:<br>6137                                     |
|                                                                                                       | Action Number:<br>61827                            |
|                                                                                                       | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

|            |                                                                                |                |
|------------|--------------------------------------------------------------------------------|----------------|
| Created By | Condition                                                                      | Condition Date |
| Ilowe      | COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval. | 6/23/2022      |