

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

|                                                                                                |                                                   |                                                           |                                  |
|------------------------------------------------------------------------------------------------|---------------------------------------------------|-----------------------------------------------------------|----------------------------------|
| <sup>1</sup> Operator name and Address<br>DJR Operating, LLC<br>1 Road 3263<br>Aztec, NM 87410 |                                                   | <sup>2</sup> OGRID Number<br>371838                       |                                  |
|                                                                                                |                                                   | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW |                                  |
| <sup>4</sup> API Number<br>30-045-38216                                                        | <sup>5</sup> Pool Name<br>Alamito N; Mancos (Oil) |                                                           | <sup>6</sup> Pool Code<br>98174  |
| <sup>7</sup> Property Code<br>325267                                                           | <sup>8</sup> Property Name<br>North Alamito Unit  |                                                           | <sup>9</sup> Well Number<br>502H |

II. <sup>10</sup> Surface Location

|                    |               |                 |              |         |                        |                           |                       |                        |                    |
|--------------------|---------------|-----------------|--------------|---------|------------------------|---------------------------|-----------------------|------------------------|--------------------|
| Ul or lot no.<br>E | Section<br>01 | Township<br>22N | Range<br>08W | Lot Idn | Feet from the<br>2492' | North/South Line<br>North | Feet from the<br>567' | East/West line<br>West | County<br>San Juan |
|--------------------|---------------|-----------------|--------------|---------|------------------------|---------------------------|-----------------------|------------------------|--------------------|

<sup>11</sup> Bottom Hole Location

|                             |                                          |                 |                                               |         |                                   |                                    |                        |                                     |                    |
|-----------------------------|------------------------------------------|-----------------|-----------------------------------------------|---------|-----------------------------------|------------------------------------|------------------------|-------------------------------------|--------------------|
| UL or lot no.<br>E          | Section<br>07                            | Township<br>22N | Range<br>07W                                  | Lot Idn | Feet from the<br>2299'            | North/South line<br>North          | Feet from the<br>1338' | East/West line<br>West              | County<br>Sandoval |
| <sup>12</sup> Lse Code<br>F | <sup>13</sup> Producing Method Code<br>F |                 | <sup>14</sup> Gas Connection Date<br>05/13/22 |         | <sup>15</sup> C-129 Permit Number | <sup>16</sup> C-129 Effective Date |                        | <sup>17</sup> C-129 Expiration Date |                    |

III. Oil and Gas Transporters

|                                 |                                            |                     |
|---------------------------------|--------------------------------------------|---------------------|
| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address | <sup>20</sup> O/G/W |
| 248440                          | Western Refining Company, LP               | O                   |
|                                 | 6500 Townbridge Drive, El Paso, TX 79905   |                     |
| 151618                          | Enterprise Field Services, LLC             | G                   |
|                                 | Post Office Box 4503, Houston, TX 77001    |                     |
|                                 |                                            |                     |
|                                 |                                            |                     |
|                                 |                                            |                     |
|                                 |                                            |                     |

IV. Well Completion Data

|                                     |                                      |                                              |                                                |                                                                                                 |                       |                            |
|-------------------------------------|--------------------------------------|----------------------------------------------|------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <sup>21</sup> Spud Date<br>06/01/21 | <sup>22</sup> Ready Date<br>04/13/22 | <sup>23</sup> TD<br>13,440' MD<br>4,873' TVD | <sup>24</sup> PBDT<br>13,421' MD<br>4,873' TVD | <sup>25</sup> Perforations<br>5,625'- 13,366' MD<br>4,906'- 4,873' TVD<br>Frac Sleeve @ 13,394' | <sup>26</sup> DHC, MC |                            |
| <sup>27</sup> Hole Size             |                                      | <sup>28</sup> Casing & Tubing Size           |                                                | <sup>29</sup> Depth Set                                                                         |                       | <sup>30</sup> Sacks Cement |
| 12.25                               |                                      | 9.625" 36# J55                               |                                                | 372'                                                                                            |                       | 109                        |
| 8.75                                |                                      | 7" 26# J55                                   |                                                | 5,364'                                                                                          |                       | 620                        |
| 6.125                               |                                      | 4.5" 11.6# P110                              |                                                | TOL: 5,095'<br>BOL: 13,435'                                                                     |                       | 708                        |
|                                     |                                      | 2.875" 6.5# L80 Tubing                       |                                                | 5253'                                                                                           |                       |                            |

V. Well Test Data

|                                                                                                                                                                                                                                               |                                             |                                     |                                       |                                    |                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------|---------------------------------------|------------------------------------|------------------------------------|
| <sup>31</sup> Date New Oil<br>04/18/22                                                                                                                                                                                                        | <sup>32</sup> Gas Delivery Date<br>04/28/22 | <sup>33</sup> Test Date<br>04/20/22 | <sup>34</sup> Test Length<br>24       | <sup>35</sup> Tbg. Pressure<br>545 | <sup>36</sup> Csg. Pressure<br>969 |
| <sup>37</sup> Choke Size<br>40/64                                                                                                                                                                                                             | <sup>38</sup> Oil<br>370                    | <sup>39</sup> Water<br>679          | <sup>40</sup> Gas<br>1637             |                                    | <sup>41</sup> Test Method<br>F     |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature: <i>Shaw-Marie Ford</i> |                                             |                                     | OIL CONSERVATION DIVISION             |                                    |                                    |
| Printed name:<br>Shaw-Marie Ford                                                                                                                                                                                                              |                                             |                                     | Approved by: <i>PATRICIA MARTINEZ</i> |                                    |                                    |
| Title:<br>Regulatory Specialist                                                                                                                                                                                                               |                                             |                                     | Title: <i>PETROLEUM SPECIALIST</i>    |                                    |                                    |
| E-mail Address:<br><a href="mailto:sford@djrlle.com">sford@djrlle.com</a>                                                                                                                                                                     |                                             |                                     | Approval Date: <i>6/29/2022</i>       |                                    |                                    |
| Date:<br>06/28/22                                                                                                                                                                                                                             |                                             | Phone:<br>505-716-3297              |                                       |                                    |                                    |

**DISTRICT I**1625 N. French Dr., Hobbs, N.M. 88240  
Phone: (575) 393-6161 Fax: (575) 748-0720**DISTRICT II**811 S. First St., Artesia, N.M. 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720**DISTRICT III**1000 Rio Brazos Rd., Aztec, N.M. 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170**DISTRICT IV**1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462State of New Mexico  
Energy, Minerals & Natural Resources DepartmentForm C-102  
Revised August 1, 2011

## OIL CONSERVATION DIVISION

1220 South St. Francis Dr.  
Santa Fe, NM 87505Submit one copy to appropriate  
District Office☐ AMENDED REPORT  
☒ ASDRILLED

## WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                         |                                                  |                                                              |
|-----------------------------------------|--------------------------------------------------|--------------------------------------------------------------|
| <sup>1</sup> API Number<br>30-045-38216 | <sup>2</sup> Pool Code<br>98174                  | <sup>3</sup> Pool Name<br>NORTH ALAMITO UNIT MANCOS OIL POOL |
| <sup>4</sup> Property Code<br>325267    | <sup>5</sup> Property Name<br>NORTH ALAMITO UNIT | <sup>6</sup> Well Number<br>502H                             |
| <sup>7</sup> OGRID No.<br>371838        | <sup>8</sup> Operator Name<br>DJR OPERATING, LLC | <sup>9</sup> Elevation<br>6900'                              |

<sup>10</sup> Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County   |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|----------|
| E             | 1       | 22N      | 8W    |         | 2492'         | NORTH            | 567'          | WEST           | SAN JUAN |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County   |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|----------|
| E             | 7       | 22N      | 7W    |         | 2299'         | NORTH            | 1338'         | WEST           | SANDOVAL |


<sup>12</sup> Dedicated Acres PENETRATED SPACING UNIT;  
SEC 1: SW/NW, SE/NW, NW/SW, NE/SW, SE/SW,  
NW/SE, SW/SE, SE/SE (320 AC.); SEC 12: NW/NE,  
NE/NE, SE/NE (120 AC.); SEC. 7: NW/NW, SW/NW,  
SE/NW (121.66 AC.) = 561.66 ACRES TOTAL

<sup>13</sup> Joint or Infill<sup>14</sup> Consolidation Code<sup>15</sup> Order No.

R-14081 R-14067A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED  
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



## 17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 03/21/22  
Signature Date

Shaw-Marie Ford  
Printed Name

sford@djrlc.com  
E-mail Address


## SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

OCTOBER 5, 2021

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393

**Directional Survey Certification**

7237 Barton Drive  
Casper, WY 82604  
(307) 472-6621

|                            |                                  |
|----------------------------|----------------------------------|
| <b>Operator</b>            | DJR Energy                       |
| <b>Well Name &amp; No.</b> | North Alamito Unit E01 2208 502H |
| <b>County &amp; State</b>  | San Juan, NM                     |
| <b>SDI Job No.</b>         | OP.03061                         |
| <b>Rig</b>                 | Aztec 1000                       |

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 404 feet to a measured depth of 13,440 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

23-Sep-21

Date

**Janie Collins**

Contract Well Planner  
Scientific Drilling International



**DJR**

**North Alamito Unit**

**E01 2208 Pad**

**#502H**

## **End of Well Report**



[www.scientificdrilling.com](http://www.scientificdrilling.com)





Company Name: DJR Operating  
Project: North Alamito Unit  
Site: E01 2208  
Well: # 502H  
Wellbore: Original Drilling



WELL DETAILS: # 502H

| GL 6900' & RKB 25' @ 6925ft (Aztec 1000) 6900 |       |            |            | 2           |               |
|-----------------------------------------------|-------|------------|------------|-------------|---------------|
| +N/-S                                         | +E/-W | Northing   | Easting    | Latitude    | Longitude     |
| 0                                             | 0     | 1880965.23 | 2780059.47 | 36.16926300 | -107.64032300 |



Design: Original Drilling (# 502H/Original Drilling)  
Created By: Janie Collins Date: 12:05, September 23 2021

PROJECT DETAILS: North Alamito Unit

Geodetic System: US State Plane 1983  
Datum: North American Datum 1983  
Ellipsoid: GRS 1980  
Zone: New Mexico Western Zone

System Datum: Mean Sea Level  
Local North: True



## **DJR Operating**

**North Alamito Unit**

**E01 2208**

**# 502H - Slot 2**

**Original Drilling**

**Design: Original Drilling**

## **Standard Survey Report**

**23 September, 2021**



[www.scientificdrilling.com](http://www.scientificdrilling.com)





# Scientific Drilling Survey Report



|                  |                    |                                     |                                          |
|------------------|--------------------|-------------------------------------|------------------------------------------|
| <b>Company:</b>  | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 502H - Slot 2                     |
| <b>Project:</b>  | North Alamito Unit | <b>TVD Reference:</b>               | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Site:</b>     | E01 2208           | <b>MD Reference:</b>                | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Well:</b>     | # 502H             | <b>North Reference:</b>             | True                                     |
| <b>Wellbore:</b> | Original Drilling  | <b>Survey Calculation Method:</b>   | Minimum Curvature                        |
| <b>Design:</b>   | Original Drilling  | <b>Database:</b>                    | Grand Junction                           |

|                    |                           |                      |                |
|--------------------|---------------------------|----------------------|----------------|
| <b>Project</b>     | North Alamito Unit        |                      |                |
| <b>Map System:</b> | US State Plane 1983       | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983 |                      |                |
| <b>Map Zone:</b>   | New Mexico Western Zone   |                      |                |

|                              |          |                          |                   |
|------------------------------|----------|--------------------------|-------------------|
| <b>Site</b>                  | E01 2208 |                          |                   |
| <b>Site Position:</b>        |          | <b>Northing:</b>         | 1,880,971.09 usft |
| <b>From:</b>                 | Lat/Long | <b>Easting:</b>          | 2,780,078.94 usft |
| <b>Position Uncertainty:</b> | 0 ft     | <b>Slot Radius:</b>      | 13.20 in          |
|                              |          | <b>Latitude:</b>         | 36.16927900       |
|                              |          | <b>Longitude:</b>        | -107.64025700     |
|                              |          | <b>Grid Convergence:</b> | 0.11 °            |

|                             |                 |                            |                                    |
|-----------------------------|-----------------|----------------------------|------------------------------------|
| <b>Well</b>                 | # 502H - Slot 2 |                            |                                    |
| <b>Well Position</b>        | <b>+N/-S</b>    | 0 ft                       | <b>Northing:</b> 1,880,965.23 usft |
|                             | <b>+E/-W</b>    | 0 ft                       | <b>Easting:</b> 2,780,059.48 usft  |
| <b>Position Uncertainty</b> | 0 ft            | <b>Wellhead Elevation:</b> | ft                                 |
|                             |                 | <b>Latitude:</b>           | 36.16926300                        |
|                             |                 | <b>Longitude:</b>          | -107.64032300                      |
|                             |                 | <b>Ground Level:</b>       | 6900 ft                            |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | Original Drilling |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | HDGM2021_FILE     | 9/6/2021           | 8.57                   | 62.68                | 49,122.00000000            |
|                  | HDGM2021_FILE     | 9/16/2021          | 8.55                   | 62.68                | 49,119.30000000            |

|                          |                         |                   |                   |                        |
|--------------------------|-------------------------|-------------------|-------------------|------------------------|
| <b>Design</b>            | Original Drilling       |                   |                   |                        |
| <b>Audit Notes:</b>      |                         |                   |                   |                        |
| <b>Version:</b>          | 1.0                     | <b>Phase:</b>     | ACTUAL            | <b>Tie On Depth:</b> 0 |
| <b>Vertical Section:</b> | <b>Depth From (TVD)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Direction (°)</b>   |
|                          | 0                       | 0                 | 0                 | 131.05                 |

|                       |                |                                           |                  |                    |
|-----------------------|----------------|-------------------------------------------|------------------|--------------------|
| <b>Survey Program</b> | <b>Date</b>    | 9/23/2021                                 |                  |                    |
| <b>From (ft)</b>      | <b>To (ft)</b> | <b>Survey (Wellbore)</b>                  | <b>Tool Name</b> | <b>Description</b> |
| 404                   | 4260           | Survey #1 - Surface MWD Survey (Original) | MWD+HDGM         | OWSG MWD + HDGM    |
| 4354                  | 5328           | Survey #2 - Curve MWD Survey (Original)   | MWD+HDGM         | OWSG MWD + HDGM    |
| 5393                  | 13,440         | Survey #3 - Lateral MWD Survey (Original) | MWD+HDGM         | OWSG MWD + HDGM    |

|                            |                        |                    |                            |                   |                   |                              |                                |                               |                              |  |
|----------------------------|------------------------|--------------------|----------------------------|-------------------|-------------------|------------------------------|--------------------------------|-------------------------------|------------------------------|--|
| <b>Survey</b>              |                        |                    |                            |                   |                   |                              |                                |                               |                              |  |
| <b>Measured Depth (ft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (ft)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Vertical Section (ft)</b> | <b>Dogleg Rate (°/100usft)</b> | <b>Build Rate (°/100usft)</b> | <b>Turn Rate (°/100usft)</b> |  |
| 0                          | 0.00                   | 0.00               | 0                          | 0                 | 0                 | 0                            | 0.00                           | 0.00                          | 0.00                         |  |
| 404                        | 0.00                   | 0.00               | 404                        | 0                 | 0                 | 0                            | 0.00                           | 0.00                          | 0.00                         |  |
| 448                        | 0.76                   | 227.32             | 448                        | 0                 | 0                 | 0                            | 1.73                           | 1.73                          | 0.00                         |  |
| 509                        | 0.72                   | 224.55             | 509                        | -1                | -1                | 0                            | 0.09                           | -0.07                         | -4.54                        |  |
| 600                        | 1.65                   | 298.13             | 600                        | -1                | -2                | -1                           | 1.76                           | 1.02                          | 80.86                        |  |
| 691                        | 2.95                   | 321.41             | 691                        | 2                 | -5                | -5                           | 1.73                           | 1.43                          | 25.58                        |  |
| 781                        | 4.03                   | 322.12             | 781                        | 6                 | -8                | -10                          | 1.20                           | 1.20                          | 0.79                         |  |
| 872                        | 5.85                   | 322.12             | 871                        | 12                | -13               | -18                          | 2.00                           | 2.00                          | 0.00                         |  |



## Scientific Drilling

## Survey Report



|                  |                    |                                     |                                          |
|------------------|--------------------|-------------------------------------|------------------------------------------|
| <b>Company:</b>  | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 502H - Slot 2                     |
| <b>Project:</b>  | North Alamito Unit | <b>TVD Reference:</b>               | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Site:</b>     | E01 2208           | <b>MD Reference:</b>                | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Well:</b>     | # 502H             | <b>North Reference:</b>             | True                                     |
| <b>Wellbore:</b> | Original Drilling  | <b>Survey Calculation Method:</b>   | Minimum Curvature                        |
| <b>Design:</b>   | Original Drilling  | <b>Database:</b>                    | Grand Junction                           |

| Survey              |                 |             |                     |            |            |                       |                         |                        |                       |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 963                 | 7.12            | 317.12      | 962                 | 20         | -20        | -28                   | 1.53                    | 1.40                   | -5.49                 |
| 1055                | 8.77            | 315.63      | 1053                | 29         | -29        | -41                   | 1.81                    | 1.79                   | -1.62                 |
| 1145                | 10.19           | 320.02      | 1142                | 40         | -39        | -56                   | 1.77                    | 1.58                   | 4.88                  |
| 1237                | 11.53           | 317.31      | 1232                | 53         | -50        | -73                   | 1.56                    | 1.46                   | -2.95                 |
| 1327                | 11.44           | 315.25      | 1320                | 66         | -62        | -91                   | 0.47                    | -0.10                  | -2.29                 |
| 1418                | 13.56           | 318.43      | 1409                | 81         | -76        | -110                  | 2.45                    | 2.33                   | 3.49                  |
| 1509                | 14.89           | 316.46      | 1497                | 97         | -91        | -132                  | 1.56                    | 1.46                   | -2.16                 |
| 1600                | 15.55           | 315.47      | 1585                | 114        | -108       | -156                  | 0.78                    | 0.73                   | -1.09                 |
| 1690                | 15.99           | 310.56      | 1672                | 131        | -125       | -181                  | 1.56                    | 0.49                   | -5.46                 |
| 1781                | 16.87           | 309.07      | 1759                | 147        | -145       | -206                  | 1.07                    | 0.97                   | -1.64                 |
| 1871                | 17.07           | 305.81      | 1845                | 163        | -166       | -233                  | 1.08                    | 0.22                   | -3.62                 |
| 1967                | 16.97           | 302.48      | 1937                | 179        | -189       | -260                  | 1.02                    | -0.10                  | -3.47                 |
| 2062                | 17.58           | 298.69      | 2028                | 194        | -214       | -288                  | 1.35                    | 0.64                   | -3.99                 |
| 2156                | 18.91           | 304.83      | 2117                | 209        | -239       | -317                  | 2.48                    | 1.41                   | 6.53                  |
| 2251                | 19.09           | 310.17      | 2207                | 228        | -263       | -348                  | 1.84                    | 0.19                   | 5.62                  |
| 2345                | 19.35           | 313.11      | 2295                | 248        | -286       | -379                  | 1.07                    | 0.28                   | 3.13                  |
| 2440                | 19.71           | 318.91      | 2385                | 271        | -308       | -411                  | 2.08                    | 0.38                   | 6.11                  |
| 2535                | 20.92           | 317.82      | 2474                | 296        | -330       | -443                  | 1.33                    | 1.27                   | -1.15                 |
| 2630                | 19.78           | 320.60      | 2563                | 321        | -352       | -476                  | 1.57                    | -1.20                  | 2.93                  |
| 2724                | 18.39           | 320.87      | 2652                | 345        | -371       | -506                  | 1.48                    | -1.48                  | 0.29                  |
| 2820                | 15.36           | 318.17      | 2744                | 366        | -389       | -534                  | 3.26                    | -3.16                  | -2.81                 |
| 2914                | 15.06           | 317.24      | 2835                | 384        | -406       | -558                  | 0.41                    | -0.32                  | -0.99                 |
| 3009                | 15.52           | 316.62      | 2926                | 402        | -423       | -583                  | 0.51                    | 0.48                   | -0.65                 |
| 3104                | 15.08           | 317.14      | 3018                | 421        | -440       | -608                  | 0.49                    | -0.46                  | 0.55                  |
| 3199                | 15.36           | 316.52      | 3110                | 439        | -457       | -633                  | 0.34                    | 0.29                   | -0.65                 |
| 3294                | 15.38           | 316.21      | 3201                | 457        | -474       | -658                  | 0.09                    | 0.02                   | -0.33                 |
| 3388                | 15.91           | 316.70      | 3292                | 476        | -492       | -683                  | 0.58                    | 0.56                   | 0.52                  |
| 3483                | 16.03           | 316.54      | 3383                | 495        | -510       | -709                  | 0.13                    | 0.13                   | -0.17                 |
| 3577                | 16.32           | 317.22      | 3473                | 514        | -528       | -735                  | 0.37                    | 0.31                   | 0.72                  |
| 3672                | 15.09           | 315.84      | 3565                | 532        | -545       | -761                  | 1.35                    | -1.29                  | -1.45                 |
| 3767                | 14.11           | 314.86      | 3657                | 549        | -562       | -785                  | 1.06                    | -1.03                  | -1.03                 |
| 3862                | 14.56           | 313.42      | 3749                | 566        | -579       | -808                  | 0.60                    | 0.47                   | -1.52                 |
| 3956                | 13.43           | 312.18      | 3840                | 581        | -596       | -831                  | 1.24                    | -1.20                  | -1.32                 |
| 4051                | 12.05           | 310.40      | 3933                | 595        | -612       | -852                  | 1.51                    | -1.45                  | -1.87                 |
| 4165                | 10.49           | 306.10      | 4044                | 609        | -629       | -874                  | 1.55                    | -1.37                  | -3.77                 |
| 4260                | 0.67            | 83.90       | 4139                | 614        | -635       | -882                  | 11.57                   | -10.34                 | 145.05                |
| 4354                | 15.47           | 128.69      | 4232                | 606        | -625       | -870                  | 15.96                   | 15.74                  | 47.65                 |
| 4449                | 29.68           | 128.63      | 4319                | 583        | -597       | -833                  | 14.96                   | 14.96                  | -0.06                 |
| 4544                | 28.83           | 131.02      | 4402                | 554        | -561       | -787                  | 1.52                    | -0.89                  | 2.52                  |
| 4639                | 26.91           | 129.66      | 4486                | 525        | -527       | -742                  | 2.13                    | -2.02                  | -1.43                 |
| 4733                | 32.75           | 130.46      | 4568                | 495        | -491       | -696                  | 6.23                    | 6.21                   | 0.85                  |
| 4828                | 35.30           | 132.38      | 4646                | 460        | -452       | -642                  | 2.91                    | 2.68                   | 2.02                  |
| 4923                | 39.43           | 130.66      | 4722                | 422        | -408       | -585                  | 4.48                    | 4.35                   | -1.81                 |



## Scientific Drilling

## Survey Report



|                  |                    |                                     |                                          |
|------------------|--------------------|-------------------------------------|------------------------------------------|
| <b>Company:</b>  | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 502H - Slot 2                     |
| <b>Project:</b>  | North Alamito Unit | <b>TVD Reference:</b>               | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Site:</b>     | E01 2208           | <b>MD Reference:</b>                | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Well:</b>     | # 502H             | <b>North Reference:</b>             | True                                     |
| <b>Wellbore:</b> | Original Drilling  | <b>Survey Calculation Method:</b>   | Minimum Curvature                        |
| <b>Design:</b>   | Original Drilling  | <b>Database:</b>                    | Grand Junction                           |

| Survey              |                 |             |                     |            |            |                       |                         |                        |                       |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 5018                | 49.77           | 132.28      | 4789                | 377        | -359       | -518                  | 10.95                   | 10.88                  | 1.71                  |
| 5113                | 64.23           | 128.72      | 4841                | 326        | -298       | -439                  | 15.54                   | 15.22                  | -3.75                 |
| 5208                | 74.98           | 129.37      | 4874                | 270        | -229       | -350                  | 11.33                   | 11.32                  | 0.68                  |
| 5302                | 83.57           | 130.53      | 4891                | 211        | -158       | -258                  | 9.22                    | 9.14                   | 1.23                  |
| 5328                | 86.47           | 132.97      | 4894                | 193        | -139       | -232                  | 14.55                   | 11.15                  | 9.38                  |
| 5393                | 87.14           | 132.63      | 4897                | 149        | -91        | -167                  | 1.16                    | 1.03                   | -0.52                 |
| 5456                | 86.98           | 131.99      | 4901                | 107        | -45        | -104                  | 1.05                    | -0.25                  | -1.02                 |
| 5551                | 88.12           | 132.42      | 4905                | 43         | 26         | -9                    | 1.28                    | 1.20                   | 0.45                  |
| 5644                | 89.77           | 132.34      | 4906                | -19        | 94         | 84                    | 1.78                    | 1.77                   | -0.09                 |
| 5739                | 91.81           | 132.88      | 4905                | -84        | 164        | 179                   | 2.22                    | 2.15                   | 0.57                  |
| 5833                | 92.02           | 132.02      | 4902                | -147       | 233        | 273                   | 0.94                    | 0.22                   | -0.91                 |
| 5927                | 89.09           | 130.56      | 4901                | -209       | 304        | 367                   | 3.48                    | -3.12                  | -1.55                 |
| 6022                | 89.43           | 130.96      | 4902                | -271       | 376        | 462                   | 0.55                    | 0.36                   | 0.42                  |
| 6116                | 90.03           | 130.83      | 4903                | -333       | 447        | 556                   | 0.65                    | 0.64                   | -0.14                 |
| 6211                | 90.27           | 130.64      | 4902                | -395       | 519        | 651                   | 0.32                    | 0.25                   | -0.20                 |
| 6304                | 90.20           | 129.46      | 4902                | -455       | 590        | 744                   | 1.27                    | -0.08                  | -1.27                 |
| 6398                | 89.97           | 129.68      | 4902                | -514       | 663        | 838                   | 0.34                    | -0.24                  | 0.23                  |
| 6493                | 90.24           | 129.95      | 4902                | -575       | 736        | 933                   | 0.40                    | 0.28                   | 0.28                  |
| 6587                | 90.34           | 129.12      | 4901                | -635       | 808        | 1027                  | 0.89                    | 0.11                   | -0.88                 |
| 6682                | 88.93           | 131.89      | 4902                | -697       | 880        | 1122                  | 3.27                    | -1.48                  | 2.92                  |
| 6776                | 89.09           | 132.25      | 4903                | -760       | 950        | 1216                  | 0.42                    | 0.17                   | 0.38                  |
| 6869                | 89.26           | 131.71      | 4905                | -822       | 1019       | 1308                  | 0.61                    | 0.18                   | -0.58                 |
| 6963                | 89.76           | 131.60      | 4906                | -884       | 1089       | 1402                  | 0.54                    | 0.53                   | -0.12                 |
| 7058                | 90.13           | 131.01      | 4906                | -947       | 1161       | 1497                  | 0.73                    | 0.39                   | -0.62                 |
| 7152                | 89.36           | 129.73      | 4906                | -1008      | 1232       | 1591                  | 1.59                    | -0.82                  | -1.36                 |
| 7246                | 90.10           | 130.27      | 4907                | -1068      | 1304       | 1685                  | 0.97                    | 0.79                   | 0.57                  |
| 7340                | 90.07           | 131.98      | 4906                | -1130      | 1375       | 1779                  | 1.82                    | -0.03                  | 1.82                  |
| 7434                | 90.57           | 132.14      | 4906                | -1193      | 1445       | 1873                  | 0.56                    | 0.53                   | 0.17                  |
| 7528                | 90.57           | 134.21      | 4905                | -1258      | 1514       | 1967                  | 2.20                    | 0.00                   | 2.20                  |
| 7623                | 89.66           | 132.08      | 4905                | -1323      | 1583       | 2062                  | 2.44                    | -0.96                  | -2.24                 |
| 7717                | 89.16           | 131.13      | 4906                | -1385      | 1653       | 2156                  | 1.14                    | -0.53                  | -1.01                 |
| 7812                | 89.90           | 130.73      | 4907                | -1447      | 1725       | 2251                  | 0.89                    | 0.78                   | -0.42                 |
| 7906                | 90.03           | 131.30      | 4907                | -1509      | 1796       | 2345                  | 0.62                    | 0.14                   | 0.61                  |
| 8001                | 89.73           | 132.03      | 4907                | -1572      | 1867       | 2440                  | 0.83                    | -0.32                  | 0.77                  |
| 8095                | 91.18           | 133.85      | 4906                | -1636      | 1936       | 2534                  | 2.48                    | 1.54                   | 1.94                  |
| 8190                | 89.46           | 132.70      | 4905                | -1701      | 2005       | 2629                  | 2.18                    | -1.81                  | -1.21                 |
| 8284                | 89.76           | 132.85      | 4906                | -1765      | 2074       | 2723                  | 0.36                    | 0.32                   | 0.16                  |
| 8378                | 89.70           | 132.44      | 4907                | -1829      | 2143       | 2817                  | 0.44                    | -0.06                  | -0.44                 |
| 8473                | 89.56           | 131.99      | 4907                | -1893      | 2213       | 2912                  | 0.50                    | -0.15                  | -0.47                 |
| 8563                | 89.09           | 130.91      | 4908                | -1952      | 2281       | 3002                  | 1.31                    | -0.52                  | -1.20                 |
| 8653                | 91.54           | 133.01      | 4908                | -2012      | 2348       | 3092                  | 3.59                    | 2.72                   | 2.33                  |
| 8743                | 90.34           | 131.45      | 4906                | -2073      | 2414       | 3182                  | 2.19                    | -1.33                  | -1.73                 |
| 8834                | 89.16           | 129.95      | 4907                | -2132      | 2483       | 3273                  | 2.10                    | -1.30                  | -1.65                 |
| 8924                | 91.48           | 130.92      | 4906                | -2190      | 2552       | 3363                  | 2.79                    | 2.58                   | 1.08                  |



# Scientific Drilling Survey Report



|                  |                    |                                     |                                          |
|------------------|--------------------|-------------------------------------|------------------------------------------|
| <b>Company:</b>  | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 502H - Slot 2                     |
| <b>Project:</b>  | North Alamito Unit | <b>TVD Reference:</b>               | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Site:</b>     | E01 2208           | <b>MD Reference:</b>                | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Well:</b>     | # 502H             | <b>North Reference:</b>             | True                                     |
| <b>Wellbore:</b> | Original Drilling  | <b>Survey Calculation Method:</b>   | Minimum Curvature                        |
| <b>Design:</b>   | Original Drilling  | <b>Database:</b>                    | Grand Junction                           |

| Survey              |                 |             |                     |            |            |                       |                         |                        |                       |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 9015                | 92.58           | 130.94      | 4903                | -2250      | 2621       | 3454                  | 1.21                    | 1.21                   | 0.02                  |
| 9105                | 92.38           | 130.42      | 4899                | -2309      | 2689       | 3544                  | 0.62                    | -0.22                  | -0.58                 |
| 9195                | 91.64           | 131.34      | 4896                | -2367      | 2757       | 3634                  | 1.31                    | -0.82                  | 1.02                  |
| 9286                | 90.40           | 130.95      | 4894                | -2427      | 2825       | 3725                  | 1.43                    | -1.36                  | -0.43                 |
| 9378                | 90.94           | 131.27      | 4893                | -2488      | 2895       | 3817                  | 0.68                    | 0.59                   | 0.35                  |
| 9468                | 90.37           | 130.85      | 4892                | -2547      | 2962       | 3907                  | 0.79                    | -0.63                  | -0.47                 |
| 9559                | 90.24           | 130.53      | 4892                | -2606      | 3031       | 3998                  | 0.38                    | -0.14                  | -0.35                 |
| 9651                | 90.50           | 130.15      | 4891                | -2666      | 3102       | 4090                  | 0.50                    | 0.28                   | -0.41                 |
| 9741                | 91.34           | 130.87      | 4890                | -2724      | 3170       | 4180                  | 1.23                    | 0.93                   | 0.80                  |
| 9832                | 91.11           | 130.09      | 4888                | -2783      | 3239       | 4271                  | 0.89                    | -0.25                  | -0.86                 |
| 9923                | 91.48           | 129.96      | 4886                | -2842      | 3309       | 4362                  | 0.43                    | 0.41                   | -0.14                 |
| 10,013              | 90.87           | 131.11      | 4884                | -2900      | 3377       | 4452                  | 1.45                    | -0.68                  | 1.28                  |
| 10,103              | 90.77           | 130.86      | 4883                | -2959      | 3445       | 4542                  | 0.30                    | -0.11                  | -0.28                 |
| 10,193              | 89.90           | 132.35      | 4882                | -3019      | 3512       | 4632                  | 1.92                    | -0.97                  | 1.66                  |
| 10,285              | 88.39           | 132.09      | 4883                | -3081      | 3581       | 4724                  | 1.67                    | -1.64                  | -0.28                 |
| 10,377              | 88.35           | 132.36      | 4886                | -3143      | 3649       | 4815                  | 0.30                    | -0.04                  | 0.29                  |
| 10,468              | 92.08           | 133.69      | 4886                | -3205      | 3715       | 4906                  | 4.35                    | 4.10                   | 1.46                  |
| 10,559              | 90.34           | 133.50      | 4884                | -3268      | 3781       | 4997                  | 1.92                    | -1.91                  | -0.21                 |
| 10,650              | 89.76           | 132.33      | 4884                | -3330      | 3848       | 5088                  | 1.44                    | -0.64                  | -1.29                 |
| 10,741              | 90.57           | 132.71      | 4883                | -3391      | 3915       | 5179                  | 0.98                    | 0.89                   | 0.42                  |
| 10,832              | 89.53           | 133.17      | 4883                | -3453      | 3981       | 5270                  | 1.25                    | -1.14                  | 0.51                  |
| 10,922              | 89.76           | 133.51      | 4884                | -3515      | 4047       | 5360                  | 0.46                    | 0.26                   | 0.38                  |
| 11,014              | 90.91           | 134.10      | 4883                | -3578      | 4113       | 5452                  | 1.40                    | 1.25                   | 0.64                  |
| 11,104              | 89.93           | 132.41      | 4883                | -3640      | 4179       | 5542                  | 2.17                    | -1.09                  | -1.88                 |
| 11,195              | 88.56           | 132.66      | 4884                | -3702      | 4246       | 5633                  | 1.53                    | -1.51                  | 0.27                  |
| 11,286              | 88.29           | 132.09      | 4886                | -3763      | 4313       | 5724                  | 0.69                    | -0.30                  | -0.63                 |
| 11,378              | 88.32           | 131.82      | 4889                | -3824      | 4381       | 5816                  | 0.30                    | 0.03                   | -0.29                 |
| 11,469              | 88.56           | 131.45      | 4892                | -3885      | 4449       | 5907                  | 0.48                    | 0.26                   | -0.41                 |
| 11,560              | 90.64           | 131.45      | 4892                | -3945      | 4518       | 5998                  | 2.29                    | 2.29                   | 0.00                  |
| 11,651              | 90.50           | 130.64      | 4891                | -4005      | 4586       | 6089                  | 0.90                    | -0.15                  | -0.89                 |
| 11,742              | 91.21           | 131.00      | 4890                | -4064      | 4655       | 6180                  | 0.87                    | 0.78                   | 0.40                  |
| 11,833              | 91.48           | 130.49      | 4888                | -4124      | 4724       | 6271                  | 0.63                    | 0.30                   | -0.56                 |
| 11,923              | 90.50           | 129.87      | 4886                | -4182      | 4793       | 6361                  | 1.29                    | -1.09                  | -0.69                 |
| 12,015              | 90.94           | 129.52      | 4885                | -4241      | 4864       | 6453                  | 0.61                    | 0.48                   | -0.38                 |
| 12,107              | 91.51           | 129.32      | 4883                | -4299      | 4935       | 6545                  | 0.66                    | 0.62                   | -0.22                 |
| 12,198              | 91.75           | 128.83      | 4881                | -4356      | 5005       | 6635                  | 0.60                    | 0.26                   | -0.54                 |
| 12,289              | 90.40           | 129.82      | 4879                | -4414      | 5076       | 6726                  | 1.84                    | -1.48                  | 1.09                  |
| 12,380              | 89.26           | 129.12      | 4879                | -4472      | 5146       | 6817                  | 1.47                    | -1.25                  | -0.77                 |
| 12,471              | 89.87           | 130.29      | 4880                | -4530      | 5216       | 6908                  | 1.45                    | 0.67                   | 1.29                  |
| 12,561              | 90.03           | 129.51      | 4880                | -4588      | 5285       | 6998                  | 0.88                    | 0.18                   | -0.87                 |
| 12,653              | 90.91           | 129.38      | 4879                | -4646      | 5356       | 7090                  | 0.97                    | 0.96                   | -0.14                 |
| 12,743              | 91.01           | 129.16      | 4878                | -4703      | 5426       | 7180                  | 0.27                    | 0.11                   | -0.24                 |
| 12,834              | 91.14           | 128.33      | 4876                | -4760      | 5497       | 7271                  | 0.92                    | 0.14                   | -0.91                 |



# Scientific Drilling

## Survey Report



|                  |                    |                                     |                                          |
|------------------|--------------------|-------------------------------------|------------------------------------------|
| <b>Company:</b>  | DJR Operating      | <b>Local Co-ordinate Reference:</b> | Well # 502H - Slot 2                     |
| <b>Project:</b>  | North Alamito Unit | <b>TVD Reference:</b>               | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Site:</b>     | E01 2208           | <b>MD Reference:</b>                | GL 6900' & RKB 25' @ 6925ft (Aztec 1000) |
| <b>Well:</b>     | # 502H             | <b>North Reference:</b>             | True                                     |
| <b>Wellbore:</b> | Original Drilling  | <b>Survey Calculation Method:</b>   | Minimum Curvature                        |
| <b>Design:</b>   | Original Drilling  | <b>Database:</b>                    | Grand Junction                           |

| Survey              |                 |             |                     |            |            |                       |                         |                        |                       |  |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 12,926              | 90.94           | 128.50      | 4874                | -4817      | 5569       | 7363                  | 0.29                    | -0.22                  | 0.18                  |  |
| 13,018              | 89.97           | 129.23      | 4873                | -4875      | 5640       | 7455                  | 1.32                    | -1.05                  | 0.79                  |  |
| 13,109              | 90.10           | 128.64      | 4873                | -4932      | 5711       | 7546                  | 0.66                    | 0.14                   | -0.65                 |  |
| 13,200              | 90.27           | 128.09      | 4873                | -4989      | 5782       | 7637                  | 0.63                    | 0.19                   | -0.60                 |  |
| 13,291              | 89.66           | 126.93      | 4873                | -5044      | 5855       | 7728                  | 1.44                    | -0.67                  | -1.27                 |  |
| 13,385              | 89.73           | 126.42      | 4874                | -5100      | 5930       | 7821                  | 0.55                    | 0.07                   | -0.54                 |  |
| 13,440              | 89.73           | 126.42      | 4874                | -5133      | 5974       | 7876                  | 0.00                    | 0.00                   | 0.00                  |  |

| Design Annotations  |                     |                   |            |                          |  |
|---------------------|---------------------|-------------------|------------|--------------------------|--|
| Measured Depth (ft) | Vertical Depth (ft) | Local Coordinates |            |                          |  |
|                     |                     | +N/-S (ft)        | +E/-W (ft) | Comment                  |  |
| 404                 | 404                 | 0                 | 0          | First Surface MWD Survey |  |
| 4260                | 4139                | 614               | -635       | Last Surface MWD Survey  |  |
| 4354                | 4232                | 606               | -625       | First Curve MWD Survey   |  |
| 5328                | 4894                | 193               | -139       | Last Curve MWD Survey    |  |
| 5393                | 4897                | 149               | -91        | First Lateral MWD Survey |  |
| 13,385              | 4874                | -5100             | 5930       | Last Lateral MWD Survey  |  |
| 13,440              | 4874                | -5133             | 5974       | Projection to TD         |  |

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_

|                               |                                            |                                |
|-------------------------------|--------------------------------------------|--------------------------------|
| Well Name: NORTH ALAMITO UNIT | Well Location: T22N / R8W / SEC 1 / SWNW / | County or Parish/State:        |
| Well Number: 502H             | Type of Well: OIL WELL                     | Allottee or Tribe Name:        |
| Lease Number: NMNM117143      | Unit or CA Name: /1/NORTH ALAMITO UNIT     | Unit or CA Number: NMNM135229A |
| US Well Number: 3004538216    | Well Status: Drilling Well                 | Operator: DJR OPERATING LLC    |

Subsequent Report

Sundry ID: 2667402

Type of Submission: Subsequent Report

Date Sundry Submitted: 04/18/2022

Date Operation Actually Began: 03/26/2022

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 12:15

**Actual Procedure:** Completion Sundry 3/26/22: PT 4.5" x 7" casing 2000 psi (5 min). Bleed down 7" to 1000 psi, pressure up 4.5" to 7050 psi & hold (15 min). Pressure up to 7500 psi & hold (15 min). All test good & recorded on chart. 3/29/22 to 4/7/22: Plug & Perf 26 stages. 3 spf with .35" diameter from 13366' to 5625' MD (4873' to 4906' TVD). Total of 910 open holes. Plugs set from 13088' to 5904'. Kill plug at 5416'. Frac 26 stages with 45,740 bbls of fluid. 8,001,780 lbs of proppant. 68,759,356 scf of N2. 4/10/22 to 4/12/22: MIRU AWS 812. NU BOP. PT pipe rams, flowback, blind rams high 4800 psi (10 min) low 300 psi (5 min). Annular high 2500 psi (10 min), low 300 psi (5 min). All tests good & recorded on chart. TIH. Drill out plugs. TOH. 4/13/22: PT BOP high 2000 psi, low 250 psi (30 min). Test good & recorded on chart. TIH with production string. Land 160 jts of 2.875" 6.5# L80 STC tubing. EOT: 5253'. Three GLVs set at 4670' – 3491' – 2151'. TOH. PT 2.875" tubing hanger, high 5000 psi (30 min). Test good & recorded on chart. Rig AWS 812 released on 4/13/22.

|                                      |                                                   |                                       |
|--------------------------------------|---------------------------------------------------|---------------------------------------|
| <b>Well Name:</b> NORTH ALAMITO UNIT | <b>Well Location:</b> T22N / R8W / SEC 1 / SWNW / | <b>County or Parish/State:</b>        |
| <b>Well Number:</b> 502H             | <b>Type of Well:</b> OIL WELL                     | <b>Allottee or Tribe Name:</b>        |
| <b>Lease Number:</b> NMNM117143      | <b>Unit or CA Name:</b> /1/NORTH ALAMITO UNIT     | <b>Unit or CA Number:</b> NMNM135229A |
| <b>US Well Number:</b> 3004538216    | <b>Well Status:</b> Drilling Well                 | <b>Operator:</b> DJR OPERATING LLC    |

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

|                                                       |                                         |
|-------------------------------------------------------|-----------------------------------------|
| <b>Operator Electronic Signature:</b> SHAW-MARIE FORD | <b>Signed on:</b> APR 18, 2022 12:15 PM |
| <b>Name:</b> DJR OPERATING LLC                        |                                         |
| <b>Title:</b> Regulatory Specialist                   |                                         |
| <b>Street Address:</b> 1 Road 3263                    |                                         |
| <b>City:</b> Aztec                                    | <b>State:</b> NM                        |
| <b>Phone:</b> (505) 632-3476                          |                                         |
| <b>Email address:</b> sford@djrlc.com                 |                                         |

Field Representative

|                             |               |             |
|-----------------------------|---------------|-------------|
| <b>Representative Name:</b> |               |             |
| <b>Street Address:</b>      |               |             |
| <b>City:</b>                | <b>State:</b> | <b>Zip:</b> |
| <b>Phone:</b>               |               |             |
| <b>Email address:</b>       |               |             |

BLM Point of Contact

|                                        |                                                |
|----------------------------------------|------------------------------------------------|
| <b>BLM POC Name:</b> KENNETH G RENNICK | <b>BLM POC Title:</b> Petroleum Engineer       |
| <b>BLM POC Phone:</b> 5055647742       | <b>BLM POC Email Address:</b> krennick@blm.gov |
| <b>Disposition:</b> Accepted           | <b>Disposition Date:</b> 04/18/2022            |
| <b>Signature:</b> Kenneth Rennick      |                                                |



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

# Well Completion Print

06/28/2022

|                                        |                                                      |                                               |                                        |
|----------------------------------------|------------------------------------------------------|-----------------------------------------------|----------------------------------------|
| <b>Operator Name</b> DJR OPERATING LLC | <b>Well Name</b> NORTH ALAMITO UNIT                  | <b>Well Number</b> 502H                       | <b>US Well Number</b> 3004538216       |
| <b>SHL SWNW Sec 1 22N 8W</b>           | <b>County</b> SAN JUAN                               | <b>State</b> NM                               | <b>Lease Number(s)</b> NMNM117143      |
| <b>Well Type</b> OIL WELL              | <b>Well Status</b> Producing Oil Completion Load Oil | <b>Agreement Name</b> /1/NORTH ALAMITO UNIT   | <b>Agreement Number(s)</b> NMNM135229A |
| <b>Allottee/Tribe Name</b>             | <b>Well Pad Name</b> NORTH ALAMITO UNIT              | <b>Well Pad Number</b> 502H, 504H, 507H, 508H | <b>ID</b> 10400058195                  |

[Request for OCD extension of time to file BLM approved Form 3160-4](#)

## Section 1 - General

|                                                           |                                      |                                     |
|-----------------------------------------------------------|--------------------------------------|-------------------------------------|
| <b>Well Completion Report Id:</b> 85134                   | <b>Submission Date:</b> N/A until DB |                                     |
| <b>BLM Office:</b> Farmington Field Office                | <b>User:</b> SHAW-MARIE FORD         | <b>Title:</b> Regulatory Specialist |
| <b>Federal/Indian:</b> FEDERAL                            | <b>Lease Number:</b> NMNM117143      | <b>Lease Acres:</b>                 |
| <b>Agreement in place?:</b> YES                           | <b>Federal or Indian Agreement:</b>  |                                     |
| <b>Agreement Number:</b>                                  | <b>Agreement Name:</b> /1/NORTH      |                                     |
| <b>Keep this Well Completion Report confidential?:</b> NO |                                      |                                     |
| <b>APD Operator:</b> DJR OPERATING LLC                    |                                      |                                     |

## Section 2 - Well

|                                                          |                                     |                                 |
|----------------------------------------------------------|-------------------------------------|---------------------------------|
| <b>Field/Pool or Exploratory:</b>                        | <b>Pool Name:</b> ALAMITO N; MANCOS | <b>Field Name:</b> BASIN MANCOS |
| <b>Well Type:</b> OIL WELL                               |                                     |                                 |
| <b>Spud Date:</b> 06-01-2021                             |                                     |                                 |
| <b>Date Total Measured Depth Reached:</b> 09-18-2021     |                                     |                                 |
| <b>Drill &amp; Abandon or Ready To Produce:</b> READY TO |                                     |                                 |
| <b>Well Class:</b> HORIZONTAL                            |                                     |                                 |

## Section 3 - Geologic

| Formation Name | Lithology | Describe Lithology | Elevation | TVD | MD  | Mineral Resources | Describe Mineral |
|----------------|-----------|--------------------|-----------|-----|-----|-------------------|------------------|
| OJO ALAMAO     | SANDSTONE |                    | 6900      | 679 | 679 | USEABLE WATER     |                  |
| KIRTLAND       | SHALE     |                    | -742      | 742 | 743 | NONE              |                  |

|                                           |                                                         |                                                  |                                           |
|-------------------------------------------|---------------------------------------------------------|--------------------------------------------------|-------------------------------------------|
| <b>Operator Name</b> DJR<br>OPERATING LLC | <b>Well Name</b> NORTH<br>ALAMITO UNIT                  | <b>Well Number</b> 502H                          | <b>US Well Number</b> 3004538216          |
| <b>SHL</b> SWNW Sec 1 22N 8W              | <b>County</b> SAN JUAN                                  | <b>State</b> NM                                  | <b>Lease Number(s)</b><br>NMNM117143      |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Producing Oil<br>Completion Load Oil | <b>Agreement Name</b><br>/1/NORTH ALAMITO UNIT   | <b>Agreement Number(s)</b><br>NMNM135229A |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> NORTH<br>ALAMITO UNIT              | <b>Well Pad Number</b> 502H,<br>504H, 507H, 508H | <b>ID</b> 10400058195                     |

### Section 3 - Geologic

| Formation Name  | Lithology       | Describe Lithology | Elevation | TVD  | MD   | Mineral Resources | Describe Mineral |
|-----------------|-----------------|--------------------|-----------|------|------|-------------------|------------------|
| FRUITLAND       | COAL            |                    | -1007     | 1007 | 1012 | NATURAL GAS       |                  |
| PICTURED CLIFFS | SANDSTONE       |                    | -1259     | 1259 | 1269 | USEABLE WATER     |                  |
| LEWIS           | SHALE           |                    | -1431     | 1431 | 1444 | NONE              |                  |
| CHACRA          | SANDSTONE       |                    | -1992     | 1992 | 2016 | NONE              |                  |
| MENEFEE         | COAL, SANDSTONE |                    | -2760     | 2760 | 2800 | NATURAL GAS       |                  |
| POINT LOOKOUT   | SANDSTONE       |                    | -3640     | 3640 | 3697 | NONE              |                  |
| MANCOS          | SHALE           |                    | -3803     | 3803 | 3864 | NONE              |                  |
| MANCOS          | SILTSTONE       |                    | -4107     | 4107 | 4174 | NONE              |                  |
| GALLUP          | SILTSTONE       |                    | -4598     | 4598 | 4683 | NATURAL GAS, OIL  |                  |
| GALLUP          | SANDSTONE       |                    | -4655     | 4655 | 4752 | NATURAL GAS, OIL  |                  |
| GALLUP          | SANDSTONE       |                    | -4755     | 4755 | 4891 | NATURAL GAS, OIL  |                  |
| GALLUP          | SANDSTONE       |                    | -4905     | 4905 | 5339 | NATURAL GAS, OIL  |                  |

### Completion and Completed

|                                        |                                                      |                                               |                                        |
|----------------------------------------|------------------------------------------------------|-----------------------------------------------|----------------------------------------|
| <b>Operator Name</b> DJR OPERATING LLC | <b>Well Name</b> NORTH ALAMITO UNIT                  | <b>Well Number</b> 502H                       | <b>US Well Number</b> 3004538216       |
| <b>SHL</b> SWNW Sec 1 22N 8W           | <b>County</b> SAN JUAN                               | <b>State</b> NM                               | <b>Lease Number(s)</b> NMNM117143      |
| <b>Well Type</b> OIL WELL              | <b>Well Status</b> Producing Oil Completion Load Oil | <b>Agreement Name</b> /1/NORTH ALAMITO UNIT   | <b>Agreement Number(s)</b> NMNM135229A |
| <b>Allottee/Tribe Name</b>             | <b>Well Pad Name</b> NORTH ALAMITO UNIT              | <b>Well Pad Number</b> 502H, 504H, 507H, 508H | <b>ID</b> 10400058195                  |

### Completion Data

| Wellbore Code | Completion Code | Interval Number | Case Number | Lease Number | Well Completion Type | Describe Well Completion Type | Completion Status | Date Completed | Date First Produced | Formation | Interval Top (MD) | Interval Bottom (MD) | Interval Perforated? | Perforation Size | Number of Holes | Status of Interval |
|---------------|-----------------|-----------------|-------------|--------------|----------------------|-------------------------------|-------------------|----------------|---------------------|-----------|-------------------|----------------------|----------------------|------------------|-----------------|--------------------|
| 00            | S1              | 1               | NMNM135229A | NMNM117143   | NEW                  |                               | POW               | 04-13-2022     | 04-18-2022          | GALLUP    | 5625              | 13366                | Y                    | .35              | 910             | OPEN               |

### Treatment Data

| Wellbore Code | Completion Code | Interval Number | Interval Treated? | Treatment Type | Total Fluid (bbls) | Total Proppant (lbs) | Treatment Remarks                                     |
|---------------|-----------------|-----------------|-------------------|----------------|--------------------|----------------------|-------------------------------------------------------|
| 00            | S1              | 1               | Y                 | FRAC           | 45740              | 8001780              | Chemical Disclosure uploaded to FracFocus on 04/13/22 |

### Production Data

| Wellbore Code | Completion Code | Interval Number | API Oil Gravity | Gas Gravity | Production Method | Describe Production | Disposition of Gas | Describe Disposition |
|---------------|-----------------|-----------------|-----------------|-------------|-------------------|---------------------|--------------------|----------------------|
| 00            | S1              | 1               |                 |             | GAS LIFT          |                     | SOLD               |                      |

|                                           |                                                         |                                                  |                                           |
|-------------------------------------------|---------------------------------------------------------|--------------------------------------------------|-------------------------------------------|
| <b>Operator Name</b> DJR<br>OPERATING LLC | <b>Well Name</b> NORTH<br>ALAMITO UNIT                  | <b>Well Number</b> 502H                          | <b>US Well Number</b> 3004538216          |
| <b>SHL</b> SWNW Sec 1 22N 8W              | <b>County</b> SAN JUAN                                  | <b>State</b> NM                                  | <b>Lease Number(s)</b><br>NMNM117143      |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Producing Oil<br>Completion Load Oil | <b>Agreement Name</b><br>/1/NORTH ALAMITO UNIT   | <b>Agreement Number(s)</b><br>NMNM135229A |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> NORTH<br>ALAMITO UNIT              | <b>Well Pad Number</b> 502H,<br>504H, 507H, 508H | <b>ID</b> 10400058195                     |

### Test Data

| Wellbore Code | Completion Code | Interval Number | Test Date  | Hours Tested | 24-Hour Rate Oil (bbls) | 24-Hour Rate Gas (MCF) | 24-Hour Rate Water(BWPD) | Gas-Oil Ratio (SCF/Bbl) | Choke Size | Tubing Pressure | Tubing Pressure Shut-In (psi) | Casing Pressure (psi) |
|---------------|-----------------|-----------------|------------|--------------|-------------------------|------------------------|--------------------------|-------------------------|------------|-----------------|-------------------------------|-----------------------|
| 00            | S1              | 1               | 04/20/2022 | 24           | 370                     | 1637                   | 679                      | 4424                    | 40/64      | 545             |                               | 969                   |

### Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

|                 | State      | Meridian             | County   | Latitude  | Longitude   | Elevation (MSL) | Lease Type | Lease Number | Plug TVD (ft) | Plug MD (ft) | Plug Type | NS-Foot | NS-Indicator | EW-Foot | EW-Indicator | Township | Range | Section | Aliquot/Lot/Tract |
|-----------------|------------|----------------------|----------|-----------|-------------|-----------------|------------|--------------|---------------|--------------|-----------|---------|--------------|---------|--------------|----------|-------|---------|-------------------|
| SHL             | NEW MEXICO | NEW MEXICO PRINCIPAL | SAN JUAN | 36.169263 | -107.640323 | 6900            | FEDERAL    | NMNM117143   |               |              |           | 2492    | FNL          | 567     | FWL          | 22N      | 8W    | 1       | SWNW              |
| KOP Wellbore 00 | NEW MEXICO | NEW MEXICO PRINCIPAL | SAN JUAN | 36.169263 | -107.640323 | 6528            | FEDERAL    | NMNM117143   |               |              |           | 2492    | FNL          | 567     | FWL          | 22N      | 8W    | 1       | SWNW              |
| PPP Wellbore 00 | NEW MEXICO | NEW MEXICO PRINCIPAL | SANDOVA  | 36.158203 | -107.624604 | 2027            | FEDERAL    | NMNM136657   |               |              |           | 0       | FNL          | 0       | FWL          | 22N      | 8W    | 7       | NWNW              |
| PPP Wellbore 00 | NEW MEXICO | NEW MEXICO PRINCIPAL | SANDOVA  | 36.158203 | -107.624604 | 2027            | FEDERAL    | NMNM117143   |               |              |           | 0       | FNL          | 0       | FWL          | 22N      | 8W    | 12      | NENE              |
| PPP Wellbore 00 | NEW MEXICO | NEW MEXICO PRINCIPAL | SAN JUAN | 36.169673 | -107.64063  | 1994            | FEDERAL    | NMNM117143   |               |              |           | 2343    | FNL          | 474     | FWL          | 22N      | 8W    | 1       | SWNW              |

|                                           |                                                         |                                                  |                                           |
|-------------------------------------------|---------------------------------------------------------|--------------------------------------------------|-------------------------------------------|
| <b>Operator Name</b> DJR<br>OPERATING LLC | <b>Well Name</b> NORTH<br>ALAMITO UNIT                  | <b>Well Number</b> 502H                          | <b>US Well Number</b> 3004538216          |
| <b>SHL</b> SWNW Sec 1 22N 8W              | <b>County</b> SAN JUAN                                  | <b>State</b> NM                                  | <b>Lease Number(s)</b><br>NMNM117143      |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Producing Oil<br>Completion Load Oil | <b>Agreement Name</b><br>/1/NORTH ALAMITO UNIT   | <b>Agreement Number(s)</b><br>NMNM135229A |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> NORTH<br>ALAMITO UNIT              | <b>Well Pad Number</b> 502H,<br>504H, 507H, 508H | <b>ID</b> 10400058195                     |

|                   | State      | Meridian             | County   | Latitude  | Longitude   | Elevation (MSL) | Lease Type | Lease Number | Plug TVD (ft) | Plug MD (ft) | Plug Type | NS-Foot | NS-Indicator | EW-Foot | EW-Indicator | Township | Range | Section | Aliquot/Lot/Tract |
|-------------------|------------|----------------------|----------|-----------|-------------|-----------------|------------|--------------|---------------|--------------|-----------|---------|--------------|---------|--------------|----------|-------|---------|-------------------|
| EXIT Well bore 00 | NEW MEXICO | NEW MEXICO PRINCIPAL | SANDOVAL | 36.155219 | -107.62027  | 2027            | FEDERAL    | NMNM136657   |               |              |           | 2266    | FNL          | 1294    | FWL          | 22N      | 7W    | 7       | Lot 2             |
| BHL Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | SANDOVAL | 36.155128 | -107.620121 | 2027            | FEDERAL    | NMNM136657   |               |              |           | 2299    | FNL          | 1338    | FWL          | 22N      | 7W    | 7       | SWNW              |

### Casing, Liner and Tubing

#### Casing and Liner

| Wellbore Code | Casing String Type | Hole Size | Top Setting Depth (MD) | Bottom Setting Depth (MD) | Casing Size | Wt(lbs/ft) | Casing Grade | Describe Other Casing Grade | Joint | Other Joint | Amount Pulled (ft) |
|---------------|--------------------|-----------|------------------------|---------------------------|-------------|------------|--------------|-----------------------------|-------|-------------|--------------------|
| 00            | SURFACE            | 12.25     | 0                      | 372                       | 9.625       | 36         | J-55         |                             | ST&C  |             |                    |
| 00            | INTERMEDIATE       | 8.75      | 0                      | 5364                      | 7.0         | 26         | J-55         |                             | LT&C  |             |                    |
| 00            | LINER              | 6.125     | 5095                   | 13435                     | 4.5         | 11.6       | P-110        |                             | BUTT  |             |                    |

|                                           |                                                         |                                                  |                                           |
|-------------------------------------------|---------------------------------------------------------|--------------------------------------------------|-------------------------------------------|
| <b>Operator Name</b> DJR<br>OPERATING LLC | <b>Well Name</b> NORTH<br>ALAMITO UNIT                  | <b>Well Number</b> 502H                          | <b>US Well Number</b> 3004538216          |
| <b>SHL</b> SWNW Sec 1 22N 8W              | <b>County</b> SAN JUAN                                  | <b>State</b> NM                                  | <b>Lease Number(s)</b><br>NMNM117143      |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Producing Oil<br>Completion Load Oil | <b>Agreement Name</b><br>/1/NORTH ALAMITO UNIT   | <b>Agreement Number(s)</b><br>NMNM135229A |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> NORTH<br>ALAMITO UNIT              | <b>Well Pad Number</b> 502H,<br>504H, 507H, 508H | <b>ID</b> 10400058195                     |

### Cementing

| Wellbore Code | Casing String Type | Stage Tool Depth | Cement Lead Type | Cement Lead Qty (sks) | Cement Lead Yield (cu.ft/sks) | Cement Lead Top (MD) | Cement Tail Type | Cement Tail Qty (sks) | Cement Tail Yield(cu.ft/sks) | Cement Tail Top (MD) | Total (Lead + Tail) Cement Slurry Volume |
|---------------|--------------------|------------------|------------------|-----------------------|-------------------------------|----------------------|------------------|-----------------------|------------------------------|----------------------|------------------------------------------|
| 00            | SURFACE            |                  | I-II             | 109                   | 1.61                          | 0                    |                  |                       |                              |                      | 31.3                                     |
| 00            | INTERMEDIATE       |                  | G                | 362                   | 2.32                          | 0                    | G                | 258                   | 1.5                          | 3712                 | 218.5                                    |
| 00            | LINER              |                  | G                | 708                   | 1.56                          | 5095                 |                  |                       |                              |                      | 196.7                                    |

### Tubing

| Wellbore Code | Tubing Size | Describe Other | Tubing Setting Depth (MD/ft) | Packer Depth (MD/ft) | Tubing Weight | Tubing Grade | Describe Other | Tubing Coupling | Describe Other |
|---------------|-------------|----------------|------------------------------|----------------------|---------------|--------------|----------------|-----------------|----------------|
| 00            | 2.875       |                | 5253                         | 5117                 | 6             | L-80         |                | ST&C            |                |

### Logs

| Wellbore Code | Log Upload | Was Well Cored? | Was DST Run? | Directional Survey? | Geologic Report | Wellbore Diagram |
|---------------|------------|-----------------|--------------|---------------------|-----------------|------------------|
| 00            | NO         | NO              | NO           | YES                 | NO              | YES              |

|                                        |                                                      |                                               |                                        |
|----------------------------------------|------------------------------------------------------|-----------------------------------------------|----------------------------------------|
| <b>Operator Name</b> DJR OPERATING LLC | <b>Well Name</b> NORTH ALAMITO UNIT                  | <b>Well Number</b> 502H                       | <b>US Well Number</b> 3004538216       |
| <b>SHL</b> SWNW Sec 1 22N 8W           | <b>County</b> SAN JUAN                               | <b>State</b> NM                               | <b>Lease Number(s)</b> NMNM117143      |
| <b>Well Type</b> OIL WELL              | <b>Well Status</b> Producing Oil Completion Load Oil | <b>Agreement Name</b> /1/NORTH ALAMITO UNIT   | <b>Agreement Number(s)</b> NMNM135229A |
| <b>Allottee/Tribe Name</b>             | <b>Well Pad Name</b> NORTH ALAMITO UNIT              | <b>Well Pad Number</b> 502H, 504H, 507H, 508H | <b>ID</b> 10400058195                  |

### Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

**Name:** DJR OPERATING LLC

**Signed By:** SHAW-MARIE FORD

**Title:** Regulatory Specialist

**Signed on:** 06/28/2022

**Street Address:** 1 Road 3263

**City:** Aztec

**State:** NM

**Zip:** 87410

**Phone:** (505)632-3476

**Email address:** sford@djrlc.com

### Field

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Extension:**

**Email address:**

### Attachments

502H\_Certified\_EOW\_DD\_Survey\_20220628140054.pdf

502H\_As\_Drilled\_WBD\_\_\_C102\_20220628140105.pdf



North Alamito Unit 502H

API: 30-045-38216

SHL: 2492' FNL x 597' FWL ULSTR: E-01-22N-08W

Lat: 36.169263 Long: -107.640323

BHL: 2299' FNL x 1338' FWL ULSTR: E-07-22N-07W


Lat: 36.155128 Long: -107.620121

Elevation: 6900' GL

Spud Date: 6/1/2021

Completed Date: 4/13/2022

### Current Wellbore



|                    |     |
|--------------------|-----|
| 13440'             | MD  |
| 4873'              | TVD |
| PBTD: 13421'       | MD  |
| FracSleeve: 13394' | MD  |

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 121198

**ACKNOWLEDGMENTS**

|                                                                   |                                                    |
|-------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>DJR OPERATING, LLC<br>1 Road 3263<br>Aztec, NM 87410 | OGRID:<br>371838                                   |
|                                                                   | Action Number:<br>121198                           |
|                                                                   | Action Type:<br>[C-104] Completion Packet (C-104C) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 121198

CONDITIONS

|                                                                       |                                                        |
|-----------------------------------------------------------------------|--------------------------------------------------------|
| Operator:<br><br>DJR OPERATING, LLC<br>1 Road 3263<br>Aztec, NM 87410 | OGRID:<br><br>371838                                   |
|                                                                       | Action Number:<br><br>121198                           |
|                                                                       | Action Type:<br><br>[C-104] Completion Packet (C-104C) |

CONDITIONS

| Created By | Condition                                                                 | Condition Date |
|------------|---------------------------------------------------------------------------|----------------|
| plmartinez | File 3160-4 Completion Report within 10 days to NMOCD after BLM approval. | 6/29/2022      |