

Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-28003
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator SILVERBACK OPERATING II. LLC		6. State Oil & Gas Lease No.
3. Address of Operator 19707 IH10 WEST, SUITE 201, SAN ANTONIO, TX 78257		7. Lease Name or Unit Agreement Name TACKITT AOT
4. Well Location Unit Letter <u>J</u> : <u>      </u> 1980 <u>      </u> feet from the <u>      </u> SOUTH <u>      </u> line and <u>      </u> 1980 <u>      </u> feet from the <u>      </u> EAST <u>      </u> line Section <u>28</u> Township <u>19S</u> Range <u>25E</u> NMPM EDDY County		8. Well Number <u>002</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3470' GR		9. OGRID Number 330968
		10. Pool name or Wildcat N. SEVEN RIVERS; GLORIETA-YESO

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

**NOTICE OF INTENTION TO:**  
 PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

**SUBSEQUENT REPORT OF:**  
 REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/7/2022 Set CIBP in 7" csg at 2395'. Test csg to 500 psi.

6/8/2022 Spot 25 sx Cl H cmt plug 2395'-2236'. Spot 29 sx Cl C cmt plug 1323'-1136'. Spot 28 sx Cl C cmt plug 194'-surface.

6/21/2022 Cut off csg 3 ft below ground level. Installed dry hole marker.

WELL P & A.

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ [www.emnrd.state.nm.us](http://www.emnrd.state.nm.us)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Engineering Advisor DATE 6/29/2022

Type or print name Rudy Wildenstein E-mail address: rwildenstein@silverbackexp.com PHONE: 713-829-0362

**For State Use Only**

APPROVED BY:  TITLE Staff Manager DATE 7/6/2022

Conditions of Approval (if any):

<b>Sec-TWN-RNG:</b>	<b>28-19S-26E Unit J</b>	<b>30-015-28003</b>
<b>Footage Calls:</b>	<b>1980' FSL &amp; 1980' FEL</b>	<b>Elev 3470' GR</b>

CASING DETAIL								
#	HOLE	CSG	WGHT	GRADE	Top	Depth	TOC	SX
A	14 3/4	9 5/8	36	J-55	0	1,202	circ to surf	1400
B	8 3/4	7	23	K-55	0	5,000		
	8 3/4	7	26	K-55	5000	8,000	circ to surf	1390
FORMATION TOPS								
FORMATION		TOP (FT)	FORMATION				TOP	
SAN ANDRES		1,270	CISCO				7,552	
GLORIETA		2,291						
BONE SPRING		3,895						
WOLFCAMP		6,112						
TUBING DETAIL								
OD	GRADE	WGHT	TOP	BASE				
PERFORATION DETAIL								
	FORMATION		TOP	BASE	TREATMENT			
A	YESO		2440	2485	5000 GAL 15% ACID, 189,000# SD20, 196,000 GAL X-LINK GEL			
B	CISCO CANYON		7,606	7,785	ISOLATED BELOW CIBP @ 7556'			
PLUGS								
#	sx	Class	Top	Bottom	Ht	Notes		Tag
1	25	C	2236	2395	159	CIBP + YESO		Y
2	29	C	1136	1,323	187	9-5/8" SHOE AND TOP SA		Y
3	25	C	0	195	195	SURFACE PLUG		

**CUT CSG OFF 3 FT BELOW GL. SET DRY HOLE TREE.**

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 121659

CONDITIONS

Operator: Silverback Operating II, LLC IH10 West, Suite 201 San Antonio, TX 78257	OGRID: 330968
	Action Number: 121659
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	7/6/2022