

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		WELL API NO. 30-015-28542
2. Name of Operator Silverback Operating II, LLC		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
3. Address of Operator 19707 IH10 West, Suite 201 San Antonio, TX 78257		6. State Oil & Gas Lease No. 331898
4. Well Location Unit Letter <u>I</u> : 1980 <u> </u> feet from the <u>SOUTH</u> line and <u>660</u> feet from the <u>EAST</u> line Section <u>16</u> Township <u>19S</u> Range <u>25E</u> NMPM <u>EDDY</u> County <u> </u>		7. Lease Name or Unit Agreement Name AMOLE AMM STATE COM
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3476' GR		8. Well Number 004
9. OGRID Number 330968		10. Pool name or Wildcat N. SEVEN RIVERS; GLORIETA-YESO

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

5/27/2022 Set CIBP at 2246 ft. Test csg to 500 psi. Ran CBL from 2246 ft to surface. Emailed copy of CBL to NMOCD.

5/31/2022 Dug out cellar, replace surface valve, WO cements.

6/3/2022 Spot 25 sx Cl H cmt plug, top of plug at 2090 ft. Spot 105 sx Cl H cmt plug from 1227'-580'. Perf sqz holes at 540'. Break circulation and pump 64 sx Cl C cmt to surface in 9-5/8" csg. Pump 80 sx Cl C cmt to surface.

6/7/2022 Cut off csg 3 ft below ground level. Installed dry hole marker.

WELL P&A.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rudy Wildenstein TITLE Engineering Advisor DATE 6/29/2022

Type or print name Rudy Wildenstein E-mail address: rwildenstein@silverbackexp.com PHONE: 713-829-0362

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 7/6/2022

Conditions of Approval (if any):

Amole AMM State Com #4 POST PLUGGING

Sec-TWN-RNG: 16-19S-25E 30-015-28542
Footage Calls: 1980' FSL, 660' FEL Elev 3476' GR

COMMENTS

20" CSG 80'

CMT PLUG 540 TO SURFACE

SQZ 540 SX CMT THROUGH
PFS 540' TO SURFACE

TOP SA 762'

9-5/8" CSG 1185'

CMT PLUG 2090-2246
CIBP 2246
YESO PFS 2296-2380

PLUG 3 3614-3754

PLUG 2 5802-5962

PLUG 1 7599-7634

CANYON PFS 7684-7727

7" CSG 8230'

A

B

C

PBTD: 8,185 MD
TD: 8,230 MD

CASING DETAIL

#	HOLE	CSG	WGHT	GRADE	Top	Depth	TOC	SX	
A	26	20			0	80			
B	14 3/4	9.625	36	J-55	0	1,185	Circ	1470	
C	8 3/4	7	23,26	J-55,N-80	0	8,230	Circ	900	

FORMATION TOPS

FORMATION	TOP	FORMATION	TOP	
SAN ANDRES	762			
BS	3704			
WC	5912			

TUBING DETAIL

OD	GRADE	WGHT	TOP	BASE

PERFORATION DETAIL

	FORMATION	TOP	BASE	TREATMENT
A	CANYON	7684	7727	
B	YESO	2296	2380	

PLUGS AND CEMENT SQUEEZES

#	sx	Class	Top	Bottom	Ht	Notes
1		C	7599	7634	35	CIBP and plug
2		C	5802	5,962	160	Plug across WC
3		C	3614	3,754	140	Plug across BS
4	25	C	2090	2246	156	CIBP AND CMT PLUG
5	105	C	580	1227	647	CMT PLUG
6	64	C	SURFACE	540	540	SQUEEZE 9-5/8" CSG ANNULUS TO SURFACE
7	80	C	SURFACE	540	540	PLUG IN 9-5/8" CASING

CSG CUT OFF 3 FT BELOW GROUND LEVEL. DRY HOLE MARKER INSTALLED.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 121244

CONDITIONS

Operator: Silverback Operating II, LLC IH10 West, Suite 201 San Antonio, TX 78257	OGRID: 330968
	Action Number: 121244
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	7/6/2022