

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: KITE FEDERAL Well Location: T23N / R7W / SEC 20 / County or Parish/State:

SWSW / 36.207853 / -107.603974 SANDOVAL / NM

Well Number: 1 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: Unit or CA Name: Unit or CA Number:

US Well Number: 300432083300S1 Well Status: Abandoned Operator: DUGAN

PRODUCTION CORPORATION

# **Subsequent Report**

**Sundry ID: 2676089** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 06/10/2022 Time Sundry Submitted: 07:53

**Date Operation Actually Began:** 05/17/2022

Actual Procedure: Dugan Production P&A'd the well as per the following procedure 05/17/2022 – 05/24/2022: 1) MI&RU Aztec Well services rig 481. Check pressures. Casing: 0 Psi, Tubing: 0 Psi & BH: 0 psi. 2) LD rods and TOOH w/tubing. Tally tubing and run 4½" casing scraper to 5010'. LD tubing to 4978'. 3) RIH & set 4½" cement retainer @ 4978'. Load hole. Pressure test casing to 600 psi. Casing didn't test. Small leak. 4) Spot Plug I above CR inside 41/2" casing @ 4978' w/ 17 sks (19.55 cu ft) Class G cement (1.15 cu ft/sk, 15.8#/gal). Displace w/17.5 bbls water. WOC 4 hrs. Tagged TOC @ 4785'. Good tag. Plug I, inside 4½" casing, 17 sks, 19.6 cu ft, Gallup, 4785'-4978' 5) Spot Plug II inside 41/2" casing @ 4231' w/ 20 sks (23 cu ft) Class G cement. Displaced w/14.5 bbls water. WOC overnight. Tag TOC @ 4056'. Good tag. Plug II, inside 4½" casing, 20 sks, 23 cu ft, Mancos, 4056'-4231'. 6) RIH w/4½" CR and set @ 3170'. Load hole. Pressure test casing. Casing didn't test. Small leak. 7) Spot Plug III inside 4½" casing @ 3170' above retainer w/ 60 sks (69 cu ft) Class G cement. Displaced w/8.5 bbl fresh water. WOC 4 hrs. Tagged TOC @ 2413'. Good tag. Plug III, Inside 4½" casing, 60 sks, 69 cu ft, Mesaverde, 2413'-3170'. 8) Spot Plug IV inside 4½" casing from @ 2083' w/20 sks (23 cu ft) Class G cement. Displaced w/6.5 bbl fresh water. WOC overnight. Tagged TOC @ 1843'. Good tag. Plug IV, Inside 41/2" casing, 20 sks, 23 cu ft, Chacra, 1843'-2083'. 9) Spot Plug V inside 41/2" casing @ 1683' w/ 60 sks (69.cu ft) Class G cement. Displaced w/3 bbls fresh. WOC 4 hrs. Tagged TOC @ 940'. Good tag. Plug V, Inside 41/2" casing, 60 sks, 69 cu ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo, 940'-1683'. 10) Spot inside Plug VI inside 41/2" casing from 336' to surface w/30 sks (34.5 cu ft) Class G cement to cover the surface casing shoe to surface. Circulated 0.5 bbls cement to surface. WOC 4 hrs. Cut wellhead off. Tagged TOC 2' inside 41/2" casing and 55' inside annulus. Mix and pump 23 sks (26.5 cu ft) Class G to top off and fill up cellar. Install dry hole marker. Plug VI, inside 41/2" casing, 53 sks, 61 cu ft, Surface Plug, 0'-336'. 11) Clean location. Well P&A'd 05/24/2022. Darrell Priddy & Dustin Porch w/ Farmington BLM witnessed job. RD and release rig 481.

Page 1 of 2

eived by OCD: 6/20/2022 11:54:37 AM Well Name: KITE FEDERAL

Well Location: T23N / R7W / SEC 20 /

County or Parish/State: SANDOVAL / NM

SWSW / 36.207853 / -107.603974

Well Number: 1 Type of Well: OIL WELL

**Allottee or Tribe Name:** 

Page 2 o

Lease Number:

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 300432083300S1** 

Well Status: Abandoned

**Operator: DUGAN** PRODUCTION CORPORATION

### **SR Attachments**

#### **Actual Procedure**

Kite\_Federal\_1\_PA\_schematic\_20220610075026.pdf

## **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: TYRA FEIL** Signed on: JUN 10, 2022 07:50 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative Street Address: PO Box 420

City: Farmington State: NM

Phone: (505) 325-1821

Email address: tyrafeil@duganproduction.com

#### **Field**

Representative Name: ALIPH REENA

Street Address: PO BOX 420

City: FARMINGTON State: NM **Zip:** 87499-0420

Phone: (505)325-1821

Email address: Aliph.Reena@duganproduction.com

### **BLM Point of Contact**

**BLM POC Name:** KENNETH G RENNICK **BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647742 BLM POC Email Address: krennick@blm.gov


**Disposition:** Accepted Disposition Date: 06/10/2022

Signature: Kenneth Rennick

Page 2 of 2

### Completed P & A Schematic

Kite Federal # 1 API; 30-043-20833 Sec 20 T23N R7W 970' FSL & 760' FWL, Gallup Sandoval, NM Lat; 36.20785 Long: -107.60398



8-5/8" J-55 24# casing @ 279'. Cemented with 175 sks, 206.5 cf Class B w/ 3% CaCl2. Circulated 60 bbls to surface. Hole size: 12-1/4

Spot and circulate cement to surface w/ 53 sks Class G @ 0-336' (61 cu.ft). Plug V: Surface-336'

Spot inside plug w/ 60 sks Class G (69 cu.ft) @ 940'-1683' [Plug V: Ojo Alamo-Kirtland-Fruitland-PC, 940'-1683

Inside plug w/ 20 sks Class G @ 1843'-2083' (23 cu.ft) Plug IV, Chacra, 1843'-2083'

Spot inside plug w/ 60 sks Class G (69 cu.ft) @ 2413'-3170' Plug III: Mesaverde 2413'-3170'

Cemented Stage I w / 400 sks 50-50 poz (532 Cu.ft) followed by 50 sks Class B (59 Cu.ft). DV tool @ 3844'. Stage II w / 700 sks 65-35-12 ( 1470 cu.ft) followed by 50 sks Class B (59 cu.ft). Total slurry 2120 cu.ft.

Inside plug w/ 20 sks Class G @ 4056'-4231' (23 cu.ft) Plug II, Mancos, 4056'-4231'

Inside plug w/ 17 sks Class G @ 4785'-4978' (19.6 cu.ft) Plug I, Gallup, 4785'-4978'

Gallup Perforated @ 5020'-5290', 41 holes

4 1/2" 10.5 # casing @ 5454'. PBTD @ 5392'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 118692

#### **CONDITIONS**

Operator:	OGRID:
DUGAN PRODUCTION CORP	6515
PO Box 420	Action Number:
Farmington, NM 87499	118692
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By		Condition Date
mkuehling	None	7/7/2022