

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 07/06/2022
⁴ API Number 30 - 015-47215	⁵ Pool Name PURPLE SAGE WOLFCAMP *NSL-8268	⁶ Pool Code 98220
⁷ Property Code: 328295	⁸ Property Name: CORRAL GORGE 12-13 FEDERAL COM	⁹ Well Number: 311H

II. ¹⁰ Surface Location

Ul or lot no. D	Section 12	Township 25S	Range 29E	Lot Idn	Feet from the 162	North/South Line NORTH	Feet from the 319 320	East/West line WEST	County EDDY
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	--------------------------	------------------------	----------------

¹¹ Bottom Hole Location

FTP- 300' FNL 1163' FWL LTP- 202' FSL 1267' FWL

UL or lot no. M	Section 13	Township 25S	Range 29E	Lot Idn	Feet from the 47	North/South line SOUTH	Feet from the 1263	East/West line WEST	County EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 12/11/21	²² Ready Date 07/06/2022	²³ TD 20921'M 10550'V	²⁴ PBTD 20873'M 10550'V	²⁵ Perforations 10585-20768'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		650'	640
9-7/8"		7-5/8"		10006'	2190
6-3/4"		5-1/2"		20901'	909

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Printed name: RONI MATHEW

Title: REGULATORY ADVISOR

E-mail Address:
roni_mathew@oxy.comDate:
06/30/2022Phone:
(713) 215-7827

OIL CONSERVATION DIVISION

Approved by: **PATRICIA MARTINEZ**Title: **PETROLEUM SPECIALIST**Approval Date: **7/8/2022****RT EXPIRES 10/6/2022**

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015 -47215	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code 328295	⁵ Property Name CORRAL GORGE 12-13 FEDERAL COM	⁶ Well Number 311H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC	⁹ Elevation 3076'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	12	25S	29E		162	NORTH	319 320	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	13	25S	29E		47	SOUTH	1263	WEST	EDDY

¹² Dedicated Acres 1280.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99978172 Convergence Angle: 00°12'14.64000"

Horizontal Spacing Unit




OXY



Borehole:	Well:	Field:	Structure:
Corral Gorge 12_13 Federal Com 311H	Corral Gorge 12_13 Federal Com 311H	NM Eddy County (NAD 83)	Oxy Corral Gorge 12_13 Federal Com Pad

Gravity & Magnetic Parameters						Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet						Miscellaneous			
Model:	IFR1	Dip:	59.804°	Date:	08-Mar-2022	Lat:	N 32 9 5.41	Northings:	4196870US	Grid Conv:	0.2064°	SLOT:	Corral Gorge 12_13 Federal Com 311H	TVD Ref:	RKB(3108.6ft above MSL)
MagDec:	6.65°	FS:	47642.2nT	Gravity FS:	998.451mgN (9.80665 Based)	Lon:	W 103 56 44.07	Easting:	661340.2HUS	Scale Fact:	0.99992558	Plan:	Oxy Corral Gorge 12_13 Federal Com 311H Gyro-MWD 0' to 20921MD		

Critical Points							
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL	32.50	0.00	0.00	32.50	0.00	0.00	0.00
First Gyro Survey	100.50	0.28	51.35	100.50	-0.09	0.10	0.13
Last Gyro Survey	645.97	1.04	293.38	645.96	-1.79	1.82	0.17
First SLB Survey	742.00	1.11	291.13	741.97	-2.63	2.50	-1.50
Actual KOP	10074.70	14.90	119.52	10023.54	-20.34	80.66	625.72
100' FNL Crossing	10145.00	22.83	131.56	10089.87	-5.21	67.26	644.49
Wolfcamp A Intersection	10551.40	55.29	137.00	10401.60	186.25	-107.63	825.95
Enter Target Box	10697.00	64.00	151.71	10475.27	293.45	-208.17	900.28
100' FSL Crossing	20869.00	89.76	181.14	10549.81	10401.11	-10353.15	997.70
Final MWD Survey	20890.00	89.73	181.02	10549.91	10421.97	-10374.14	997.31
Proj to TD	20921.00	89.73	181.02	10550.05	10452.77	-10405.14	996.76



Schlumberger



Oxy Corral Gorge 12_13 Federal Com 311H Gyro+MWD 0' to 20921'MD Survey Geodetic Report (Def Survey)

Report Date: May 13, 2022 - 09:07 AM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Corral Gorge 12_13 Federal Com Pad / Corral Gorge 12_13 Federal Com 311H
Well: Corral Gorge 12_13 Federal Com 311H
Borehole: Corral Gorge 12_13 Federal Com 311H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Corral Gorge 12_13 Federal Com 311H Gyro+MWD 0' to 20921'MD
Survey Date: February 09, 2022
Tort / AHD / DDI / ERD Ratio: 273.976 " / 11270.020 ft / 6.787 / 1.067
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 9' 5.40843", W 103° 56' 44.07103"
Location Grid N/E Y/X: N 419068.000 ftUS, E 661340.200 ftUS
CRS Grid Convergence Angle: 0.2064 °
Grid Scale Factor: 0.99992558
Version / Patch: 2.10.829.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 174.503 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3108.600 ft above MSL
Seabed / Ground Elevation: 3076.100 ft above MSL
Magnetic Declination: 6.650 °
Total Gravity Field Strength: 998.4511mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47642.200 nT
Magnetic Dip Angle: 59.804 °
Declination Date: March 08, 2022
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.2100 °
Total Corr Mag North->Grid North: 6.4400 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	419068.00	661340.20	N 32 9 5.41	W 103 56 44.07
SHL	32.50	0.00	0.00	32.50	0.00	0.00	0.00	0.00	0.00	0.00	419068.00	661340.20	N 32 9 5.41	W 103 56 44.07
First Gyro Survey	100.50	0.28	51.35	100.50	-0.09	0.10	0.13	0.41	0.17	51.35	419068.10	661340.33	N 32 9 5.41	W 103 56 44.07
	191.11	0.18	39.88	191.11	-0.31	0.35	0.39	0.12	0.53	48.28	419068.35	661340.59	N 32 9 5.41	W 103 56 44.07
	279.89	0.25	54.20	279.89	-0.51	0.57	0.64	0.10	0.86	48.25	419068.57	661340.84	N 32 9 5.41	W 103 56 44.06
	374.34	0.29	65.73	374.34	-0.69	0.79	1.03	0.07	1.29	52.38	419068.79	661341.23	N 32 9 5.42	W 103 56 44.06
	468.91	0.21	45.06	468.91	-0.88	1.01	1.37	0.13	1.70	53.50	419069.01	661341.57	N 32 9 5.42	W 103 56 44.06
	563.34	0.48	301.31	563.34	-1.22	1.34	1.15	0.60	1.77	40.68	419069.34	661341.35	N 32 9 5.42	W 103 56 44.06
Last Gyro Survey	645.97	1.04	293.38	645.96	-1.79	1.82	0.17	0.69	1.82	5.25	419069.82	661340.37	N 32 9 5.43	W 103 56 44.07
First SLB Survey	742.00	1.11	291.13	741.97	-2.63	2.50	-1.50	0.09	2.91	329.00	419070.50	661338.70	N 32 9 5.43	W 103 56 44.09
	836.00	0.87	283.02	835.96	-3.26	2.99	-3.05	0.30	4.27	314.44	419070.99	661337.15	N 32 9 5.44	W 103 56 44.11
	931.00	0.04	102.43	930.95	-3.48	3.14	-3.72	0.96	4.87	310.22	419071.14	661336.48	N 32 9 5.44	W 103 56 44.11
	1025.00	0.09	209.25	1024.95	-3.41	3.07	-3.72	0.12	4.82	309.54	419071.07	661336.48	N 32 9 5.44	W 103 56 44.11
	1113.00	0.16	89.88	1112.95	-3.34	3.01	-3.63	0.25	4.72	309.66	419071.01	661336.57	N 32 9 5.44	W 103 56 44.11
	1207.00	0.13	211.11	1206.95	-3.25	2.92	-3.55	0.27	4.60	309.40	419070.92	661336.65	N 32 9 5.44	W 103 56 44.11
	1302.00	0.04	91.64	1301.95	-3.16	2.83	-3.58	0.16	4.56	308.31	419070.83	661336.62	N 32 9 5.44	W 103 56 44.11
	1396.00	0.08	132.52	1395.95	-3.10	2.78	-3.50	0.06	4.47	308.50	419070.78	661336.70	N 32 9 5.44	W 103 56 44.11
	1490.00	0.09	285.25	1489.95	-3.08	2.76	-3.52	0.18	4.47	308.07	419070.76	661336.68	N 32 9 5.44	W 103 56 44.11
	1585.00	0.12	46.51	1584.95	-3.17	2.84	-3.52	0.19	4.52	308.95	419070.84	661336.68	N 32 9 5.44	W 103 56 44.11
	1679.00	0.07	273.01	1678.95	-3.24	2.91	-3.50	0.19	4.56	309.75	419070.91	661336.70	N 32 9 5.44	W 103 56 44.11
	1773.00	0.12	331.01	1772.95	-3.34	3.00	-3.61	0.11	4.70	309.77	419071.00	661336.59	N 32 9 5.44	W 103 56 44.11
	1869.00	0.20	21.02	1868.95	-3.58	3.25	-3.60	0.16	4.85	312.08	419071.25	661336.60	N 32 9 5.44	W 103 56 44.11
	1964.00	0.16	295.16	1963.95	-3.79	3.46	-3.66	0.26	5.04	313.40	419071.46	661336.54	N 32 9 5.44	W 103 56 44.11
	2059.00	0.08	119.88	2058.95	-3.82	3.48	-3.72	0.25	5.10	313.10	419071.48	661336.48	N 32 9 5.44	W 103 56 44.11
	2154.00	0.19	305.08	2153.95	-3.89	3.54	-3.79	0.28	5.19	313.03	419071.54	661336.41	N 32 9 5.44	W 103 56 44.11
	2248.00	0.14	354.29	2247.95	-4.10	3.74	-3.93	0.15	5.43	313.60	419071.74	661336.27	N 32 9 5.45	W 103 56 44.12
	2343.00	0.30	259.63	2342.95	-4.20	3.81	-4.19	0.36	5.66	312.33	419071.81	661336.01	N 32 9 5.45	W 103 56 44.12
	2438.00	0.23	101.33	2437.95	-4.12	3.73	-4.25	0.55	5.65	311.32	419071.73	661335.95	N 32 9 5.45	W 103 56 44.12
	2533.00	0.18	115.66	2532.95	-3.99	3.63	-3.92	0.07	5.35	312.78	419071.63	661336.28	N 32 9 5.44	W 103 56 44.12
	2629.00	0.07	330.54	2628.95	-3.97	3.62	-3.82	0.25	5.26	313.45	419071.62	661336.38	N 32 9 5.44	W 103 56 44.12
	2724.00	0.30	80.04	2723.95	-4.04	3.71	-3.60	0.35	5.17	315.86	419071.71	661336.60	N 32 9 5.45	W 103 56 44.11
	2819.00	0.46	88.67	2818.95	-4.03	3.76	-2.97	0.18	4.80	321.67	419071.76	661337.23	N 32 9 5.45	W 103 56 44.11
	2914.00	0.17	124.32	2913.95	-3.91	3.69	-2.48	0.35	4.44	326.14	419071.69	661337.72	N 32 9 5.45	W 103 56 44.10
	3009.00	0.27	104.46	3008.94	-3.74	3.56	-2.14	0.13	4.15	328.92	419071.56	661338.06	N 32 9 5.44	W 103 56 44.10
	3104.00	0.06	74.98	3103.94	-3.68	3.51	-1.88	0.23	3.98	331.86	419071.51	661338.32	N 32 9 5.44	W 103 56 44.09
	3199.00	0.13	84.66	3198.94	-3.68	3.54	-1.72	0.08	3.93	334.01	419071.54	661338.48	N 32 9 5.44	W 103 56 44.09
	3294.00	0.10	108.24	3293.94	-3.65	3.48	-1.54	0.06	3.84	336.41	419071.52	661338.66	N 32 9 5.44	W 103 56 44.09
	3389.00	0.04	235.65	3388.94	-3.60	3.48	-1.49	0.14	3.78	338.85	419071.47	661338.71	N 32 9 5.44	W 103 56 44.09
	3484.00	0.05	225.34	3483.94	-3.56	3.43	-1.54	0.01	3.76	335.77	419071.43	661338.66	N 32 9 5.44	W 103 56 44.09
	3579.00	0.12	22.62	3578.94	-3.62	3.49	-1.53	0.18	3.81	336.27	419071.49	661338.67	N 32 9 5.44	W 103 56 44.09
	3674.00	0.02	4.57	3673.94	-3.72	3.60	-1.49	0.11	3.90	337.45	419071.60	661338.71	N 32 9 5.44	W 103 56 44.09
	3769.00	0.10	296.57	3768.94	-3.79	3.65	-1.57	0.10	3.97	336.77	419071.65	661338.63	N 32 9 5.44	W 103 56 44.09
	3864.00	0.05	230.37	3863.94	-3.81	3.66	-1.67	0.10	4.03	335.45	419071.66	661338.53	N 32 9 5.44	W 103 56 44.09
	3959.00	0.13	209.94	3958.94	-3.69	3.54	-1.76	0.09	3.96	333.59	419071.54	661338.44	N 32 9 5.44	W 103 56 44.09
	4054.00	0.03	258.83	4053.94	-3.60	3.48	-1.84	0.12	3.90	331.93	419071.44	661338.36	N 32 9 5.44	W 103 56 44.09
	4149.00	0.12	292.00	4148.94	-3.65	3.48	-1.95	0.10	3.99	330.67	419071.48	661338.25	N 32 9 5.44	W 103 56 44.09
	4244.00	0.11	240.56	4243.94	-3.66	3.47	-2.13	0.11	4.07	328.51	419071.47	661338.07	N 32 9 5.44	W 103 56 44.10
	4339.00	0.19	334.86	4338.94	-3.77	3.57	-2.27	0.24	4.23	327.51	419071.57	661337.93	N 32 9 5.44	W 103 56 44.10
	4434.00	0.11	215.55	4433.94	-3.85	3.64	-2.39	0.28	4.35	326.66	419071.64	661337.81	N 32 9 5.44	W 103 56 44.10
	4529.00	0.08	238.78	4528.94	-3.75	3.53	-2.50	0.05	4.32	324.65	419071.53	661337.70	N 32 9 5.44	W 103 56 44.10
	4624.00	0.08	255.15	4623.94	-3.71	3.48	-2.62	0.02	4.35	322.97	419071.48	661337.58	N 32 9 5.44	W 103 56 44.10
	4719.00	0.11	294.41	4718.94	-3.75	3.50	-2.77	0.07	4.46	321.62	419071.50	661337.43	N 32 9 5.44	W 103 56 44.10
	4814.00	0.08	207.70	4813.94	-3.74	3.48	-2.88	0.14	4.52	320.32	419071.47	661337.32	N 32 9 5.44	W 103 56 44.10
	4909.00	0.05	54.27	4908.94	-3.70	3.44	-2.88	0.13	4.49	320.06	419071.44	661337.32	N 32 9 5.44	W 103 56 44.10
	5099.00	0.35	211.37	5098.94	-3.28	2.99	-3.12	0.21	4.32	313.86	419070.99	661337.08	N 32 9 5.44	W 103 56 44.11
	5194.00	0.05	275.25	5193.94	-3.05	2.75	-3.31	0.35	4.30	309.74	419070.75	661336.89	N 32 9 5.44	W 103 56 44.11
	5289.00	0.22	270.69	5288.94	-3.08	2.76	-3.53	0.18	4.48	307.97	419070.76	661336.67	N 32 9 5.44	W 103 56 44.11
	5384.00	0.25	93.41	5383.94	-3.07	2.75	-3.51	0.49	4.45	308.06	419070.75	661336.69	N 32 9 5.44	W 103 56 44.11
	5479.00	0.96	84.94	5478.93	-3.03	2.80	-2.51	0.75	3.76	318.19	419070.80	661337.69	N 32 9 5.44	W 103 56 44.10
	5574.00	1.12	75.75	5573.92	-3.17	3.10	-0.81	0.24	3.21	345.29	419071.10	661339.39	N 32 9 5.44	W 103 56 44.08
	5669.00	1.71	86.52	5668.89	-3.26	3.42	1.50	0.68	3.73	23.71	419071.42	661341.70	N 32 9 5.44	W 103 56 44.05
	5765.00	2.47	88.36	5764.82	-3.07	3.56	5.00	0.79	6.14	54.52	419071.56	661345.20	N 32 9 5.44	W 103 56 44.01
	5860.00	3.10	91.41	5859.71	-2.62	3.56	9.61	0.68	10.25	69.69	419071.56	661349.81	N 32 9 5.44	W 103 56 43.96
	5955.00	4.23	91.42	5954.52	-1.89	3.41	15.88	1.19	16.05	77.74	419071.41	661355.88	N 32 9 5.44	W 103 56 43.89
	6050.00	4.73	92.09	6049.23	-0.95	3.18	23.10	0.53	23.32	82.17	419071.18	661363.30	N 32 9 5.44	W 103 56 43.80
	6145.00	5.54	93.84	6143.84	0.31	2.73	31.59	0.87	31.71	85.06	419070.73	66		

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Actual KOP	9568.00	6.83	96.86	9520.24	-25.82	80.90	571.06	0.71	576.76	81.94	419148.89	681911.22	N 32 9 6.19	W 103 56 37.43
	9663.00	5.66	88.71	9614.68	-24.27	80.33	581.35	1.54	566.88	82.13	419148.32	681921.51	N 32 9 6.18	W 103 56 37.31
	9758.00	5.16	81.06	9709.26	-24.18	81.10	590.26	0.92	595.80	82.18	419149.09	681930.41	N 32 9 6.19	W 103 56 37.20
	9853.00	5.27	77.60	9803.86	-24.96	82.70	598.74	0.35	604.42	82.14	419150.69	681938.89	N 32 9 6.21	W 103 56 37.10
	9948.00	5.81	81.78	9898.42	-25.72	84.32	607.76	0.71	613.58	82.10	419152.32	681947.91	N 32 9 6.22	W 103 56 37.00
	9997.00	6.20	82.33	9947.15	-25.93	85.03	612.83	0.80	618.70	82.10	419153.02	681952.99	N 32 9 6.23	W 103 56 36.94
	10074.70	14.90	119.52	10023.54	-20.34	80.66	625.72	13.68	630.90	82.66	419146.65	681965.87	N 32 9 6.18	W 103 56 36.79
	10115.00	12.58	1006.19	10061.95	-12.84	74.10	635.91	13.68	640.22	83.35	419142.09	681976.06	N 32 9 6.12	W 103 56 36.47
	10145.00	22.83	131.56	10089.87	-5.21	67.26	644.49	11.84	647.99	84.04	419135.25	681984.64	N 32 9 6.05	W 103 56 36.57
	10210.00	29.25	141.32	10148.27	17.35	46.46	663.88	11.84	665.51	86.00	419114.46	682004.03	N 32 9 5.84	W 103 56 36.35
Wolfcamp A Intersection	10304.00	34.79	132.12	10227.98	56.43	10.50	698.17	7.84	698.25	89.14	419078.50	682038.32	N 32 9 5.49	W 103 56 35.95
	10398.00	41.75	130.01	10301.74	98.62	-27.65	742.09	7.53	742.61	92.13	419040.35	682082.23	N 32 9 5.11	W 103 56 35.44
	10493.00	51.64	134.21	10366.83	149.73	74.09	793.15	10.89	796.61	95.34	418993.92	682133.29	N 32 9 4.65	W 103 56 34.85
	10551.40	55.29	177.55	10401.60	186.25	-107.93	825.95	7.34	832.94	97.42	418960.38	682166.09	N 32 9 4.31	W 103 56 34.47
	10587.00	57.55	138.58	10421.29	210.03	-129.59	845.87	7.34	855.74	98.71	418938.42	682186.01	N 32 9 4.10	W 103 56 34.24
	10681.00	62.84	149.80	10468.11	280.35	-195.68	893.29	11.78	914.48	102.36	418872.33	682233.43	N 32 9 3.44	W 103 56 33.69
	10697.00	64.00	151.71	10475.27	293.45	-208.17	900.28	12.90	924.04	103.02	418859.85	682240.42	N 32 9 3.32	W 103 56 33.61
	10776.00	70.07	160.61	10506.13	362.41	-274.63	929.52	12.90	969.24	106.46	418793.39	682269.65	N 32 9 2.66	W 103 56 33.27
	10870.00	75.97	171.22	10533.64	451.14	-361.68	951.22	12.48	1017.66	110.82	418706.35	682291.23	N 32 9 1.80	W 103 56 33.02
	10964.00	86.09	177.82	10548.29	543.81	-453.94	960.00	12.80	1061.91	115.31	418614.10	682301.33	N 32 9 0.88	W 103 56 32.92
Enter Target Box	11059.00	91.58	180.00	10550.22	638.47	-548.86	961.80	6.22	1107.39	119.71	418519.18	682301.93	N 32 8 59.94	W 103 56 32.91
	11091.00	92.44	180.40	10549.10	670.29	-580.84	961.69	2.96	1123.49	121.13	418487.20	682301.82	N 32 8 59.63	W 103 56 32.91
	11127.00	92.46	180.28	10547.56	706.07	-616.81	961.48	0.34	1142.32	122.68	418451.24	682301.60	N 32 8 59.27	W 103 56 32.91
	11222.00	93.46	180.55	10542.65	800.44	-711.68	960.79	1.09	1195.66	126.53	418356.38	682300.92	N 32 8 58.33	W 103 56 32.93
	11316.00	91.26	180.59	10538.78	893.83	-805.59	959.86	2.34	1253.11	130.01	418262.48	682299.98	N 32 8 57.40	W 103 56 32.94
	11410.00	89.27	178.09	10530.35	987.48	-899.57	959.57	13.16	1316.29	133.11	418168.56	682301.07	N 32 8 56.47	W 103 56 32.95
	11505.00	89.76	177.55	10538.15	1082.32	-964.49	964.55	0.77	1385.42	135.88	418073.58	682304.68	N 32 8 55.53	W 103 56 32.99
	11600.00	89.20	176.61	10540.01	1177.22	-1089.37	969.39	1.15	1458.23	138.34	417978.72	682309.52	N 32 8 54.59	W 103 56 32.96
	11695.00	88.86	176.69	10541.62	1272.14	-1184.19	974.94	0.37	1533.89	140.54	417883.90	682315.07	N 32 8 53.66	W 103 56 32.78
	11790.00	89.38	178.21	10543.08	1367.00	-1279.08	979.17	1.69	1610.84	142.57	417789.02	682319.29	N 32 8 52.72	W 103 56 32.74
	11885.00	89.61	181.39	10543.92	1461.58	-1374.06	979.50	3.36	1687.45	144.52	417694.04	682319.62	N 32 8 51.78	W 103 56 32.74
	11980.00	89.65	181.58	10546.19	1555.84	-1469.00	977.04	2.07	1764.25	146.37	417599.11	682317.16	N 32 8 50.84	W 103 56 32.77
	12075.00	88.42	180.64	10548.45	1650.15	-1563.92	975.20	1.28	1843.06	148.05	417504.19	682315.33	N 32 8 49.90	W 103 56 32.79
	12170.00	88.59	179.78	10551.93	1744.65	-1658.89	974.85	0.92	1924.12	149.56	417409.24	682314.98	N 32 8 48.96	W 103 56 32.80
	12265.00	88.82	179.47	10554.07	1839.24	-1753.86	975.47	0.41	2006.89	150.92	417314.27	682315.60	N 32 8 48.02	W 103 56 32.80
	12360.00	91.24	180.62	10554.02	1933.79	-1848.86	975.40	2.82	2090.38	152.19	417219.29	682315.52	N 32 8 47.08	W 103 56 32.80
	12455.00	90.50	180.91	10552.58	2028.21	-1943.84	974.13	0.84	2174.26	153.38	417124.31	682314.26	N 32 8 46.14	W 103 56 32.82
	12549.00	90.00	181.37	10552.17	2121.58	-2037.82	972.62	0.72	2257.87	154.49	417030.34	682312.39	N 32 8 45.21	W 103 56 32.85
	12644.00	89.88	182.73	10552.27	2215.76	-2132.75	968.86	1.44	2342.50	156.57	416935.41	682308.59	N 32 8 44.27	W 103 56 32.89
	12740.00	89.92	183.73	10552.44	2310.64	-2228.60	963.45	1.04	2427.94	156.62	416839.57	682303.58	N 32 8 43.32	W 103 56 32.96
	12835.00	90.34	185.04	10552.22	2404.23	-2323.32	956.19	1.45	2512.39	157.63	416744.86	682296.32	N 32 8 42.38	W 103 56 33.05
	12930.00	90.30	185.13	10551.69	2497.61	-2417.94	947.77	0.10	2597.06	158.60	416650.24	682287.90	N 32 8 41.45	W 103 56 33.15
	13025.00	89.86	184.43	10551.56	2591.09	-2512.61	939.85	0.87	2682.64	159.49	416555.58	682279.98	N 32 8 40.51	W 103 56 33.25
	13120.00	89.74	181.18	10551.89	2685.08	-2607.48	935.21	3.42	2770.12	160.27	416460.71	682275.33	N 32 8 39.57	W 103 56 33.30
	13310.00	89.25	178.07	10550.73	2787.91	-2707.19	935.45	1.46	2856.03	161.49	416365.41	682276.76	N 32 8 38.63	W 103 56 33.39
	13404.00	91.19	177.85	10550.73	2968.12	-2861.39	939.79	1.03	3040.29	161.99	416276.83	682272.92	N 32 8 36.76	W 103 56 33.26
	13499.00	90.31	178.15	10549.48	3062.93	-2966.32	943.11	0.98	3131.70	162.47	416180.91	682283.24	N 32 8 35.82	W 103 56 33.23
	13595.00	90.04	179.38	10549.19	3158.66	-3062.30	945.18	1.31	3223.96	162.95	415985.94	682285.31	N 32 8 34.87	W 103 56 33.21
	13690.00	89.06	179.95	10549.94	3253.27	-3177.29	945.73	1.19	3315.05	163.42	415890.95	682285.86	N 32 8 33.93	W 103 56 33.20
	13785.00	88.85	179.92	10551.67	3347.83	-3272.27	945.84	0.22	3406.23	163.88	415795.98	682285.97	N 32 8 32.99	W 103 56 33.21
	13880.00	89.04	179.51	10553.42	3442.42	-3367.36	946.31	0.48	3497.70	164.30	415698.00	682286.44	N 32 8 32.05	W 103 56 33.21
	13975.00	88.94	179.56	10555.09	3537.04	-3462.24	947.09	0.12	3588.44	164.70	415606.03	682287.21	N 32 8 31.11	W 103 56 33.20
	14070.00	88.94	179.60	10556.85	3631.65	-3557.22	947.78	0.04	3681.32	165.08	415511.05	682287.91	N 32 8 30.18	W 103 56 33.20
	14260.00	90.09	178.76	10558.46	3821.01	-3747.19	950.50	0.75	3865.86	165.77	415321.10	682290.63	N 32 8 28.30	W 103 56 33.17
	14450.00	90.89	180.10	10556.83	4010.29	-3937.17	952.39	0.82	4050.72	166.40	415131.13	682292.52	N 32 8 26.42	W 103 56 33.16
	14545.00	89.93	178.95	10556.15	4104.92	-4032.16	953.18	1.58	4143.29	166.70	415036.15	682293.31	N 32 8 25.48	W 103 56 33.15
	14640.00	89.85	178.08	10556.94	4199.63	-4127.14	954.81	0.16	4236.15	166.97	414941.17	682294.94	N 32 8 24.54	W 103 56 33.14
	14830.00	90.610												

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Eastings (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
		1	0.000	32.500	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only		Corral Gorge 12_13 Federal Com 311H / Oxy Corral Gorge 12_13 Federal Com 311H Gyro+MWD 0'				
		1	32.500	32.500	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only		Corral Gorge 12_13 Federal Com 311H / Oxy Corral Gorge 12_13 Federal Com 311H Gyro+MWD 0'				
		1	32.500	645.970	Act Stns	26.400	26.400	GYD_GC+DROP+OH		Corral Gorge 12_13 Federal Com 311H / Oxy Corral Gorge 12_13 Federal Com 311H Gyro+MWD 0'				
		1	645.970	20921.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS		Corral Gorge 12_13 Federal Com 311H / Oxy Corral Gorge 12_13 Federal Com 311H Gyro+MWD 0'				

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 123744

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 123744
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 123744

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 123744
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	RT EXPIRES 10/6/2022	7/8/2022