

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-40410
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Red Hills West 16 State
8. Well Number #1H
9. OGRID Number 217817
10. Pool name or Wildcat Jennings; Upper Bone Spring

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator ConocoPhillips Company	
3. Address of Operator 913 N. Eldridge Parkway Houston, TX 77079	
4. Well Location Unit Letter D : 180 feet from the N line and 640 feet from the W line Section 16 Township 26S Range 32E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3201' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐	REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☒ CASING/CEMENT JOB ☐ PNR ☐ OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

06/01/22 MIRU plugging equipment. Dug out cellar. NU BOP. 06/02/22 RIH w/ tbg, tagged @ 4373'. Notified Kerry Fortner w/ OCD and was requested to drill out CIBP w/ cmt on top. POH. 06/03/22 ND BOP & 10K spool, NU BOP & 9 5/8 csg & spool. RIH & tagged @ 4373'. 06/06/22 Drilled out plug @ 4373-4429'. 06/07/22 Drilled out plugs from 4429-4479'. Circ'd hole clean. RIH w/ tbg to 5900'. 06/08/22 POH w/ tbg. RIH w/ work string. 06/09/22 Spotted 40 sx class C cmt w/ 2% CACL @ 5900-5654'. WOC. Tagged plug @ 5610'. Circ hole w/ MLF & salt gel. Pressure tested csg, held 500 PSI. 06/10/22 Perf'd @ 4529'. Established inj rate @ 650 PSI. Pressured up. Spotted 130 sx class C cmt @ 4679-4100'. Pressured up on plug to 200 PSI. WOC. 06/13/22 Tagged plug @ 4090'. Spotted 60 sx class C cmt @ 2069-1887'. WOC. Tagged plug @ 1898'. Perf'd @ 843'. Pressured up on perfs to 700 PSI. Spotted 60 sx class C cmt @ 905-723'. WOC. 06/14/22 Tagged plug @ 710'. Perf'd @ 200'. Pressured up on perfs to 500 PSI. Spotted 90 sx class C cmt w/ 1 bag CACL @ 258' & circulated to surface. WOC & verified cmt @ surface. ND BOP & spool. Rigged down & moved off. 06/16/22 Moved in backhoe and welder. Cut off well head & anchors. Kerry Fortner w/ BLM verified cmt @ surface via picture test message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 8 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ruth Shockency TITLE Regulatory Coordinator DATE 07/06/2022

Type or print name Ruth Shockency E-mail address: ruth.shockency@conocophillips.com PHONE: 575-703-8321

For State Use Only


APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/12/22
 Conditions of Approval: (...)

ConocoPhillips**PLUGGED**

Author: Abby @ BCM
 Well Name: Red Hills West 16 State
 Field: Jennings; Upper BS Shale
 County: Lea
 State: New Mexico
 Spud Date: 8/24/2012

Well No.: #1H
 API #: 30-025-40410
 Location: Sec 16, T26S, R32E
180 FNL & 640 FWL
 GL: 3201

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	J55	54.5#	793	17 1/2	720	0
Inter Csg	9 5/8	J55	36#	4,479	12 1/4	1,445	0
Prod Csg	7	P110	29#	9,340	8 3/4	495	5,887
Liner	4 1/2	P110	11.6	8801-13419	6 1/4	NA	SwellPkr



5. Perf'd @ 200'. Pressured up on perms to 500 PSI. Spotted 90 sx class C cmt w/ 1 bag CACL @ 258' & circulated to surface. WOC & verified cmt @ surface.

4. Perf'd @ 843'. Pressured up on perms to 700 PSI. Spotted 60 sx class C cmt @ 905-723'. WOC. Tagged plug @ 710'.

13 3/8 CSG @ 793
 Hole Size: 17 1/2

3. Spotted 60 sx class C cmt @ 2069-1887'. WOC. Tagged plug @ 1898'.

9 5/8" CSG @ 4,479
 Hole Size: 12 1/4

2. Perf'd @ 4529'. Established inj rate @ 650 PSI. Pressured up. Spotted 130 sx class C cmt @ 4679-4100'. WOC & Tagged plug @ 4090'.

Csg Patch @ 5862-5900'

1. Drilled out plugs to 4479'. RIH w/ tbg to 5900'. 22 Spotted 40 sx class C cmt w/ 2% CACL @ 5900-5654'. WOC. Tagged plug @ 5610'. Circ hole w/ MLF & salt gel. Pressure tested csg, held 500 PSI.

12/01/2015 CIBP @ 8925 w/Cmt on top @ 8725'

7 CSG @ 9,340
 Hole Size: 8 3/4

Perfs @ 9453-13292

TD @ 13,434

32.0497971
 -103.6865311

4 1/2 Liner @ 9,340
 Hole Size: 6 1/4

Formation	Top
Rustler	747
Salado	962
Castile	2766
Delaware	4399
Ramsey	4437
Ford	4509
Olds	4536
Cherry	5412
Brushy	7151
Bone Spring	8256
Avalon	8778
T/Salt	2002
B/Salt	4180

KOP @ 8193
 TVD @ 8943




ConocoPhillips**PLUGGED**

Author: Abby @ BCM
 Well Name: Red Hills West 16 State
 Field: Jennings; Upper BS Shale
 County: Lea
 State: New Mexico
 Spud Date: 8/24/2012

Well No.: #1H
 API #: 30-025-40410
 Location: Sec 16, T26S, R32E
180 FNL & 640 FWL
 GL: 3201

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	J55	54.5#	793	17 1/2	720	0
Inter Csg	9 5/8	J55	36#	4,479	12 1/4	1,445	0
Prod Csg	7	P110	29#	9,340	8 3/4	495	5,887
Liner	4 1/2	P110	11.6	8801-13419	6 1/4	NA	SwellPkr



5. Perf'd @ 200'. Pressured up on perms to 500 PSI. Spotted 90 sx class C cmt w/ 1 bag CACL @ 258' & circulated to surface. WOC & verified cmt @ surface.

4. Perf'd @ 843'. Pressured up on perms to 700 PSI. Spotted 60 sx class C cmt @ 905-723'. WOC. Tagged plug @ 710'.

13 3/8 CSG @ 793
 Hole Size: 17 1/2

3. Spotted 60 sx class C cmt @ 2069-1887'. WOC. Tagged plug @ 1898'.

9 5/8" CSG @ 4,479
 Hole Size: 12 1/4

2. Perf'd @ 4529'. Established inj rate @ 650 PSI. Pressured up. Spotted 130 sx class C cmt @ 4679-4100'. WOC & Tagged plug @ 4090'.

Csg Patch @ 5862-5900'

1. Drilled out plugs to 4479'. RIH w/ tbg to 5900'. 22 Spotted 40 sx class C cmt w/ 2% CACL @ 5900-5654'. WOC. Tagged plug @ 5610'. Circ hole w/ MLF & salt gel. Pressure tested csg, held 500 PSI.

12/01/2015 CIBP @ 8925 w/Cmt on top @ 8725'

7 CSG @ 9,340
 Hole Size: 8 3/4

Perfs @ 9453-13292

TD @ 13,434

32.0497971
 -103.6865311

4 1/2 Liner @ 9,340
 Hole Size: 6 1/4

Formation	Top
Rustler	747
Salado	962
Castile	2766
Delaware	4399
Ramsey	4437
Ford	4509
Olds	4536
Cherry	5412
Brushy	7151
Bone Spring	8256
Avalon	8778
T/Salt	2002
B/Salt	4180

KOP @ 8193
 TVD @ 8943

ConocoPhillips**CURRENT**

Author:

Abby @ BCM

Well Name

Red Hills West 16 State

Field

Jennings; Upper BS Shale

County

Lea

State

New Mexico

Spud Date

8/24/2012

Well No.

#1H

API #:

30-025-40410

Location


Sec 16, T26S, R32E**180 FNL & 640 FWL**

GL

3201

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	J55	54.5#	793	17 1/2	720	0
Inter Csg	9 5/8	J55	36#	4,479	12 1/4	1,445	0
Prod Csg	7	P110	29#	9,340	8 3/4	495	5,887
Liner	4 1/2	P110	11.6	8801-13419	6 1/4	NA	SwellIPkr

Formation	Top
Rustler	747
Salado	962
Castile	2766
Delaware	4399
Ramsey	4437
Ford	4509
Olds	4536
Cherry	5412
Brushy	7151
Bone Spring	8256
Avalon	8778



TD @ 13,434

32.0497971
-103.6865311

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 123134

COMMENTS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 123134
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	7/12/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 123134

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 123134
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker pics to release	7/12/2022