

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-31877
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Mewbourne Oil Company		6. State Oil & Gas Lease No. OG-2426-1
3. Address of Operator PO Box 5270 Hobbs, NM 88240		7. Lease Name or Unit Agreement Name Esperanza 15 State Com
4. Well Location Unit Letter <u>J</u> : <u>2232</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>15</u> Township <u>21S</u> Range <u>27E</u> NMPM County <u>Eddy</u>		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3284 GL		9. OGRID Number 14744
		10. Pool name or Wildcat Burton Flat; Morrow

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached P&A report.

Call Jake Nave with any questions.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jackie Lathan TITLE Regulatory DATE 06/01/2022

Type or print name Jackie Lathan E-mail address: jlathan@mewbourne.com PHONE: 575-393-5905

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 6/7/2022
 Conditions of Approval (if any):


Esperanza 15 State Com #1

MIRU plugging equipment on 5/17/22. ND WH & NU BOP. RIH w/tbg & tagged existing TOC @ 11500'. Spotted 50 sks Class H cmt. WOC. RIH & tagged TOC @ 11368'. Circ hole w/MLF. LD tbg to 8910'. Spotted 25 sks Class H cmt. WOC. RIH & did not tag TOC. Re spotted 25 sks Class H cmt @ 8910'. WOC. RIH & tagged TOC @ 8414'. LD tbg to 7760'. Spotted 25 sks Class C cmt. WOC. RIH & tagged TOC @ 7561'. LD tbg to 5200'. RU WL. RIH & perf @ 5388'. POOH & RD WL. RIH w/tbg to 5438'. Spotted 45 sks Class C cmt. WOC. RIH & tagged TOC @ 5232'. POOH w/tbg. ND BOP & tbg spool. PU spear & engage 5 ½" csg. NU BOP. POOH & LD 73 jts csg (3203'). RIH w/tbg to 3254'. Spotted 75 sks Class C cmt w/2% CaCl. WOC. RIH & tagged TOC @ 3090'. LD tbg to 2904'. Spotted 75 sks Class C cmt. WOC. RIH & tagged TOC @ 2733'. LD tbg to 2665'. Spotted 45 sks Class C cmt. LD tbg to 474'. Spotted 35 sks Class C cmt. LD tbg to 200'. Circulate 60 sks Class C cmt to surface. Finish LD tbg. Dug out cellar & cut off WH 3' below surface (verified cmt @ surface). Welded plate & installed dry hole marker. Backfilled cellar. Dug out anchors & back filled holes. RDMO. **Well P&A'd effective 6/1/22.**

Esperanza 15 State Com #1 Final WBS

2232' FSL & 1980' FEL, Sec. 15 - T21S - R27E - Eddy Co, NM

API 30-015-31877



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 112917

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 112917
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/7/2022