

Well Name: DAVIDSON GAS COM F	Well Location: T28N / R10W / SEC 28 / SENW / 36.636215 / -107.904221	County or Parish/State: SAN JUAN / NM
Well Number: 1E	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF077383A	Unit or CA Name: DAVIDSON GAS COM F	Unit or CA Number: NMNM73558
US Well Number: 3004524113	Well Status: Abandoned	Operator: HILCORP ENERGY COMPANY

Subsequent Report

Sundry ID: 2677043

Type of Submission: Subsequent Report

Date Sundry Submitted: 06/15/2022

Date Operation Actually Began: 05/26/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 11:23

Actual Procedure: Subject well was Plug and Abandoned on 6/3/2022. Please see attached for operational reports.

SR Attachments

- Actual Procedure
- Current_Schematic_20220615112258.pdf

Davidson_Gas_Com_F_1E_P_A_SR_20220615112258.pdf

Davidspn_Gas_ComF__1E_20220615112235.pdf

Well Name: DAVIDSON GAS COM F	Well Location: T28N / R10W / SEC 28 / SENW / 36.636215 / -107.904221	County or Parish/State: SAN JUAN / NM
Well Number: 1E	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF077383A	Unit or CA Name: DAVIDSON GAS COM F	Unit or CA Number: NMNM73558
US Well Number: 3004524113	Well Status: Abandoned	Operator: HILCORP ENERGY COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KANDIS ROLAND

Signed on: JUN 15, 2022 11:23 AM

Name: HILCORP ENERGY COMPANY

Title: Operation Regulatory Tech

Street Address: 382 Road 3100

City: Farmington

State: NM

Phone: (505) 599-3400

Email address: kroland@hilcorp.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 06/15/2022

Signature: Kenneth Rennick

Davidson Gas Com F 1E
30-045-24113
P&A SR

5/26/22 –MIRU. SIBHP – 20 PSI, SICP – 0 PSI, SITP – 0. ND WH, NU BOP. PT BOP, Good test. RU wireline. Run CBL to CIBP @ 6500'. TOC @ 3000'. RD WL. TIH w/ tbg. Tag CIBP. PUH to 6470'. SIW. SDFN.

CBL reviewed with Monica Kuehling, NMOCD & Mike Gilbreath, BLM. Approved revised formation tops based on CBL as listed below.

5/31/22 - SIBHP – 30 PSI, SICP – 0 PSI, SITP – 0.

Plug 1 (Dakota 6350' – 6500') Mix and pump: 12 sx Class G Neat, 15.9 PPG. LD tbg. WOC for 4 hrs. TIH. Tag TOC @ 6337'. LD tbg.

Plug 2 (Gallup 5577' – 5728' Balanced) Mix and pump: 12 sx Class G Neat, 15.9 PPG. LD tbg. WOC. TIH tag TOC @ 5569'. LD tbg.

Plug 3 (Mancos 4710' – 4860' Balanced) Mix and pump: 12 sx Class G Neat, 15.9 PPG. LD tbg. SIW. SDFN.

6/1/22 - SIBHP – 0 PSI, SICP – 0 PSI, SITP – 0. TIH tag TOC @ 4723'. LD tbg.

Plug 4 (Mesaverde 3654' – 3804' Balanced) Mix and pump: 13 sx Class G Neat, 15.8 PPG. LD tbg. WOC. RIH tag TOC @ 3658'. LD tbg. RU wireline. PU RIH w/ sqz gun shot 3 perf holes (2772'-2775'). RIH w/ 4.5 CICR & set @ 2725'.

Plug 5 (Chacra 2625' – 2775' Inside/Outside) Mix and pump: 52 sx Class G Neat, 15.8 PPG. Sting out. LD tbg. LD setting tool. WOC. TIH tag TOC @ 2553'. RU wireline. PU RIH w/ sqz gun shot 3 perf holes (2220'-2222'). RD wireline. RIH w/ 4.5 CICR & set @ 2168'.

Plug 6 (Pictured Cliffs 2072' – 2222' Inside/Outside) Mix and pump: 52 sx Class G Neat, 15.8 PPG. Sting out. LD tbg/setting tool. SIW. SDFN.

6/2/22 - SIBHP – 0 PSI, SICP – 0 PSI, SITP – N/A. TIH tag TOC @ 2018'. TOOH. RU wireline. RIH w/ sqz gun shot 3 perf holes (1882'-1885'). POOH. PU RIH w/ 4.5 CICR & set @ 1842'

Plug 7 (Fruitland 1732' – 1882' Inside/Outside) Mix and pump: 52 sx Class G Neat, 15.8 PPG. Sting out. LD tbg. Open BH per NMOCD while WOC. TIH tag TOC @ 1686'. TOOH. SI BH. Monitor BH per NMOCD. No build up on BH. **Verbal approval to combine Ojo/Kirtland if no BH pressure per Monica Kuehling, NMOCD.** RU wireline. PU RIH w/ sqz gun shot 3 perf holes (1297'-1300'). RD wireline. RIH w/ 4.5 CICR & set @ 1448'.

Plug 8 (Ojo/Kirtland 1010' – 1300' Inside/Outside) Mix and pump: 118 sx Class G Neat, 15.8 PPG. POOH w/ setting tool. RU wireline. PU RIH w/ sqz gun shot 3 perf holes (375'-378'). POOH. RD wireline. SWI. SDFN.

6/3/22 - SIBHP – 5 PSI, SICP – 0 PSI, SITP – N/A. Monitor BH per BLM. RIH tag TOC @ 1003'. TOOH. RIH w/ 4.5 CICR & set @ 307'.

Surface Plug (200' – Surface Inside/Outside) Mix and pump: 223 sxs Class G Neat. Circ 3 bbls to surface. Sting out. TOOH. LD tbg. ND BOP. WOC. Cut off WH. Install dry hole marker. Top of cmt inside csg. RDMO.


The subject well was plugged and abandoned on 6/3/2022



Current Schematic

Well Name: DAVIDSON GAS COM F #1E

API / UWI 3004524113	Surface Legal Location T28N-R10W-S28	Field Name Basin Dakota	Route 0708	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 6,156.00	Original KB/RT Elevation (ft) 6,169.00	KB-Ground Distance (ft) 13.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 117574

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 117574
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	6/23/2022