

Well Name: DORIS RI FEDERAL COM	Well Location: T5S / R25E / SEC 27 / NENW /	County or Parish/State: CHAVES / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM39127	Unit or CA Name: DORIS RI FEDERAL	Unit or CA Number: NMNM82113
US Well Number: 300056141000S1	Well Status: Abandoned	Operator: SOLIS PARTNERS LLC

Accepted for record – NMOCD gc 7/7/2022

Subsequent Report

Sundry ID: 2677416

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 06/16/2022	Time Sundry Submitted: 02:10
Date Operation Actually Began: 05/16/2022	

**Actual Procedure:** 5/16/2022: MIRU, ND wellhead, NU BOP. Scraper bit to 3,885', unable to set CIBP at 3,885', POOH. 5/17/2022: Set CIBP at 3,885'. Pumped 75 Bbl fresh water circulated well. Spotted 25 sx class "c" cmt on CIBP, WOC. Tag cmt at 3,540'. Test casing "did not hold", POOH. Set packer at 1,522', pressure test "did not hold" between 1,522'-3,540'. Per BLM Oscar Torres, Ran packer to 2,532', pressure good at 500 psi 5 min, holding. Shut down for day. 5/18/2022: Test csg again to 500 psi 5 min, good test, from 2,532'-3,540'. Brought packer uphole, set at 2,002' testing casing from 2,002'-3,540', 500 psi 5 min, test good. Perf at 3,114', spotted 25 sx class "c" cmt, WOC. Tagged cmt at 2,820'. Spotted 15 sx class "c" cmt at 2,027', WOC overnight. 5/19/2022: RIH tag cmt at 1,805'. Perf at 1,724'. Squeezed 55 sx class "c" cmt, WOC. Test cmt "did not hold", Hole in casing, water visible on surface. Tried to tag not successful. Set packer at 1,013', squeezed 80 sx class "c" cmt, WOC overnight. 5/20/2022: Pressure test, "Test Good". Tag cmt at 1,204'. Perf at 966' circulated 250 sx class "c" cmt to surface. Shut down, Rig Down, Move Out.

SR Attachments

Actual Procedure

Doris\_RI\_Fed\_COM\_2\_P\_A\_Subsequent\_Report\_20220616140919.docx

Well Name: DORIS RI FEDERAL COM	Well Location: T5S / R25E / SEC 27 / NENW /	County or Parish/State: CHAVES / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM39127	Unit or CA Name: DORIS RI FEDERAL	Unit or CA Number: NMNM82113
US Well Number: 300056141000S1	Well Status: Abandoned	Operator: SOLIS PARTNERS LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: VICKI KAY

Signed on: JUN 16, 2022 02:09 PM

Name: SOLIS PARTNERS LLC

Title: Land Director

Street Address: 4501 SANTA ROSA DRIVE

City: MIDLANDState: TX

Phone: (432) 695-6997

Email address: VICKI.KAY@SOLISPARTNERSLLC.COM

Field

Representative Name: Chris Smith

Street Address:

City: RoswellState: NMZip:

Phone: (575)637-8482

Email address: cesmithwelding@hotmail.com

BLM Point of Contact

BLM POC Name: JENNIFER SANCHEZ

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5756270237


BLM POC Email Address: j1sanchez@blm.gov

Disposition: Accepted

Disposition Date: 06/17/2022

Signature: Jennifer Sanchez

**Solis Partners, LLC  
Chaves, Tx.  
Doris RI Federal #2**



PBTD: 4,232'

**PROPOSED PLUG ABANDON  
API # 30-005-61410**

**Perf @ 100' circ cmt to surface  
4-1/2" & 4-1/2"x 8-5/8"  
VERIFY CMT IN ALL ANNULI**

20" Conductor pipe set @ 30'  
cmt'd w/ 3 yrd readymix to surf

**Perf @ 696' Sq 50 sks  
San Andres Plug 596'-696'  
WOC & TAG**

916' 8-5/8" 24# J-55  
Cmt'd with 700 sks to surface  
Hole Size: 12-1/4"

**Perf @ 966' Sq 50 sks 8-5/8"  
Shoe plug 866'-966'  
WOC & TAG**

**Perf @ 1,724' sq 50 sks  
Glorieta Plug 1,624'-1,724'  
WOC & TAG**

**Perf @ 2,914'. Sq 50 sks  
Fullerton Plug 2,814'-2,914'.  
WOC & TAG**

**Tag TOC in 4-1/2"  
4-1/2" CIBP @ 3,900' w/ 35'  
cmt. ETOC 3,865'**

Abo Perforations 3,912'-3,920'

4-1/2" 9.5ppf @ 4,299'  
cmt'd/w 350sks  
Hole size 6-1/4"  
TD:4,040'

**Casing**

<b>Size</b>	8-5/8"	4-1/2"	
<b>Weight</b>	24ppf	9.5 ppf	
<b>Grade</b>	J-55	J-55	
<b>Thread</b>			
<b>Depth</b>	916'	4,299'	
<b>CMT'D/W</b>	700sks	350 sks	
<b>Hole Size</b>	12-1/4"	6-1/4"	
<b>Packer</b>			

Operator	Solis Partners, LLC
Well	2
Field	Pecos Slope, Abo
Date	Jan. 14, 2022

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 121117

CONDITIONS

Operator: Solis Partners, L.L.C. P.O. Box 5790 Midland, TX 79704	OGRID: 330238
	Action Number: 121117
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	7/7/2022