Office  Office	State of New	Mexico	Form	
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources		Revised July WELL API NO.	18, 2013
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283			30-015-27861	
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION		5. Indicate Type of Lease	
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.		STATE FEE	
<u>District IV</u> – (505) 476-3460	Santa Fe, NM	1 87505	6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505			E-10169	
	TICES AND REPORTS ON WE		7. Lease Name or Unit Agreement N	Name
(DO NOT USE THIS FORM FOR PROPODIFFERENT RESERVOIR. USE "APPLE PROPOSALS.)			STINKING DRAW	/
1. Type of Well: Oil Well	Gas Well  Other		8. Well Number 3	
2. Name of Operator			9. OGRID Number	
OXY USA WTP LP			192463  10. Pool name or Wildcat	
3. Address of Operator	N TV 77210		DAGGER DRAW, UP PENN, SOUTH (	(ASSOC)
P.O. BOX 4294, HOUSTO 4. Well Location	N, 1 × 11210		DAGGER BRAW, OF FERIN, GOOTH	A0000)
	get from the NOR	TH line and 99	0 feet from the WEST	line
Section 36	Township 20 1/2S		NMPM County EDDY	
Section 53	11. Elevation (Show whether		3	
	3682'	21, 1112, 111, 011, 010		
12. Check	Appropriate Box to Indicat	e Nature of Notice,	Report or Other Data	
NOTICE OF IN	ITENTION TO	0.115		
NOTICE OF II  PERFORM REMEDIAL WORK □	NTENTION TO:  PLUG AND ABANDON	REMEDIAL WOR	BSEQUENT REPORT OF:  RK	uc 🗆
TEMPORARILY ABANDON			ILLING OPNS. P AND A	<b>™</b>
PULL OR ALTER CASING		CASING/CEMEN		
DOWNHOLE COMMINGLE				
CLOSED-LOOP SYSTEM				
CLOSED-LOOP SYSTEM  OTHER:		OTHER:	nd give portinent detectionally ding estimated	
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or comp	pleted operations. (Clearly state	all pertinent details, an	nd give pertinent dates, including estimates	
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or comp	pleted operations. (Clearly state ork). SEE RULE 19.15.7.14 N	all pertinent details, an	nd give pertinent dates, including estimate of the dates. Attach wellbore diagram of	
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost of starting any proposed we proposed completion or recomposed completion.	pleted operations. (Clearly state ork). SEE RULE 19.15.7.14 NN completion.	all pertinent details, and MAC. For Multiple Co	ompletions: Attach wellbore diagram o	f
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed we proposed completion or recomposed completion.	pleted operations. (Clearly state ork). SEE RULE 19.15.7.14 NN completion.	all pertinent details, and MAC. For Multiple Co	ompletions: Attach wellbore diagram o	f
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed we proposed completion or recomposed completion.	pleted operations. (Clearly state ork). SEE RULE 19.15.7.14 NN completion.	all pertinent details, and MAC. For Multiple Co	ompletions: Attach wellbore diagram o	f
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compostarting any proposed we proposed completion or recommendate.  6-1-22 Spot 55sacks 6-1-22 Spot 25sacks	pleted operations. (Clearly state rork). SEE RULE 19.15.7.14 NA completion.  class "C" cement From the class "C" cement From	all pertinent details, and AAC. For Multiple Community of the Market State of the Mark	ompletions: Attach wellbore diagram of 6001 FT. WOC Tage	6001 F
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compostarting any proposed we proposed completion or recomposed compl	pleted operations. (Clearly state rork). SEE RULE 19.15.7.14 NN completion.  alass "c" cement From a class" c" cement From 5 class" c" Cement From 5 class" c" Cement From 65 class c" Cement From 65 class" c" Cement From 65 class c" Cement	all pertinent details, and MAC. For Multiple Community of the Market of	ompletions: Attach wellbore diagram of 6001 FT. WOC Tage 19FT w. a.c. Tage 43019 FFW. a.c. Tage 201	26001 F
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost of starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting and the starting a	pleted operations. (Clearly state bork). SEE RULE 19.15.7.14 NN completion.  class "C" cement From a class "C" cement From 5 c	all pertinent details, and MAC. For Multiple Community of the Market of	ompletions: Attach wellbore diagram of 6001 FT. WOC Tage 19FT W.O.C. Tage 4201 127 FT. W.O.C. Tage 201	26001 FT
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost of starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting and the starting a	pleted operations. (Clearly state bork). SEE RULE 19.15.7.14 NN completion.  class "C" cement From a class "C" cement From 5 c	all pertinent details, and MAC. For Multiple Community of the Market of	ompletions: Attach wellbore diagram of 6001 FT. WOC Tage 19FT W.O.C. Tage 4201 127 FT. W.O.C. Tage 201	26001 FT
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed or composed we proposed or composed or composed or composed we proposed we proposed completion or recommendate or composed we proposed w	pleted operations. (Clearly state rork). SEE RULE 19.15.7.14 NN completion.  alass "C" cement From a class "C" Cement From s c	all pertinent details, and MAC. For Multiple Community of the Market of	ompletions: Attach wellbore diagram of the book of the work of the	26001 FT
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost of starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting and the starting a	pleted operations. (Clearly state rork). SEE RULE 19.15.7.14 NN completion.  alass "C" cement From a class "C" Cement From s c	all pertinent details, and MAC. For Multiple Community of the Market of	ompletions: Attach wellbore diagram of the book of the work of the	26001 FT
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed or composed we proposed or composed or composed or composed we proposed we proposed completion or recommendate or composed we proposed w	pleted operations. (Clearly state rork). SEE RULE 19.15.7.14 NN completion.  alass "C" cement From a class "C" Cement From s c	all pertinent details, and MAC. For Multiple Community of the Market of	ompletions: Attach wellbore diagram of the book of the work of the	26001 FT
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed or composed we proposed or composed or composed or composed we proposed we proposed completion or recommendate or composed we proposed w	pleted operations. (Clearly state rork). SEE RULE 19.15.7.14 NN completion.  alass "C" cement From a class "C" Cement From s c	all pertinent details, and MAC. For Multiple Community of the Market of	ompletions: Attach wellbore diagram of the control	26001 F 27 FT 0 FT 8 FT
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed with proposed completion or reserved.  6-1-22 Spot 55 sacks 6-1-22 Spot 25 sacks 6-2-22 Spot 25 sacks 6-3-22 Spot 25 sacks 6-3-22 Spot 25 sacks 6-3-22 Spot 45	pleted operations. (Clearly state Fork). SEE RULE 19.15.7.14 NN completion.  alass "c" cement From a class "c" cement From 5 class "c" Cement From 6 c	all pertinent details, and MAC. For Multiple Community of the Market of	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r	6 6001 F 27 FT 0 FT 8 FT
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed or composed we proposed or composed or composed or composed we proposed we proposed completion or recommendate or composed we proposed w	pleted operations. (Clearly state rork). SEE RULE 19.15.7.14 NN completion.  alass "C" cement From a class "C" Cement From s c	all pertinent details, and MAC. For Multiple Community of the Market of	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r C-103Q (Subsequent Report of Well Plugging)	6 6001 F 27 FT 0 FT 8 FT ity under
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed with proposed completion or reserved.  6-1-22 Spot 55 sacks 6-1-22 Spot 25 sacks 6-2-22 Spot 25 sacks 6-3-22 Spot 25 sacks 6-3-22 Spot 25 sacks 6-3-22 Spot 45	pleted operations. (Clearly state Fork). SEE RULE 19.15.7.14 NN completion.  alass "c" cement From a class "c" cement From 5 class "c" Cement From 6 c	all pertinent details, and MAC. For Multiple Community of the Market of	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r	6 6001 F 27 FT 0 FT 8 FT ity under
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or composed starting any proposed with proposed completion or reserved to the proposed to the proposed completion or reserved to the proposed to the propos	pleted operations. (Clearly state Pork). SEE RULE 19.15.7.14 NN completion.  class "C" cement From a class "C" cement From 5 class "C" Cement From 6 class "C" Cement From 6 class "C" Cement From 6 class "C" Cement From 7 class "C" Cement From 7 class "C" Cement From 6 class "C" Cement From 7 c	all pertinent details, and MAC. For Multiple Command to Management of the Management	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitte www.emnrd.state.nm.us	6 6001 F 27 FT 0 FT 8 FT ity under
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed with proposed completion or reserved.  6-1-22 Spot 55 sacks 6-1-22 Spot 25 sacks 6-2-22 Spot 25 sacks 6-3-22 Spot 25 sacks 6-3-22 Spot 25 sacks 6-3-22 Spot 45	pleted operations. (Clearly state Pork). SEE RULE 19.15.7.14 NN completion.  class "C" cement From a class "C" cement From 5 class "C" Cement From 6 class "C" Cement From 6 class "C" Cement From 6 class "C" Cement From 7 class "C" Cement From 7 class "C" Cement From 6 class "C" Cement From 7 c	all pertinent details, and MAC. For Multiple Command to Management of the Management	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitte www.emnrd.state.nm.us	6 6001 F 27 FT 0 FT 8 FT ity under
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed or composed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed completion or recommendate of the starting any proposed we proposed with the proposed we proposed with the proposed we proposed we proposed we proposed we proposed with the proposed we proposed we proposed we proposed we proposed we propose	pleted operations. (Clearly state Pork). SEE RULE 19.15.7.14 NN completion.  class "C" cement From a c	all pertinent details, and AC. For Multiple Commander of Marian Action 1970 Ft. To 1970 Ft. To 2076 Ft. To Surfer Date:	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us	6 6001 F 27 FT 0 FT 8 FT ity under
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or composed starting any proposed with proposed completion or reserved to the proposed to the proposed completion or reserved to the proposed to the propos	pleted operations. (Clearly state Pork). SEE RULE 19.15.7.14 NN completion.  class "C" cement From a c	all pertinent details, and MAC. For Multiple Command to Management of the Management	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us	6 6001 F 27 FT 0 FT 8 FT ity under
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed or composed we proposed completion or research of the starting any proposed or composed we proposed completion or research of the starting any proposed or composed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed	pleted operations. (Clearly state bork). SEE RULE 19.15.7.14 NM completion.  class "C" cement From a c	all pertinent details, and MAC. For Multiple Command MAC. For Multiple Command MAC. For Multiple Command MAC. For Multiple Command Mac. To Hard Fr. To Hard Fr. To Surfer Part To Surfer Mac. Education of the best of my knowledge Education of the Barbara Mac. Education of the B	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us  Telephone    Approved for Dugging of well bore only. Liabil bond is retained pending Location cleanup & r C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us  Telephone    Telephone    Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us  Telephone    Telephon	ity under eccipt of which ing @
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed with proposed completion or reserved to the proposed to the propose	pleted operations. (Clearly state bork). SEE RULE 19.15.7.14 NM completion.  class "C" cement From a c	all pertinent details, and MAC. For Multiple Command MAC. For Multiple Command MAC. For Multiple Command MAC. For Multiple Command Mac. To Hard Fr. To Hard Fr. To Surfer Part To Surfer Mac. Education of the best of my knowledge Education of the Barbara Mac. Education of the B	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us	ity under eccipt of which ing @
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed or composed we proposed completion or research of the starting any proposed or composed we proposed completion or research of the starting any proposed or composed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed completion or research of the starting any proposed we proposed	pleted operations. (Clearly state bork). SEE RULE 19.15.7.14 NM completion.  class "C" cement From a c	all pertinent details, and MAC. For Multiple Command MAC. For Multiple Command MAC. For Multiple Command MAC. For Multiple Command Mac. To Hard Fr. To Hard Fr. To Surfer Part To Surfer Mac. Education of the best of my knowledge Education of the Barbara Mac. Education of the B	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us  Telephone    Approved for Dugging of well bore only. Liabil bond is retained pending Location cleanup & r C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us  Telephone    Telephone    Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us  Telephone    Telephon	ity under eccipt of which ing @
CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or compost starting any proposed with proposed completion or reserved to the proposed to the propose	pleted operations. (Clearly state bork). SEE RULE 19.15.7.14 NM completion.  class "C" cement From a c	all pertinent details, and MAC. For Multiple Command MAC. For Multiple Command MAC. For Multiple Command MAC. For Multiple Command Mac. To Hard Fr. To Hard Fr. To Surfer Part To Surfer Mac. Education of the best of my knowledge Education of the Barbara Mac. Education of the B	Approved for plugging of well bore only. Liabil bond is retained pending Location cleanup & r. C-103Q (Subsequent Report of Well Plugging) may be found at OCD Web Page, OCD Permitt www.emnrd.state.nm.us  Ge and belief.  IEER DATE 7/8/2022  CEK@OXY.COM PHONE: 713-493-1	ity under eccipt of which ing @

Stephen Janacek

7/8/2022


FINAL WELLBORE

## **STINKING DRAW #003**

30-015-27861-0000

Eddy

String 1 OD 9.625 in TD 1228 ft TOC 0 ft



Released to Imaging: 7/19/2022 5:09:14 PM

String 2 OD 7 in

TD 8000 ft TOC 0 ft PBTD 7912 ft

DV Tool Top 6287 ft

Prod Zone 7436 ft

7756 ft

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 123809

## **CONDITIONS**

Operator:	OGRID:
OXY USA WTP LIMITED PARTNERSHIP	192463
P.O. Box 4294	Action Number:
Houston, TX 772104294	123809
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By		Condition Date
gcordero	None	7/11/2022