
Energy Minerals and Natural Resources Revised July 18, 2013	ceived by OCP: 7/20/2022 10:29:4	2 AM State of New M	1 exico		Form C-103 of	
Dilling 14		Energy, Minerals and Na	tural Resources			
SILS FIRS \$1., Annesis, NM 88230 DIL CONNERVATION PLISTON						
100 B.B. Brach Rd. Anne. NM 87410 Santa Fe, NM 87505 STATE FFE State Oil & Gas Lease No.		OIL CONSERVATIO	N DIVISION		of Lassa	
Santa Fe, NM 87505 6. State Oil & Gas Lease No.		1220 South St. Fr	ancis Dr.			
120 S. S. Francis Dr., Satian Fr. NM 37/15/15/15/15/15/15/15/15/15/15/15/15/15/		Santa Fe, NM	87505			
SUNDRY NOTICES AND REPORTS ON WELLS OF NOT USE THIS TORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLAG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other 2. Name of Operator 9. OGRID Number 330211 330211 3. Address of Operator 9. OGRID Number 9. OG	1220 S. St. Francis Dr., Santa Fe, NM					
DONOT USE THIS FORM FOR PROPOSALS TO DRILLO BY TO DEEPEN OR PLUG BACK TO A DIPTERINT RUSEWORK. USE 1.7 DONOT SUCH PROPOSALS) S. WCII Number #2		CES AND REPORTS ON WELI	LS	7. Lease Name o	r Unit Agreement Name	
S. Well Number #2	(DO NOT USE THIS FORM FOR PROPOS	SALS TO DRILL OR TO DEEPEN OR F	PLUG BACK TO A			
2. Name of Operator Redwood Operator Redwood Operator PO Box 1370, Artesia, NM 882111370 4. Well Location Unit Letter M: 990 _ feet from the _S _ line and _ 990 _ feet from the _W _ line Section 7		CATION FOR PERMIT" (FORM C-101)	FOR SUCH	8. Well Number	#2	
Redwood Operating, LLC 3. Address of Operator PO Box 1370, Artesia, NM 882111370 4. Well Location Unit Letter M : 990		Gas Well Other				
3. Address of Operator PO Box 1370, Artesia, NM 882111370 4. Well Location Unit Letter M: 990 feet from the Section 7 Township 188 Range 27E NMPM County Eddy 11. Elevation (Show whether DR, RRB, RT, GR, etc.) 3283' GL 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON SUBSEQUENT REPORT OF: REMEDIAL WORK ALTERING CASING COMMENCE ORILLING OPNS. PAND A CASING/CEMENT JOB PAND A CASING/CEMENT JOB COMMENCE ORILLING OPNS. PAND A CASING/CEMENT JOB CASING/CEMENT JOB COMMENCE ORILLING OPNS. PAND A CASING/CEMENT JOB CASING/CE					er	
4. Well Location Unit Letter M: 990 feet from the S line and 990 feet from the W line Section 7 Township 18S Range 27E NMPM County Eddy 11. Elevation (Show whether DR, RRR, RT, GR, etc.) 3283' GL. 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING DPULL OR ALTER CASING MULTIPLE COMPL CASING-CEMENT JOB DOWNHOLE COMMINGLE OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULF 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 17/14/22 MIRU plugging equipment. POH w/ rods & pump. 07/15/22 ND wellhead, NU BOP. POH w/ thg, Set 5 ½ CIBP @ 1255'. Circ hole w/ MLF. Established holes in csg @ surface. Spotted 25 sx class C cmt @ 1255-1008'. WOC. Set packer @ 64'. Pressured up on csg to 500 PSI. 07/18/22 Tagged plug @ 1002'. Spotted 30 sx class C cmt @ 975-679'. Spotted 25 sx class C cmt @ 4975-679'. Spotted 25 sx class C cmt @ 400-253'. Removed wellhead clamp, gravity sq2' d 35 sx class C cmt @ 250' to surface in 5 ½ & 8 5/8. 07/19/22 Noved in backhoe and welder. Cut off well head & anchors. David Abvadero w/ OCD verified cmt @ surface via picture ressage. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 7 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off. Approved for plugging of well bore only. Liability one bond is retained pending Location deanup & receipt C-1302 (Subsequent Report of Well Plugging) which may be found at OCD well-plugging which may be found at OCD well-plugging of well-bore only. Liability one bond is retained pending Location deanup & receipt C-1302 (Subsequent Report of Well-Plugging) which may be found at OCD well-plugging of well-bore only. Liability one bond is retained pending Location deanup & receipt C-1302 (Subsequ					Wildoot	
4. Well Location Unit Letter M: 990 feet from the S line and 990 feet from the W line Section 7 Township 188 Range 27E NMPM County Eddy 11. Elevation (Show whether DR. RKB, RT, GR, etc.) 3283' G1. 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A CASING/CEMENT JOB THERE. COMMENCE DRILLING OPNS. PAND A CASING/CEMENT JOB CASING/CE		1370				
Unit Letter M: 990 [seet from the Section 7 Township 188 Range 27E NNPM County Eddy 11. Elevation (Show whether DR, RKB, RK, GR, etc.)	<u> </u>			neu Lune (Q 01		
Section 7 Township 18S Range 27E NMPM County Eddy		990 feet from the S	line and 90	90 feet from the	W line	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DEFILLING OPNS. ALTERING CASING COMMENCE DEFILLING OPNS. PAND A CASING/CEMENT JOB COMMENCE DEFILLING OPNS. PAND A CASING/CEMENT JOB OTHER: OTHER: O						
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	Section 7				County Eddy	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS. PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: OTHER		· ·				
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS. PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: OTHER						
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB DOWNHOLE COMMINGLE COMMINGLE OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 17/14/22 MIRU plugging equipment. POH w/ rods & pump. 07/15/22 ND wellhead, NU BOP. POH w/ tbg. Set 5 ½ CIBP @ 1255*. Circ hole w/ MLF. Established holes in esg @ surface. Spotted 25 sx class C cmt @ 1255-1008*. WOC. Set packer @ 64*. Pressured up on esg to 500 PSL 07/18/22 Tagged plug @ 1002*. Spotted 30 sx class C cmt @ 975-679*. Spotted 25 sx class C cmt @ 500-253*. Removed wellhead clamp, gravity sqz'd 35 sx class C cmt @ 250* to surface in 5 ½ & 8 5/8. 07/19/22 Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ OCD verified cmt @ surface via picture text message. Welded on 'Above Ground Dry Hole Marker''. Installed 2' concrete form w/ 7 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off. Approved for plugging of well bore only. Liability uncond is retained pending Location cleanup & receipt condition of the condition	PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WO	RK 🗌	ALTERING CASING	
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 17/14/22 MIRU plugging equipment. POH w/ rods & pump. 07/15/22 ND wellhead, NU BOP. POH w/ tbg, Set 5 ½ CIBP @ 1255². Circ hole w/ MLF. Established holes in csg @ surface. Spotted 25 sx class C cmt @ 1255-1008². WOC. Set packer @ 64². 17 Pressured up on csg to 500 PSI. 07/18/22 Tagged plug @ 1002². Spotted 30 sx class C cmt @ 975-679². Spotted 25 sx class C cmt @ 050-253². Removed wellhead clamp, gravity sqz'd 35 sx class C cmt @ 250' to surface in 5 ½ & 8 5/8. 07/19/22 Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 7 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off. Approved for plugging of well bore only, Liability uncondist retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.memrd.state.nm.us Approved for plugging of well bore only, Liability uncondist retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.memrd.state.nm.us Approved for plugging of well bore only, Liability uncondist retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.memrd.state.nm.us Approved for plugging of well bore only, Liability uncondist retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.memrd.state.nm.us Approved for plugging of well bore only. Liability on the					P AND A	
CLOSED-LOOP SYSTEM OTHER: OTH	 -	MOLTIPLE COMPL	CASING/CEME	NI JOB		
OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed or completion. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed completion or recompletion. 17/14/22 MIRU plugging equipment. POH w/ rods & pump. 07/15/22 ND wellhead, NU BOP. POH w/ tbg. Set 5 ½ CIBP @ 1255*. Circ hole w/ MLF. Established holes in csg @ surface. Spotted 25 sx class C cmt @ 1255-1008*. WOC. Set packer @ 64*. Pressured up on csg to 500 PSI. 07/18/22 Tagged plug @ 1002*. Spotted 30 sx class C cmt @ 975-679*. Spotted 25 sx class C cmt @ 500-253*. Removed wellhead clamp, gravity sqz d 35 sx class C cmt @ 250* to surface in 5 ½ & 8 5/8. 07/19/22 Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 7 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off. Approved for plugging of well bore only. Liability uncond is retained pending location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability uncond is retained pending location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability uncond is retained pending location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability uncond is retained pending location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability uncon						
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 7/14/22 MIRU plugging equipment. POH w/ rods & pump. 07/15/22 ND wellhead, NU BOP. POH w/ tbg. Set 5 ½ CIBP @ 1255'. Circ hole w/ MLF. Established holes in csg @ surface. Spotted 25 sx class C cmt @ 1255-1008'. WOC. Set packer @ 64'. Pressured up on csg to 500 PSI. 07/18/22 Tagged plug @ 1002'. Spotted 30 sx class C cmt @ 975-679'. Spotted 25 sx class C cmt @ 00-253'. Removed wellhead clamp, gravity sqz'd 35 sx class C cmt @ 250' to surface in 5 ½ & 8 5/8. 07/19/22 Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ OCD verified cmt @ surface via picture text message. Welded on 'Above Ground Dry Hole Marker''. Installed 2' concrete form w/ 7 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off. Approved for plugging of well bore only. Liability une bond is retained pending Location cleanup & receipt caload (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Dellah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 E-mail address: delilah@mec.com PHONE: 575-748-1288 PHONE: 575-748-1288 PHONE: 575-748-1288	OTHER:					
proposed completion or recompletion. 17/14/22 MIRU plugging equipment. POH w/ rods & pump. 07/15/22 ND wellhead, NU BOP. POH w/ tbg. Set 5 ½ CIBP @ 1255*. Circ hole w/ MLF. Established holes in csg @ surface. Spotted 25 sx class C cmt @ 1255-1008*. WOC. Set packer @ 64*. Pressured up on csg to 500 PSI. 07/18/22 Tagged plug @ 1002*. Spotted 30 sx class C cmt @ 975-679*. Spotted 25 sx class C cmt @ 1255-1008*. WOC. Set packer @ 64*. Pressured up on csg to 500 PSI. 07/18/22 Tagged plug @ 1002*. Spotted 30 sx class C cmt @ 975-679*. Spotted 25 sx class C cmt @ 100-253*. Removed wellhead clamp, gravity sqz*d 35 sx class C cmt @ 250* to surface in 5 ½ & 8 5/8. 07/19/22 Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ OCD verified cmt @ surface via picture text message. Welded on 'Above Ground Dry Hole Marker''. Installed 2' concrete form w/ 7 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off. Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt c-103Q (Subsequent Report of Well Plugging) which may be found at COD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt c-103Q (Subsequent Report of Well Plugging) which may be found at COD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt c-103Q (Subsequent Report of Well Plugging) which may be found at COD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt c-103Q (Subsequent Report of Well Plugging) which may be found at COD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt c-103Q (Subsequent Report of Well Plugging) which was a constant						
P7/14/22 MIRU plugging equipment. POH w/ rods & pump. 07/15/22 ND wellhead, NU BOP. POH w/ tbg. Set 5 ½ CIBP @ 1255*. Circ hole w/ MLF. Established holes in csg @ surface. Spotted 25 sx class C cmt @ 1255-1008*. WOC. Set packer @ 64*. Pressured up on csg to 500 PSI. 07/18/22 Tagged plug @ 1002*. Spotted 30 sx class C cmt @ 975-679*. Spotted 25 sx class C cmt @ 500-253*. Removed wellhead clamp, gravity sqz'd 35 sx class C cmt @ 250* to surface in 5 ½ & 8 5/8. 07/19/22 Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ OCD verified cmt @ surface via picture text message. Welded on 'Above Ground Dry Hole Marker''. Installed 2' concrete form w/ 7 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off. Approved for plugging of well bore only. Liability und bond is retained pending location cleanup & receipt condition and the condition of the condition o			AC. For Multiple C	ompletions: Attach v	vellbore diagram of	
Circ hole w/ MLF. Established holes in csg @ surface. Spotted 25 sx class C cmt @ 1255-1008'. WOC. Set packer @ 64'. Pressured up on csg to 500 PSL 07/18/22 Tagged plug @ 1002'. Spotted 30 sx class C cmt @ 975-679'. Spotted 25 sx class C cmt @ 500-253'. Removed wellhead clamp, gravity sqz'd 35 sx class C cmt @ 250' to surface in 5 ½ & 8 5/8. 07/19/22 Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ OCD verified cmt @ surface via picture text message. Welded on 'Above Ground Dry Hole Marker''. Installed 2' concrete form w/ 7 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off. Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Deliah Flores	proposed completion of rec	simpletion.				
Pressured up on csg to 500 PSL 07/18/22 Tagged plug @ 1002'. Spotted 30 sx class C cmt @ 975-679'. Spotted 25 sx class C cmt @ 500-253'. Removed wellhead clamp, gravity sqz'd 35 sx class C cmt @ 250' to surface in 5 ½ & 8 5/8. 07/19/22 Moved in backhoe and welder. Cut off well head & anchors. David Alvadero w/ OCD verified cmt @ surface via picture text message. Welded on 'Above Ground Dry Hole Marker''. Installed 2' concrete form w/ 7 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off. Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location name and complete to the best of my knowledge and belief. Approved for plugging of well bore only. Liability und bond is retained pending Location name and complete to the best of my knowledge and belief. Approved for plugging of well bore only. Liability und bond is retained pending Location name and complete to the best of my knowledge and belief. Approved for plugging of well bore only. Liability und bond is retained pending Location name and complete to the best of my knowledge and belief. Approved for plugging of wel						
Spud Date: Rig Release Date: R		2			-	
Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt Council. Rig Release Date: Rig Releas						
Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Thereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Regulatory Technician DATE 7/20/2022 Type or print name Delilah Flores						
Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Thereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Regulatory Technician I DATE 7/20/2022 Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 For State Use Only APPROVED BY: Jack Jack Jack Title Staff Manager DATE 7/26/2022						
bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Thereby certify that the information above is true and complete to the best of my knowledge and belief. FIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 7/20/2022 Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 For State Use Only APPROVED BY:	and moved off.					
bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Thereby certify that the information above is true and complete to the best of my knowledge and belief. FIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 7/20/2022 Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 For State Use Only APPROVED BY:						
Rig Release Date: C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Thereby certify that the information above is true and complete to the best of my knowledge and belief. RIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 7/20/2022 Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 For State Use Only APPROVED BY: APPROVED BY: Staff Manager DATE 7/26/2022						
Rig Release Date: Rig Release Date: May be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 7/20/2022 Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 For State Use Only APPROVED BY: TITLE Staff Manager DATE 7/26/2022						
Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 7/20/2022 Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 For State Use Only APPROVED BY: TITLE Staff Manager DATE 7/26/2022						
SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 7/20/2022 Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 APPROVED BY: Staff Manager DATE 7/26/2022	Spud Date:	Rig Release	Date:			
SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 7/20/2022 Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 APPROVED BY: Staff Manager DATE 7/26/2022			L			
SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 7/20/2022 Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 APPROVED BY: Staff Manager DATE 7/26/2022		 				
Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 For State Use Only APPROVED BY:	I hereby certify that the information	above is true and complete to the	best of my knowled	lge and belief.		
Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 For State Use Only APPROVED BY:						
Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288 For State Use Only APPROVED BY:	SIGNATUREDelilah Fli	gres TITLE Reg	ulatory Technicia	ın I DA	ATE 7/20/2022	
APPROVED BY:						
APPROVED BY:	Type or print name Delilah Flores	E-mail addre	ess: delilah@med	c.com PH	IONE: <u>575-748-1288</u>	
	For State Use Only					
	APPROVED BY:	TITI F	Stall. Ma.	ARCAA DA	TE 7/26/2022	
			W Hall	DI.	·	

Received by OCD: 7/20/2022 10:29:42 AM

Redwood Operating		Plugged		
Author:	Abby BCM			
Well Name	Jackson	Well No.	#2	
Field/Pool	Red Lake (Q-GB-SA)	API#:	30-015-29660	
County	Eddy	Location:	Sec 7, T18S, R27E	
State	New Mexico	-	990 FSL & 990 FWL	
Spud Date	11/1/1997	GL:	3283'	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	H40	48#	200	17 1/2	300	0
Inter Csg	8 5/8	J55	24#	915	12 1/4	550	0
Prod Csg	5 1/2	J55	15.5#	2,099	7 7/8	400	0



13 3/8 48# CSG @ 200 4. Gravity sqz'd 35 sx class C cmt @ 250' to surface.

3. Spotted 25 sx class C cmt @ 500-253'.

8 5/8 24# CSG @ 915 2. Spotted 30 sx class C cmt @ 975-679'. Formation Top

Queen 360
San Andres 1012

1. Set 5 $\frac{1}{2}$ CIBP @ 1255'. Circ hole w/ MLF. Established holes in csg @ surface. Spotted 25 sx class C cmt @ 1255-1008'. WOC.Tagged plug @ 1002'. Perfs @ 1303-1862

5 1/2 15.5# CSG @ 2,099

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 127352

CONDITIONS

Operator:	OGRID:
Redwood Operating LLC	330211
PO Box 1370	Action Number:
Artesia, NM 88210	127352
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
gcordero	None	7/26/2022