

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-35508
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Ruby
8. Well Number #1
9. OGRID Number 240974
10. Pool name or Wildcat Nadine; Drinkard-Abo

4. Well Location Unit Letter <u>N</u> : <u>330</u> feet from the <u>S</u> line and <u>2310</u> feet from the <u>W</u> line Section <u>24</u> Township <u>19S</u> Range <u>38E</u> NMPM County <u>LEA</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3585' GR	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Legacy Reserves Operating LP

3. Address of Operator
15 Smith Road, Suite 3000, Midland, TX 79705

4. Well Location
Unit Letter N : 330 feet from the S line and 2310 feet from the W line
Section 24 Township 19S Range 38E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3585' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ **P AND A** ☒
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

04/28/21- MIRU Plugging Equipment. POH w/ rods and pump. 04/29/21- ND well head, NU BOP. POH w/ tbg. Set 5 1/2" CIBP @ 6825'. 04/30/21- Circ. hole w/ 162 bbls H2O & salt gel. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 6825'-6578'. Spotted 25 sx class C cmt @ 6050'-5803'. Spotted 25 sx class C cmt @ 5570'-5323'. Spotted 35 sx class C cmt @ 4330'-3993'. WOC. 05/03/21- Tagged plug @ 3910'. Spotted 25 sx class C cmt @ 3780'-3533'. Spotted 35 sx class C cmt @ 3100'-2763'. WOC Tagged plug @ 2630'. Perf'd csg @ 1790'. Sqz'd 45 sx class C cmt @ 1790'-1690'. WOC. 05/04/21- Tagged plug @ 1684'. Perf'd csg @ 350'. Sqz'd 45 sx class C cmt @ 350'-250'. WOC. Tagged plug @ 230'. Perf'd csg @ 150'. ND BOP, NU flange. Sqz'd 45 sx class C cmt @ 150' to surface. **05/05/21**- Moved in backhoe and welder, cut off well head and Kerry Fortner with NMOCD verified cmt to surface via picture text message. Welded on "Above Ground Dry Hole Marker." Backfilled cellar, off deadmen, cleaned location and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Melanie Reyes TITLE Compliance Coordinator DATE 05/07/2021

Type or print name Melanie Reyes E-mail address: mreyes@legacyreserves.com PHONE: (432) 221-6358

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/28/22

Conditions of Approval (if any).

Legacy Reserves
DAILY OPERATIONS REPORT - (All Days)
4/28/2021 thru 5/7/2021
Printed 5/7/2021 Page 1

RUBY # 1

LEA Co., NM

BOLO ID: 300651.01

Zone:

P & A well

Apr 28, 2021 Wednesday (Day 1)

MIRU. Unhang well, unseat pump, POOH laying dwn rods and pump.

Dig out cellar.

SISDON

Daily Cost:

Cum. Cost: \$0

Apr 29, 2021 Thursday (Day 2)

NDWH. NUBOP. POOH standing back 238 jts tbg. Lay down 3 jts and BHA.

PU CIBP, RIH to 6825' and set plug.

SISDON

Daily Cost:

Cum. Cost: \$0

Apr 30, 2021 Friday (Day 3)

Circulate hole w/162 bbls of salt gel. Pressure test csg to 500 psi-held good.

Spot 25 sx class c neat cement from 6825' to 6578'. POOH laying dwn 24 jts.

Spot 25 sx class c neat cement from 6050' to 5803'. POOH laying dwn 15 jts.

Spot 25 sx class c neat cement from 5570' to 5323'. POOH laying bdwn 39 jts.

Spot 35 sx class c neat cement from 4330' to 3993'. POOH standing back 50 jts. WOC SISD

Daily Cost:

Cum. Cost: \$0

May 1, 2021 Saturday (Day 4)

Daily Cost:

Cum. Cost: \$0

May 2, 2021 Sunday (Day 5)

Daily Cost:

Cum. Cost: \$0

May 3, 2021 Monday (Day 6)

RIH and tag TOC @ 3910'. POOH laying dwn 4 jts.

Legacy Reserves
DAILY OPERATIONS REPORT - (All Days)
4/28/2021 thru 5/7/2021
Printed 5/7/2021 Page 2

RUBY # 1

LEA Co., NM

BOLO ID: 300651.01

Zone:

Spot 25 sx class c neat cement from 3780' to 3533', POOH laying dwn 22 jts.

Spot 25 sx class c neat cement from 3100' to 2763', POOH standing back 50 jts. WOC

RIH tagging TOC @ 2630'. POOH standing back 47 jts and laying dwn 50 jts.

RIH and perf csg @ 1790', POOH. PU 5 1/2" pkr and RIH w/47 jts. Squeeze 45 sx class c neat cement from 1790' to 1690'. WOC

SISDON

Daily Cost:

Cum. Cost: \$0

May 4, 2021 Tuesday (Day 7)

RIH and tag TOC @ 1684'. POOH laying dwn 54 jts.

RIH and perf csg @ 350', POOH. RIH w/pkr, squeeze 45 sxs class c neat cement from 350' to 250'. WOC.

RIH and tag TOC @ 230'. POOH laying dwn 7 jts. RIH perf csg @ 150'.

Squeeze 45 sxs class c neat cement from 150' to surface. Circulate well did not pressure up well.

RDMO.

Updated w/Kenny Fortner w/OCD


Daily Cost:

Cum. Cost: \$0

Legacy	Current		
Author:	Abby-BCM		
Well Name	Ruby	Well No	#1
	Nadine; Drinkard-		
Field/Pool	Abo	API #:	30-025-35508
County	Lea	Locatio	Sec 24, T19S, R38E
State	New Mexico		33 FSL & 2310 FWL
Spud Date		GL:	3585' GL

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8			1,723		750	0
Prod Csg	5 1/2			7,800		1,040	


Formation Top	
Yates	2827
7 Rivers	3058
Queen	3784
Grayburg	4008
San Andre	4330
Glorieta	5577
Paddock	5880
Blaine	6046
Tubb	6578
Drinkard	6650
Abo	7184



Legacy	Plugged		
Author:	Abby-BCM		
Well Name	Ruby	Well No	#1
	Nadine; Drinkard-	API #:	30-025-35508
Field/Pool	Abo	Location	Sec 24, T19S, R38E
County	Lea		33 FSL & 2310 FWL
State	New Mexico	GL:	3585' GL
Spud Date			

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8			1,723		750	0
Prod Csg	5 1/2			7,800		1,040	

Formation	Top
Yates	2827
7 Rivers	3058
Queen	3784
Grayburg	4008
San Andres	4330
Glorieta	5577
Paddock	5880
Blaine	6046
Tubb	6578
Drinkard	6650
Abo	7184



7. Perf'd csg @ 150'. Sqz'd 45 sx class C cmt @ 150' to surface.
6. Perf'd @ 350'. Sqz'd 45 sx class C cmt @ 350-250'. WOC. Tagged plug @ 230'.
8 5/8 0 CSG @ 1,723
Hole Size: 0
7. Perf'd csg @ 1790'. Sqz'd 45 sx class C cmt @ 1790-1690'. WOC. Tagged plug @ 1684'.
6. Spotted 35 sx class C cmt @ 3100-2763'. WOC. Tagged plug @ 2630'.
5. Spotted 25 sx class C cmt @ 3780-3533'.
4. Spotted 35 sx class C cmt @ 4330-3993'. WOC. Tagged plug @ 3910'.
3. Spotted 25 sx class C cmt @ 5570-5323'.
2. Spotted 25 sx class C cmt @ 6050-5803'.
1. Set 5 1/2" CIBP @ 6825'. Circ'd hole w/ 162 bbls & salt gel. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 6825-6578'.
Perfs @ 6623-6825

5 1/2 0 CSG @ 7,800
Hole Size: 0

TD @

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 27377

COMMENTS

Operator: LEGACY RESERVES OPERATING, LP 15 Smith Road Midland, TX 79705	OGRID: 240974
	Action Number: 27377
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	ALREADY IN WLL FILE.	7/29/2022

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 27377

CONDITIONS

Operator: LEGACY RESERVES OPERATING, LP 15 Smith Road Midland, TX 79705	OGRID: 240974
	Action Number: 27377
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker pics to release	7/28/2022