elle go telle groupe godge to

District 1 1625 N French Dr., Hotts, NSI 83240 Phone. (175) 393-6151 Fax. (175) 393-6720

## State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

6 1	'Operator'	BRADENHEAD TE	ST REPORT	1	APINUM	costi		
Socout		· settle me see see se	LIB MER	30-0	20-01- 12215			
h	IDDU	roperty Name			468	ell No.		
and division		2 Surface Locat	ion		1 7 68			
	Toursbip Reege	Pet from	N/S Line	Feet From	EAV Line	County		
m 32	245 38E	660	5	660	W	County		
	V	Well Statu	\$	XI VANI	918 1. 1 11			
TA'D WELL YES NO	SHUT-IN	INJECTOR		PRODUCER		DATE		
YES	YES	NO INJ	SMD OIL	GA	s 6	DATE -29-22		
		OBSERVED I	<u>ATA</u>					
	fA)Surface	(B)Interm(1)	(C)Intern(2)	/ (D)Pro	od Csne	ETubing		
Pressure	0	1		1 1	000	1500		
low Characteristics					Bay.	1		
Puff	Y/N	Y/N	Y/ ]	A I	Y) N	CO2		
Steady Flow	YIN	Y/N/	Y //I	N I	Y/60	WTR		
Surges	20	Y/ N	Y// 1	N	YIN	GAS		
Down to nothing  Gas or Oil	YN	Y I N	7		N	Liferand for WaterDand W		
Water -	YN	YN	Y / 1	The second second	YCN			
724163 -	Y/N	Y// N	Yn	N. House	Y(N)			
Hod. ess. bl	each string (A,B,C,D,E) per	tinent information regarding ble  O (Noto TRV)	ed down or continu	ious build up if appli	es.			
Signature:				OIL CONSERVATION DIVISION				
	Printed name:				Entered into RBDMS			
					70 1.10			
Title				Re-test				
Title E-mail Address:		1 0						
Title	Phone:	d A						

INSTRUCTIONS ON BACK OF THIS FORM

## PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify:

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form

In case of pressure:

Record pressure reading on gauge.

Bleed and note time elapsed to bleed down.

3. Leave valve open for additional observation.

4. Note any fluids expelled.

In absence of Pressure:

1. Leave valve open for additional observation.

2 Note types of fluids expelled.

3. Note if fluids persist throughout test

Note. Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 125535

## **CONDITIONS**

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	125535
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

## CONDITIONS

Created By		Condition Date
kfortner	None	8/5/2022