Free of the stage of the con-

<u>Diside: 1</u> 1623 N. French Dr., Hotts, NM 88236 Pacne: (575) 393-6(8) Fax. (575) 393-6729

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

		BRADENHEAD TH	est report	A CONTRACTOR OF THE PARTY OF TH		. 1	
Operator Name					APINumber		
		roperty Name	4 .	30.0	1	Vell No.	
w	DOU				- 025- 12317 Well No. #89		
The second second		2 Surface Loca	tion	1.28.45		7	
UL-Lot Section 7	owiship Renge	Feet from	N/S Line	Feet From	E/\V Line	County	
		Well Statu	The state of the s	Astron.	311 pt		
TA'D WELL	Y SHUT-IN	INTECTOR	Carlo and a second	PRODUCER			
YES NO	YES	KO (NJ)	SMD OIL		GAS DATE		
		OBSERVED I	DATA	•			
	(A)Surface	(B)Intermit	(C)Interm(2)	Labor	nely, s		
ressure	1	(B)Interm(1)	Dame sur	anis.	od Csng	ETubing	
low Characteristics		-	-	/	0	1200	
Pull	YW	Y/N/	Y/N	/	Y)N	C02	
Steady Flow	Y/N	Y/ y	Y/X		1	WTR	
Surges	YAN	Y/N	Y/N		YN)	GAS	
Down to nothing	(V)N	V/ N	K/N		(V) N		
Gas or Oil	YN	/Y / N	Y/N	(F) (B)	YN	Waterflood W 1998es	
Water	Y(N)	Y/N	Y/N	10 10	TON	-1-7-	
			1	and the same			
Remarks - Picase state for a	each string (A.B.C.D.F) per	tinent information regarding bl	and dame on a self-				
Int	ten on tag (reportoro) her		eed down or confinue	us build up if appli	es.		
7	POTT	Acad's pipeds					
Prod. ess vel	ves work	open-repla	60				
1.	1	open-repla replaced		0.41	- 1-		
DOLAN	R gang	rejeterced 1	polices-	13H7-	-orc	-	
130	-)-						
dignature;							
orginante,				OIL CONSERVATION DIVISION			
Printed name:				Entered into RBDMS			
Title:				Re-test			
E-mail Address:							
			- 1				
Date:	Phone.	111.					

INSTRUCTIONS ON BACK OF THIS FORM



PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify.

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff

Yes or No

Bled down to Nothing

Yes or No

Steady Flow

Yes or No

Oil or Gas

Yes or No

Water

Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure.

1. Record pressure reading on gauge.

2. Bleed and note time elapsed to bleed down.

3. Leave valve open for additional observation.

4. Note any fluids expelled.

In absence of Pressure:

1. Leave valve open for additional observation.

2 Note types of fluids expelled.

3 Note if fluids persist throughout test.

Note. Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 125551

CONDITIONS

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	125551
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	8/5/2022