<u>Diadet 1</u> 1825 N Frank Dr., Helts, 196 85240 Photo: (175) 393-4(5) Fac (175) 393-4720

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

	Scou	Operator N	BRADENHEAD T			'API Numi	er er	
6,711		Pr	operty Name	11	1. 30-8	25-3	Vell No	
WDDU				# 139			139	
UL-Lot	I come I m		3, Sprface Loc	THE RESERVE AND ADDRESS OF THE PARTY OF THE	la Transfer			
C		republy Reage 255 38E	Feet frien	N	Ped Vives	ENV Line	County (EM	
			Well Stat	้นเร		- 290		
YES TA'U	WELL	YES SHUT-IN	INJ INJECTO		PRODUCER GA		DATE	
				-44	GA	6	-29-22	
			OBSERVED	DATA	,			
		[A)Surface	(B)Interm(1)	(Clipierm(2)	(D)Pro	1 Cang	Ellubine	
ressure		0			1	1	900	
low Chara	Pq.		1		/		100	
Pul		VØ	Y/K/	Y/ N	1 1 1 1	V	CO2	
Steady 1		YOU	YIN	Y/N	* **	YIO	WIR	
Surg		Y/6	YIK	YIN		YES	GAS	
Down to n		(V) BI	V/ N	/Y/N	1	DIX	Type of Phala Operant for	
Wate		YOU	MIN	/ Y/N	-	WW	Weterfletod V applies	
A5 81 91		YO	/ Y/ N	/ Y/N	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Y(N)	1	
emarks – Pi	esse state for ea	ch string (A,B,C,D,E) pertin	ent laformation regarding bi	eed down or continuo	us build up If applies	•		
		*****		T	OIL CONS		i ntuieion	
Entrure:					Entered into RBDMS			
inted name:			and the second s		Entered into RBD	MS	1 D1 V 153014	
inted name: tle:			and the second s		Entered into RBD Re-test	MS	4 DI 4 13(O)(4	
inted name: tle: mail Addres	ĸ					MS	V DI V ISKOJA	
inted name: tle:	:	Phone.	7			MS	V DI V ISXOJA	

INSTRUCTIONS ON BACK OF THIS FORM



PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

identify.

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

 Blow or Puff Yes or No. Bled down to Nothing Yes or No Steady Flow Yes or No Oil or Gas Yes or No Water Yes or No.

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form

In case of pressure:

Record pressure reading on gauge.

2. Bleed and note time elapsed to bleed clown.

3. Leave valve open for additional observation.

4. Note any fluids expelled.

In absence of Pressure:

1. Leave valve open for additional observation.

2 Note types of fluids expelled.

3. Note if fluids persist throughout test.

Note Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 125519

CONDITIONS

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	125519
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

CONDITIONS

Created By		Condition Date
kfortner	None	8/5/2022