Mindel 1 1625 H French Dr., Helbs, 194 81240 Phone (173) 392-4141 Fax (175) 393-6719

## State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

	DUT		or Name		1.31	2-1	API NUM	32/62	
	200	The State of the S	Property Name		€ مده	- 0		Well No.	
	עטי	0					44	-140	
UL-Lot	Section 1	Township Reage	* Surface Loca	-	the same of the sa				
J	32	245 38 E	Pet from	N/3 Lin	1850		EAV Liqu	County	
		ip.	Weil State	ís	1//30	-	27 1.4	LEA	
	WELL	SHITT	INJECTOR		PROPULATE				
YES	NO	YES	NO INI		PRODUCER	GAS	1	-28-22	
				-					
			OBSERVED I	DATA					
Pressure		(A)Surface	(B)Interm(1)	(C)Interno	9	(D)Prod C	ENE	(E)Tubing	
		0	/			1	2	1400	
low Chare					1		170		
Puf		YOU	Y/N	Y	/N/	Y	(N)	CO2	
Steady 1		YIM	Y/y	Y	1	Y	100	WTR.	
Surges Down to nothing		Y/(N)	YIK	1	/N	Y	100	GAS Type of Phala Information Information Westerband in Ingelies	
Gas or Oll		Y(B)	Y/N		/ N		/ N		
Water		Y/N	Y/N		/ N		CN		
				Y	7 N		(N)		
Senarks Pi									
717181	ATT THE POST OF TH	ara amid (vibirinis) b	rtiaent tafarms don regarding ble	ed down or con	·				
ignature:	HT .	ara amid (vibirinis) b	a warm trady ma non regarding ble	ed down or con	OIL	CONSE		N DIVISION	
ignature:	AT .	ara anud (vibirinis) bi	a track triggy ma non regarding ble	ed down or con	OIL (	CONSE		N DIVISION	
ignature: viated name;		ara amid (vibirinis) bi	a warm (many ma non regarding ble	ed down or con	OIL	CONSE		N DIVISION	
isstature; risted name; Title:			a talent (state ma non regarding ble	ed down or con	OIL (	CONSE		N DIVISION	
Renurks, Pi		Phone:	A LALLACT AND HON PERSONNE DIE	ed down or com	OIL (	CONSE		N DIVISION	

## PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify.

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Ÿ	Blow or Puff	Yes or No
9	Bled down to Nothing	Yes or No
Q	Steady Flow	Yes or No
ō	Oil or Gas	Yes or No
9	Water	Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be recorted on a form

In case of pressure:

1. Record pressure reading on gauge

- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation
- 4. Note any fluids expelled.

In absence of Pressure:

- 1 Leave valve open for additional observation.
- 2 Note types of fluids expelled.
- 3 Note if fluids persist throughout test.

Note. Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 125482

## **CONDITIONS**

Operator:	OGRID:
SCOUT ENERGY MANAGEMENT LLC	330949
13800 Montfort Road	Action Number:
Dallas, TX 75240	125482
	Action Type:
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)

## CONDITIONS

Created By		Condition Date
kfortner	None	8/5/2022