

Well Name: SHOOT 12 FED	Well Location: T18S / R32E / SEC 12 / NWSE /	County or Parish/State: LEA / NM
Well Number: 01	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM94191	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002530734	Well Status: Inactive	Operator: MATADOR PRODUCTION COMPANY

Subsequent Report

Sundry ID: 2667541

Type of Submission: Subsequent Report	Type of Action: Temporary Abandonment
Date Sundry Submitted: 04/19/2022	Time Sundry Submitted: 08:08
Date Operation Actually Began: 04/05/2022	

Actual Procedure: BLM Bond No.: NMB001079 Surety Bond No.: RLB0015172 • Notified BLM inspector 24 hrs prior to test. • Performed Bradenhead test (form attached) with BLM. • MIRU pump truck and pressure up on casing to 530 psi. • Record and chart MIT for 30 minutes (attached). • SWI & RDMO.

SR Attachments

- Actual Procedure
- Shoot_12_Federal__1_Bradenhead_Test__MIT_4.5.22_20220419080831.pdf
 - Shoot_12_Federal__1__Current_WBD_20220419080822.pdf

SR Conditions of Approval

Specialist Review

TA_COA_20220726115114.pdf

Accepted for Record Only

SUBJECT TO LIKE APPROVAL BY BLM

K 7

NMOCD 8/19/22

Well Name: SHOOT 12 FED	Well Location: T18S / R32E / SEC 12 / NWSE /	County or Parish/State: LEA / NM
Well Number: 01	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM94191	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002530734	Well Status: Inactive	Operator: MATADOR PRODUCTION COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: BRETT JENNINGS	Signed on: APR 19, 2022 08:08 AM
Name: MATADOR PRODUCTION COMPANY	
Title: Regulatory Analyst	
Street Address: 5400 LBJ FREEWAY, STE 1500	
City: DALLAS	State: TX
Phone: (972) 629-2160	
Email address: BRETT.JENNINGS@MATADORRESOURCES.COM	

Field


Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Approved	Disposition Date: 07/26/2022
Signature: Jonathon Shepard	

BLM Bond No.: NMB001079 Surety Bond No.: RLB0015172 • Notified BLM inspector 24 hrs prior to test. • Performed Bradenhead test (form attached) with BLM. • MIRU pump truck and pressure up on casing to 530 psi. • Record and chart MIT for 30 minutes (attached). • SWI & RDMO.

MATADOR PRODUCTION COMPANY
Shoot 12 Federal #1
Sec. 12-T18S-R32E; 2310FSL 1980FEL
Lea County, NM
API: 30-025-30734
Current WELLBORE SCHEMATIC
Spudded: 11/15/1989



Tubing String	
2 3/8"	
TAC/PKR	
SN	
Sand Screen	
BP	
PBTD	5860'
Rods	
Total	
7/8"	
3/4"	
7/8"	
1"	
Pony	
Pump	

Csg Info					
	Casing	lb/ft	Depth	Hole	Cementing Record
Surface	13 3/8	54.5	357	17 1/2	375 sks Cl "C" to surface
Intermediate	9 5/8	32	2956	12 1/4	1300 filler & 200 Cl "C" to surface
Production	5 1/2	17	9,452	7 7/8	800 filler & 775 Cl "H", TOC 3,060'

Geo Markers	
Rustler	1328
Yates	2880
Seven Rivers	3266
Bowers	3756
Queen	4034
Penrose	4300
Grayburg	4624
Metex	5016
San Andres	5120
Delaware	5930
Bone Spring	6620
TVD	9452

Set CIBP @ Dump Bail 35' cmt

5962-6002 (4/20/1991)

Acidz 2500 gals 10% NEFE

Frac w/ 35M gals & 61,250# sd

CIBP @ 6790' w/ 50' cmt (4/18/91)

6,840'-48' (10/31/90)

Acidz 1900 gal 10% NEFE & 18BS

Frac 12,200 gals WF-30 X-link +17,000# 16/30 ottawa

9,022'-9,218' (12/20/89)

3300 gals 7 1/2% HCL & BS; 110,000 gals BS-40 & 171,250# 16/20 Carbolite

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6151 Fax: (575) 393-6729

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name <i>Matador Resources</i>		API Number <i>30-025-30734</i>	
Property Name <i>shoot 12 Federal</i>		Well No. <i>#15 #1</i>	

Surface Location									
UL - Lot <i>J</i>	Section <i>12</i>	Township <i>18S</i>	Range <i>32E</i>	Feet from <i>2310</i>	N/S Line <i>FSL</i>	Feet from <i>1980</i>	E/W Line <i>FEL</i>	County <i>Lea</i>	

Well Status									
TA'D WELL ☒ YES	NO	SHUT-IN ☒ YES	NO	INJ	INJECTOR	SWD	PRODUCER ☒ OIL	GAS	DATE <i>4-5-2022</i>

OBSERVED DATA


	(A) Surface	(B) Intern(1)	(C) Intern(2)	(D) Prod Casing	(E) Tubing
Pressure	<i>Ops.</i>	NA	NA	<i>Ops.</i>	TA
Flow Characteristics					
Puff	Y / ☒	Y / N	Y / N	Y / ☒	CO2
Steady Flow	Y / ☒	Y / N	Y / N	Y / ☒	WTR
Surges	Y / ☒	Y / N	Y / N	Y / ☒	GAS
Down to nothing	Y / ☒	Y / N	Y / N	Y / ☒	Type of Fluid
Gas or Oil	Y / ☒	Y / N	Y / N	Y / ☒	Injected for
Water	Y / ☒	Y / N	Y / N	Y / ☒	Waterflood if
					applies

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.

Open surface - no pressure, open casing - no pressure. Loaded casing with 1 BBL. Pressure casing up to 500 psi, watched for 30 minutes, no leak off, (good test) Bled pressure off. closed & screwed well.

Signature: <i>[Signature]</i>		OIL CONSERVATION DIVISION	
Printed name: <i>Jose Perez / Jackson Driggs</i>		Entered into RBDMS	
Title: <i>Conservator</i>		Re-test	
E-mail Address: <i>jose23.perez@yahoo.com</i>		<i>K F</i>	
Date: <i>4-5-2022</i>	Phone: <i>575-704-4884</i>		
Witness:			

INSTRUCTIONS ON BACK OF THIS FORM



BLM Bond No.: NMB001079 Surety Bond No.: RLB0015172 • Notified BLM inspector 24 hrs prior to test. • Performed Bradenhead test (form attached) with BLM. • MIRU pump truck and pressure up on casing to 530 psi. • Record and chart MIT for 30 minutes (attached). • SWI & RDMO.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6151 Fax: (575) 393-6729

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name <i>Matador Resources</i>		API Number <i>30-025-30734</i>	
Property Name <i>shoot 12 Federal</i>		Well No. <i>#15 #1</i>	

Surface Location									
UL - Lot <i>J</i>	Section <i>12</i>	Township <i>18S</i>	Range <i>32E</i>	Feet from <i>2310</i>	N/S Line <i>FSL</i>	Feet from <i>1980</i>	E/W Line <i>FEL</i>	County <i>Lea</i>	

Well Status									
TA'D WELL ☒ YES	NO	SHUT-IN ☒ YES	NO	INJ	INJECTOR	SWD	PRODUCER ☒ OIL	GAS	DATE <i>4-5-2022</i>

OBSERVED DATA


	(A) Surface	(B) Intern(1)	(C) Intern(2)	(D) Prod Casing	(E) Tubing
Pressure	<i>Ops.</i>			<i>Ops.</i>	
Flow Characteristics					
Puff	Y / ☒ N	Y / N	Y / N	Y / ☒ N	CO2
Steady Flow	Y / ☒ N	Y / N	Y / N	Y / ☒ N	WTR
Surges	Y / ☒ N	Y / N	Y / N	Y / ☒ N	GAS
Down to nothing	Y / ☒ N	Y / N	Y / N	Y / ☒ N	Type of Fluid
Gas or Oil	Y / ☒ N	Y / N	Y / N	Y / ☒ N	Injected for
Water	Y / ☒ N	Y / N	Y / N	Y / ☒ N	Waterflood if
					applies

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.


Open surface - no pressure, open casing - no pressure. Loaded casing with 1 BBL. Pressure casing up to 500 psi, watched for 30 minutes, no leak off, (good test) Bled pressure off. closed & screwed well.

Signature: <i>[Signature]</i>		OIL CONSERVATION DIVISION	
Printed name: <i>Jose Perez / Jackson Driggs</i>		Entered into RBDMS	
Title: <i>Conservator</i>		Re-test	
E-mail Address: <i>jose23.perez@yahoo.com</i>			
Date: <i>4-5-2022</i>	Phone: <i>575-704-4884</i>		
Witness:			

INSTRUCTIONS ON BACK OF THIS FORM



MATADOR PRODUCTION COMPANY
Shoot 12 Federal #1
Sec. 12-T18S-R32E; 2310FSL 1980FEL
Lea County, NM
API: 30-025-30734
Current WELLBORE SCHEMATIC
Spudded: 11/15/1989



Tubing String	
2 3/8"	
TAC/PKR	
SN	
Sand Screen	
BP	
PBTD	5860'
Rods	
Total	
7/8"	
3/4"	
7/8"	
1"	
Pony	
Pump	

	Csg Info				
	Casing	lb/ft	Depth	Hole	Cementing Record
Surface	13 3/8	54.5	357	17 1/2	375 sks Cl "C" to surface
Intermediate	9 5/8	32	2956	12 1/4	1300 filler & 200 Cl "C" to surface
Production	5 1/2	17	9,452	7 7/8	800 filler & 775 Cl "H", TOC 3,060'

Geo Markers	
Rustler	1328
Yates	2880
Seven Rivers	3266
Bowers	3756
Queen	4034
Penrose	4300
Grayburg	4624
Metex	5016
San Andres	5120
Delaware	5930
Bone Spring	6620
TVD	9452

5962-6002 (4/20/1991)
 Acdz 2500 gals 10% NEFE
 Frac w/ 35M gals & 61,250# sd

CIBP @ 6790' w/ 50' cmt (4/18/91)
 6,840'-48' (10/31/90)
 Acdz 1900 gal 10% NEFE & 18BS
 Frac 12,200 gals WF-30 X-link +17,000# 16/30 ottawa

9,022'-9,218' (12/20/89)
 3300 gals 7 1/2% HCL & BS; 110,000 gals BS-40 & 171,250# 16/20 Carbolite

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 128850

COMMENTS

Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240	OGRID: 228937
	Action Number: 128850
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	8/19/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 128850

CONDITIONS

Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240	OGRID: 228937
	Action Number: 128850
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	8/19/2022