

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: NAGEEZI UNIT Well Location: T24N / R9W / SEC 35 / County or Parish/State: SAN

Well Number: 313H Type of Well: OIL WELL Allottee or Tribe Name:

NAVAJO NATION

Lease Number: N0G14031919 Unit or CA Name: Unit or CA Number:

NMNM132981A

US Well Number: 3004538209 Well Status: Drilling Well Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2663229

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 03/22/2022 Time Sundry Submitted: 08:19

Date Operation Actually Began: 03/15/2022

Actual Procedure: Intermediate Casing & Cement / Depths have been adjusted for 26' KB of production rig. 3/13/22: Regulatory agencies given 24-hr notice of BOP & surface casing PT, James Retherford 505-320-0756. 3/15 to 3/17: H&P 443 accepted on daywork. NU 11" 5K BOPE with installed 11" 5K Cameron wellhead. PT annular and TIW 250 psi low 5 min. 3000 psi high 10 min. Test blind rams, HCR, 4.5" pipe rams, kill valves, check valve, lower kelly, choke manifold and valves, full opening safety valve and inside BOP valve at 250 psi low 5 min. 3000 psi high 10 min. PT preset 9.625 inch 36# J55 STC surface casing 1500 psi for 30 min. All tests good and recorded on chart. No regulatory agencies onsite to witness. Drill 8.75" hole from 393' to 5750'. KOP 4770'. TOH. 3/18: RIH with 138 jts of 7" 26# J55 LTC casing set from surface to 5740' MD. FC at 5698'. 3/19: RU to cement. 3500 psi test on lines. Test good. Cement with 78% excess on lead 0% excess on tail as follows: Lead: 200 bbls (480 sx) 12.3 ppg, 2.34 yield, 13.13 gps. Tail: 38 bbls (142 sx) 13.5 ppg, 1.51 yield, 7.01 gps. Total 622 sx. TOC: surface BOC: 5740'. Bump plug FCP 1560 psi, pressure up to 2258 psi & hold for 5 min. 33 bbls good cement back to surface. No regulatory agencies onsite to witness.

**Received by OCD: 3/29/2022 9:57:03 AM Well Location: T24N / R9W / SEC 35 /

SWNE / 36.271497 / -107.757763

County or Parish/State: SAN

JUAN / NM

Well Number: 313H Type of Well: OIL WELL

Allottee or Tribe Name:

NAVAJO NATION

Lease Number: N0G14031919 Unit or CA Name: Unit or CA Number:

NMNM132981A

US Well Number: 3004538209 Well Status: Drilling Well Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD Signed on: MAR 22, 2022 08:19 AM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec State: NM

Phone: (505) 632-3476

Email address: sford@djrllc.com

Field Representative

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Accepted **Disposition Date:** 03/28/2022

Signature: Kenneth Rennick

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 93866

CONDITIONS

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263	Action Number:
Aztec, NM 87410	93866
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	Future drilling/casing sundries need Cement type on all strings.	8/29/2022