

Well Name: NAGEEZI UNIT	Well Location: T24N / R9W / SEC 35 / SWNE / 36.271456 / -107.757808	County or Parish/State: SAN JUAN / NM
Well Number: 632H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: N0G14031919	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538210	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2663227

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 03/22/2022

Time Sundry Submitted: 08:01

Date Operation Actually Began: 03/19/2022

Actual Procedure: Intermediate Casing & Cement / Depths have been adjusted to 26' KB of production rig 3/18/22: Regulatory agencies given 24-hr notice of BOP & surface casing PT, James Retherford 505-320-0756. 3/19 to 3/20/22: H&P 443 accepted on daywork. NU 11" 5K BOPE with installed 11" 5K Cameron wellhead. PT annular and TIW 250 psi low 5 min. 3000 psi high 10 min. Test blind rams, HCR, 4.5" pipe rams, kill valves, check valve, lower kelly, choke manifold and valves, full opening safety valve and inside BOP valve at 250 psi low 5 min. 3000 psi high 10 min. PT pre-set 9.625 inch 36# J55 STC surface casing 1500 psi for 30 min. All tests good and recorded on chart. No regulatory agencies onsite to witness. Drill 8.75" hole from 395' to 5670'. KOP 4826'. TOH. 3/21/22: RIH with 128 jts of 7" 26# J55 LTC casing set from surface to 5661' MD. FC at 5613'. 3/22/22: RU to cement. 3500 psi test on lines. Test good. Cement with 78% excess on lead 0% excess on tail as follows. Lead: 197 bbls (472 sx) 12.3 ppg, 2.34 yield, 13.13 gps. Tail: 37 bbls (140 sx) 13.5 ppg, 1.51 yield, 7.01 gps. Total: 612 sx. TOC: surface BOC: 5661'. Bump plug FCP 1550 psi, pressure up to 2550 psi & hold for 5 min. 50 bbls good cement back to surface. No regulatory agencies onsite to witness.

Well Name: NAGEEZI UNIT

Well Location: T24N / R9W / SEC 35 / SWNE / 36.271456 / -107.757808

County or Parish/State: SAN JUAN / NM

Well Number: 632H

Type of Well: OIL WELL

Allottee or Tribe Name: NAVAJO NATION

Lease Number: NOG14031919

Unit or CA Name:

Unit or CA Number: NMNM132981A

US Well Number: 3004538210

Well Status: Drilling Well

Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: MAR 22, 2022 08:01 AM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 03/28/2022

Signature: Kenneth Rennick

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 93864

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 93864
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	Future drilling/cement sundry needs Type of Cement on all strings.	8/29/2022