Submit 1 Copy To Appropriate District

1625 N. French Dr., Hobbs, NM 88240

1000 Rio Brazos Rd., Aztec, NM 87410

1. Type of Well: Oil Well

RIDGEWAY ARIZONA OIL CORP

D 3

811 S. First St., Artesia, NM 88210

<u>District I</u> – (575) 393-6161

District II - (575) 748-1283

District III - (505) 334-6178

<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM

2. Name of Operator

3. Address of Operator

Unit Letter

Section

4. Well Location

PROPOSALS.)

12. Check Appropriate B	ox to Indicate N	lature of Notice, Report or Othe	r Data
NOTICE OF INTENTION T PERFORM REMEDIAL WORK ☐ PLUG AND A TEMPORARILY ABANDON ☐ CHANGE PLA PULL OR ALTER CASING ☐ MULTIPLE COMMINGLE ☐	BANDON  ANS	SUBSEQUENT RESERVED AND ADDRESS OF THE COMMENCE DRILLING OPNS. CASING/CEMENT JOB	EPORT OF: ALTERING CASING  P AND A
CLOSED-LOOP SYSTEM  OTHER:	П	OTHER:	П
13. Describe proposed or completed operations of starting any proposed work). SEE RULD proposed completion or recompletion.  CURRENT WBS, PROPOSED WBS AND TA PRONOTICE TO BE PROVIDED BEFORE OPERATION.	E 19.15.7.14 NMA	C. For Multiple Completions: Attach	wellbore diagram of
Spud Date:	(	ondition of Approval: notify OCD Hobbs office 24 hours r of running MIT Test & Chart	
I hereby certify that the information above is true an	d complete to the b	est of my knowledge and belief.	
SIGNATURE Will Boy	TITLE_LANI	D & REGULATORY MGRDAT	E_8-25-22
Type or print name _WILLIAM BOYD	_ E-mail address:	_wboyd@pedevco.com PHO	NE: 713-574-7912

State of New Mexico

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

feet from the NORTH

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Township 08S

SUNDRY NOTICES AND REPORTS ON WELLS

Gas Well Other

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A

DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH

575 N DAIRY ASHFORD RD, EC II SUITE 210, HOUSTON, TX 77079

: 660

4491 GL

Form C-103 Revised July 18, 2013

line

Released to Imaging: 9/16/2022 12:19:31 PM

FEE

WELL API NO.

5. Indicate Type of Lease

8. Well Number #33

9. OGRID Number 164557

10. Pool name or Wildcat

**NMPM** 

CHAVEROO SAN ANDRES

STATE X

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

HALEY CHAVEROO SAN ANDRES UNIT

feet from the EAST

CHAVES County

30-005-10440

OG-1195-0006

line and 660

33E

Range

## 8/24/22

## **Temporary Abandonment Procedure**

**OPERATOR:** Ridgeway Arizona Oil Corp

**WELL NAME:** HSAU 33 **API NUMBER:** 30-005-10440

COUNTY/STATE: Chaves / New Mexico

FIELD: Chaveroo PBTD: 4,453

- 1. Contact NMOCD office prior to commencing operations
- 2. Prep well pad location
  - a. Check anchors
  - b. Prepare wellhead
- 3. MIRU work over rig
  - a. Blowdown if necessary
  - b. NU and test BOP's
  - c. Release Packer, POOH and LD tubing string.
- 4. MIRU Wireline
  - a. Run gauge ring to 4,160'
  - b. Run CIBP and set at 4,150' (within 100' of top perf)
  - c. Dump bail 35' of cement on top of CIBP
- 5. Casing Integrity Test
  - a. Contact NMOCD office at least 24 Hrs prior to test
  - b. Casing shall be pressure tested to 500 psi for 30 mins and recorded on chart

Well Name: HSAU 33 Well API #: 30-005-10440 County, State: Chaves County, NM Date: 8/22/2022 **Final Installation Surface Casing** Wellhead Detail ID Installation Make Size OD 8-5/8" OD: Weight: Grade: OD ID Length Depth **Tubing Detail (Top Down)** Top: 10.00' Bottom: 367.66 10.00' Intermediate Csg. 121 Jts 2-3/8" 4.7# IPC tbg set @ approx. 4,088' OD: Weight: Halliburton R-4 Packer set @ 4101.4' w/ 15 pts pulled Grade: Top: Bottom: **Production Casing** OD: 4.5 Weight: Grade: Тор: Bottom: 4491 200 sacks OD: Weight: Grade: Top: Bottom: Count Feet Detail Top Perf 4200 **Bottom Perf** 4361 0' **Pumping Unit Specs** P.U. Make: N/A P.U. Size:

**Pump Details** 

P.U. SL:

PUMP SIZE:

PLUNGER: STDG VALVE:

STROKE:

N/A

SPM:

TD

4,491

PBTD

4,453

TVD

4,491

		,	Mall Name:	LICALI 22		
			Well Name:			
				30-005-10440		
				Chaves County, NM		
Final II	Final Installation		Date:	8/22/2022		
Installation	Surface Casi	ing Make	Size	Wellhead Detail	OD	ID
	OD: 8-5/8"					
	Weight: 24					
	Grade:					
	<b>Top</b> : 0	Length	Depth	Tubing Detail (Top Down)	OD	ID
	Bottom: 367.66			КВ		
	Intermediate	Csg.				
	OD: Weight:					
	Grade:					
	Top:					
	Bottom:					
	Production Ca	asing				
	<b>OD:</b> 4.5					
	Weight: 9.5					
	Grade:					
	<b>Top:</b> 0					
	Bottom: 4491					
	тос					
	200 sacks					
	lan					
	OD: Weight:					
	Grade:					
	Top:					
	Bottom:					
		Count	Feet	Detail		
	Top Perf					
	4200 Bottom Pe	rf				
	4361	11				
	4301					
	CIBP set @ 4,150' w	ı/ 35' cmt				
			0'			
				Dominion Hait Conne		
		P.U. Make:	N/A	Pumping Unit Specs	-	
		P.U. Size:	N/A			
		P.U. SL:				
	TD	SPM:	1			
	4,491			Pump Details	1	
	PBTD		N/A	<u> </u>	]	
-	4,453	PLUNGER:				
	TVD	STDG VALVE:				
	4,491	STROKE:				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 138115

## **CONDITIONS**

Operator:	OGRID:
RIDGEWAY ARIZONA OIL CORP.	164557
575 N. Dairy Ashford	Action Number:
Houston, TX 77079	138115
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

## CONDITIONS

Created By	Condition	Condition Date
kfortne	r Run TA status MIT/BHT test	9/16/2022