

Submit Copy To Appropriate District

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-49595
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. 331808
7. Lease Name or Unit Agreement Name Honey Buzzard 35 South State Com
8. Well Number 701H
9. OGRID Number 7377
10. Pool name or Wildcat 98116 WC-025 G-09 S253402N; Wcmp

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator P.O. Box 2267, Midland, Texas 79702	
4. Well Location Unit Letter <u>L</u> : <u>2304</u> feet from the <u>South</u> line and <u>1195</u> feet from the West line Section <u>35</u> <u>24S</u> Township <u>34E</u> Range <u>NESW</u> Lea County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3401' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☒	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

EOG respectfully requests an amendment to our approved APD for this well to reflect the following changes:

Update casing and cement program to current design.

EOG requests execution of Variance 3a (attached) to offline cement the intermediate sections.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Star L Harrell TITLE Sr Regulatory Specialist DATE 9/26/2022

Type or print name Star Harrell E-mail address: star_harrell@eogresources.com PHONE: 432-848-9161

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-49595	² Pool Code 98116	³ Pool Name WC-025 G-09 S253402N; Wolfcamp
⁴ Property Code 331808	⁵ Property Name HONEY BUZZARD 35 SOUTH STATE COM	⁶ Well Number 701H
⁷ OGRID No. 7377	⁸ Operator Name EOG RESOURCES, INC.	⁹ Elevation 3401'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	35	24-S	34-E	-	2304'	SOUTH	1195'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	2	25-S	34-E	-	100'	SOUTH	330'	WEST	LEA

¹² Dedicated Acres 479.61	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





Honey Buzzard 35 South State Com #701H

Lea County, New Mexico

Revised Wellbore

2304' FSL

1195' FWL


Section 35

T-24-S, R-34-E

KB: 3426'

GL: 3401'

API: 30-025-49595





Honey Buzzard 35 South State Com #701H

Permit Information:

Well Name: Honey Buzzard 35 South State Com #701H

Location:

SHL: 2304' FSL & 1195' FWL, Section 35, T-24-S, R-34-E, Lea Co., N.M.

BHL: 100' FSL & 330' FWL, Section 2, T-25-S, R-34-E, Lea Co., N.M.

Design A

Casing Program:

Hole Size	Interval MD From (ft) To (ft)		Interval TVD From (ft) To (ft)		Csg OD	Weight	Grade	Conn
13-1/2"	0	1,160	0	1,160	10-3/4"	40.5#	J-55	STC
9-7/8"	0	11,593	0	11,530	8-3/4"	38.5#	P110-EC	VAM Sprint-SF
7-7/8"	0	20,119	0	12,500	6"	24.5#	ICYP-110	TXP BTC

Cement Program:

Depth	No. Sacks	Wt. ppg	Yld Ft3/sk	Slurry Description
1,160'	340	13.5	1.73	Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5% CaCl ₂ + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	90	14.8	1.34	Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate
11,530'	490	14.2	1.11	1st Stage (Tail): Class C + 5% Salt (TOC @ 7,840')
	1520	14.8	1.5	2nd Stage (Bradenhead squeeze): Class C + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
20,119'	1320	14.2	1.31	Class H + 0.1% C-20 + 0.05% CSA-1000 + 0.20% C-49 + 0.40% C-17 (TOC @ 11,030')

Mud Program:

Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 – 1,160'	Fresh - Gel	8.6-8.8	28-34	N/c
1,160' – 11,530'	Brine	10.0-10.2	28-34	N/c
11,530' – 12,087'	Oil Base	8.7-9.4	58-68	N/c - 6
12,087' – 20,119' Lateral	Oil Base	10.0-14.0	58-68	4 - 6



Midland

**Lea County, NM (NAD 83 NME)
Honey Buzzard 35 South State Com
#701H
142778
OH**

Plan: Plan #0.2

Standard Planning Report

23 September, 2022





Planning Report



Database:	PEDM	Local Co-ordinate Reference:	Well #701H
Company:	Midland	TVD Reference:	kb = 26' @ 3427.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3427.0usft
Site:	Honey Buzzard 35 South State Com	North Reference:	Grid
Well:	#701H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.2		

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Honey Buzzard 35 South State Com				
Site Position:		Northing:	427,838.00 usft	Latitude:	32.1730884°N
From:	Map	Easting:	816,070.00 usft	Longitude:	103.4454087°W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "		

Well	#701H					
Well Position	+N/-S	0.0 usft	Northing:	427,838.00 usft	Latitude:	32.1730884°N
	+E/-W	0.0 usft	Easting:	816,070.00 usft	Longitude:	103.4454087°W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,401.0 usft
Grid Convergence:		0.47 °				

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	10/4/2022	6.33	59.83	47,340.68266966

Design	Plan #0.2				
Audit Notes:					
Version:		Phase:	PLAN	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	186.23	

Plan Survey Tool Program	Date	9/23/2022			
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name	Remarks	
1	0.0	20,118.9 Plan #0.2 (OH)	EOG MWD+IFR1		
			MWD + IFR1		



Planning Report



Database:	PEDM	Local Co-ordinate Reference:	Well #701H
Company:	Midland	TVD Reference:	kb = 26' @ 3427.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3427.0usft
Site:	Honey Buzzard 35 South State Com	North Reference:	Grid
Well:	#701H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.2		

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,816.4	8.33	287.80	1,815.0	9.2	-28.8	2.00	2.00	0.00	287.80	
7,678.3	8.33	287.80	7,615.0	268.8	-837.2	0.00	0.00	0.00	0.00	
8,094.8	0.00	0.00	8,030.0	278.0	-866.0	2.00	-2.00	0.00	180.00	
12,087.3	0.00	0.00	12,022.5	278.0	-866.0	0.00	0.00	0.00	0.00	KOP(Honey Buzzard
12,307.7	26.46	180.00	12,235.2	228.0	-866.0	12.00	12.00	81.65	180.00	FTP(Honey Buzzard
12,837.2	90.00	179.62	12,499.9	-199.5	-864.0	12.00	12.00	-0.07	-0.42	
20,118.9	90.00	179.62	12,500.0	-7,481.0	-816.0	0.00	0.00	0.00	0.00	PBHL(Honey Buzzard



Planning Report



Database:	PEDM	Local Co-ordinate Reference:	Well #701H
Company:	Midland	TVD Reference:	kb = 26' @ 3427.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3427.0usft
Site:	Honey Buzzard 35 South State Com	North Reference:	Grid
Well:	#701H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.2		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00
1,500.0	2.00	287.80	1,500.0	0.5	-1.7	-0.4	2.00	2.00	0.00
1,600.0	4.00	287.80	1,599.8	2.1	-6.6	-1.4	2.00	2.00	0.00
1,700.0	6.00	287.80	1,699.5	4.8	-14.9	-3.1	2.00	2.00	0.00
1,800.0	8.00	287.80	1,798.7	8.5	-26.5	-5.6	2.00	2.00	0.00
1,816.4	8.33	287.80	1,815.0	9.2	-28.8	-6.1	2.00	2.00	0.00
1,900.0	8.33	287.80	1,897.7	12.9	-40.3	-8.5	0.00	0.00	0.00
2,000.0	8.33	287.80	1,996.6	17.4	-54.1	-11.4	0.00	0.00	0.00
2,100.0	8.33	287.80	2,095.5	21.8	-67.9	-14.3	0.00	0.00	0.00
2,200.0	8.33	287.80	2,194.5	26.2	-81.7	-17.2	0.00	0.00	0.00
2,300.0	8.33	287.80	2,293.4	30.6	-95.5	-20.1	0.00	0.00	0.00
2,400.0	8.33	287.80	2,392.4	35.1	-109.3	-23.0	0.00	0.00	0.00
2,500.0	8.33	287.80	2,491.3	39.5	-123.0	-25.9	0.00	0.00	0.00
2,600.0	8.33	287.80	2,590.3	43.9	-136.8	-28.8	0.00	0.00	0.00
2,700.0	8.33	287.80	2,689.2	48.4	-150.6	-31.7	0.00	0.00	0.00
2,800.0	8.33	287.80	2,788.2	52.8	-164.4	-34.6	0.00	0.00	0.00
2,900.0	8.33	287.80	2,887.1	57.2	-178.2	-37.5	0.00	0.00	0.00
3,000.0	8.33	287.80	2,986.1	61.6	-192.0	-40.5	0.00	0.00	0.00
3,100.0	8.33	287.80	3,085.0	66.1	-205.8	-43.4	0.00	0.00	0.00
3,200.0	8.33	287.80	3,183.9	70.5	-219.6	-46.3	0.00	0.00	0.00
3,300.0	8.33	287.80	3,282.9	74.9	-233.4	-49.2	0.00	0.00	0.00
3,400.0	8.33	287.80	3,381.8	79.3	-247.2	-52.1	0.00	0.00	0.00
3,500.0	8.33	287.80	3,480.8	83.8	-261.0	-55.0	0.00	0.00	0.00
3,600.0	8.33	287.80	3,579.7	88.2	-274.8	-57.9	0.00	0.00	0.00
3,700.0	8.33	287.80	3,678.7	92.6	-288.5	-60.8	0.00	0.00	0.00
3,800.0	8.33	287.80	3,777.6	97.1	-302.3	-63.7	0.00	0.00	0.00
3,900.0	8.33	287.80	3,876.6	101.5	-316.1	-66.6	0.00	0.00	0.00
4,000.0	8.33	287.80	3,975.5	105.9	-329.9	-69.5	0.00	0.00	0.00
4,100.0	8.33	287.80	4,074.5	110.3	-343.7	-72.4	0.00	0.00	0.00
4,200.0	8.33	287.80	4,173.4	114.8	-357.5	-75.3	0.00	0.00	0.00
4,300.0	8.33	287.80	4,272.3	119.2	-371.3	-78.2	0.00	0.00	0.00
4,400.0	8.33	287.80	4,371.3	123.6	-385.1	-81.1	0.00	0.00	0.00
4,500.0	8.33	287.80	4,470.2	128.0	-398.9	-84.0	0.00	0.00	0.00
4,600.0	8.33	287.80	4,569.2	132.5	-412.7	-86.9	0.00	0.00	0.00
4,700.0	8.33	287.80	4,668.1	136.9	-426.5	-89.9	0.00	0.00	0.00
4,800.0	8.33	287.80	4,767.1	141.3	-440.3	-92.8	0.00	0.00	0.00
4,900.0	8.33	287.80	4,866.0	145.8	-454.0	-95.7	0.00	0.00	0.00
5,000.0	8.33	287.80	4,965.0	150.2	-467.8	-98.6	0.00	0.00	0.00
5,100.0	8.33	287.80	5,063.9	154.6	-481.6	-101.5	0.00	0.00	0.00
5,200.0	8.33	287.80	5,162.9	159.0	-495.4	-104.4	0.00	0.00	0.00



Planning Report



Database:	PEDM	Local Co-ordinate Reference:	Well #701H
Company:	Midland	TVD Reference:	kb = 26' @ 3427.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3427.0usft
Site:	Honey Buzzard 35 South State Com	North Reference:	Grid
Well:	#701H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.2		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,300.0	8.33	287.80	5,261.8	163.5	-509.2	-107.3	0.00	0.00	0.00
5,400.0	8.33	287.80	5,360.7	167.9	-523.0	-110.2	0.00	0.00	0.00
5,500.0	8.33	287.80	5,459.7	172.3	-536.8	-113.1	0.00	0.00	0.00
5,600.0	8.33	287.80	5,558.6	176.7	-550.6	-116.0	0.00	0.00	0.00
5,700.0	8.33	287.80	5,657.6	181.2	-564.4	-118.9	0.00	0.00	0.00
5,800.0	8.33	287.80	5,756.5	185.6	-578.2	-121.8	0.00	0.00	0.00
5,900.0	8.33	287.80	5,855.5	190.0	-592.0	-124.7	0.00	0.00	0.00
6,000.0	8.33	287.80	5,954.4	194.5	-605.8	-127.6	0.00	0.00	0.00
6,100.0	8.33	287.80	6,053.4	198.9	-619.6	-130.5	0.00	0.00	0.00
6,200.0	8.33	287.80	6,152.3	203.3	-633.3	-133.4	0.00	0.00	0.00
6,300.0	8.33	287.80	6,251.2	207.7	-647.1	-136.3	0.00	0.00	0.00
6,400.0	8.33	287.80	6,350.2	212.2	-660.9	-139.3	0.00	0.00	0.00
6,500.0	8.33	287.80	6,449.1	216.6	-674.7	-142.2	0.00	0.00	0.00
6,600.0	8.33	287.80	6,548.1	221.0	-688.5	-145.1	0.00	0.00	0.00
6,700.0	8.33	287.80	6,647.0	225.5	-702.3	-148.0	0.00	0.00	0.00
6,800.0	8.33	287.80	6,746.0	229.9	-716.1	-150.9	0.00	0.00	0.00
6,900.0	8.33	287.80	6,844.9	234.3	-729.9	-153.8	0.00	0.00	0.00
7,000.0	8.33	287.80	6,943.9	238.7	-743.7	-156.7	0.00	0.00	0.00
7,100.0	8.33	287.80	7,042.8	243.2	-757.5	-159.6	0.00	0.00	0.00
7,200.0	8.33	287.80	7,141.8	247.6	-771.3	-162.5	0.00	0.00	0.00
7,300.0	8.33	287.80	7,240.7	252.0	-785.1	-165.4	0.00	0.00	0.00
7,400.0	8.33	287.80	7,339.6	256.4	-798.8	-168.3	0.00	0.00	0.00
7,500.0	8.33	287.80	7,438.6	260.9	-812.6	-171.2	0.00	0.00	0.00
7,600.0	8.33	287.80	7,537.5	265.3	-826.4	-174.1	0.00	0.00	0.00
7,678.3	8.33	287.80	7,615.0	268.8	-837.2	-176.4	0.00	0.00	0.00
7,700.0	7.90	287.80	7,636.5	269.7	-840.1	-177.0	2.00	-2.00	0.00
7,800.0	5.90	287.80	7,735.8	273.4	-851.6	-179.4	2.00	-2.00	0.00
7,900.0	3.90	287.80	7,835.4	276.0	-859.7	-181.1	2.00	-2.00	0.00
8,000.0	1.90	287.80	7,935.3	277.5	-864.5	-182.1	2.00	-2.00	0.00
8,094.8	0.00	0.00	8,030.0	278.0	-866.0	-182.5	2.00	-2.00	0.00
8,100.0	0.00	0.00	8,035.2	278.0	-866.0	-182.5	0.00	0.00	0.00
8,200.0	0.00	0.00	8,135.2	278.0	-866.0	-182.5	0.00	0.00	0.00
8,300.0	0.00	0.00	8,235.2	278.0	-866.0	-182.5	0.00	0.00	0.00
8,400.0	0.00	0.00	8,335.2	278.0	-866.0	-182.5	0.00	0.00	0.00
8,500.0	0.00	0.00	8,435.2	278.0	-866.0	-182.5	0.00	0.00	0.00
8,600.0	0.00	0.00	8,535.2	278.0	-866.0	-182.5	0.00	0.00	0.00
8,700.0	0.00	0.00	8,635.2	278.0	-866.0	-182.5	0.00	0.00	0.00
8,800.0	0.00	0.00	8,735.2	278.0	-866.0	-182.5	0.00	0.00	0.00
8,900.0	0.00	0.00	8,835.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,000.0	0.00	0.00	8,935.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,100.0	0.00	0.00	9,035.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,200.0	0.00	0.00	9,135.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,300.0	0.00	0.00	9,235.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,400.0	0.00	0.00	9,335.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,500.0	0.00	0.00	9,435.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,600.0	0.00	0.00	9,535.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,700.0	0.00	0.00	9,635.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,800.0	0.00	0.00	9,735.2	278.0	-866.0	-182.5	0.00	0.00	0.00
9,900.0	0.00	0.00	9,835.2	278.0	-866.0	-182.5	0.00	0.00	0.00
10,000.0	0.00	0.00	9,935.2	278.0	-866.0	-182.5	0.00	0.00	0.00
10,100.0	0.00	0.00	10,035.2	278.0	-866.0	-182.5	0.00	0.00	0.00
10,200.0	0.00	0.00	10,135.2	278.0	-866.0	-182.5	0.00	0.00	0.00
10,300.0	0.00	0.00	10,235.2	278.0	-866.0	-182.5	0.00	0.00	0.00
10,400.0	0.00	0.00	10,335.2	278.0	-866.0	-182.5	0.00	0.00	0.00



Planning Report



Database:	PEDM	Local Co-ordinate Reference:	Well #701H
Company:	Midland	TVD Reference:	kb = 26' @ 3427.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3427.0usft
Site:	Honey Buzzard 35 South State Com	North Reference:	Grid
Well:	#701H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.2		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
10,500.0	0.00	0.00	10,435.2	278.0	-866.0	-182.5	0.00	0.00	0.00
10,600.0	0.00	0.00	10,535.2	278.0	-866.0	-182.5	0.00	0.00	0.00
10,700.0	0.00	0.00	10,635.2	278.0	-866.0	-182.5	0.00	0.00	0.00
10,800.0	0.00	0.00	10,735.2	278.0	-866.0	-182.5	0.00	0.00	0.00
10,900.0	0.00	0.00	10,835.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,000.0	0.00	0.00	10,935.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,100.0	0.00	0.00	11,035.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,200.0	0.00	0.00	11,135.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,300.0	0.00	0.00	11,235.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,400.0	0.00	0.00	11,335.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,500.0	0.00	0.00	11,435.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,600.0	0.00	0.00	11,535.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,700.0	0.00	0.00	11,635.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,800.0	0.00	0.00	11,735.2	278.0	-866.0	-182.5	0.00	0.00	0.00
11,900.0	0.00	0.00	11,835.2	278.0	-866.0	-182.5	0.00	0.00	0.00
12,000.0	0.00	0.00	11,935.2	278.0	-866.0	-182.5	0.00	0.00	0.00
12,087.3	0.00	0.00	12,022.5	278.0	-866.0	-182.5	0.00	0.00	0.00
12,100.0	1.53	180.00	12,035.2	277.8	-866.0	-182.3	12.00	12.00	0.00
12,125.0	4.53	180.00	12,060.2	276.5	-866.0	-181.0	12.00	12.00	0.00
12,150.0	7.53	180.00	12,085.1	273.9	-866.0	-178.4	12.00	12.00	0.00
12,175.0	10.53	180.00	12,109.8	270.0	-866.0	-174.5	12.00	12.00	0.00
12,200.0	13.53	180.00	12,134.2	264.7	-866.0	-169.3	12.00	12.00	0.00
12,225.0	16.53	180.00	12,158.3	258.3	-866.0	-162.8	12.00	12.00	0.00
12,250.0	19.53	180.00	12,182.1	250.5	-866.0	-155.1	12.00	12.00	0.00
12,275.0	22.53	180.00	12,205.4	241.6	-866.0	-146.2	12.00	12.00	0.00
12,300.0	25.53	180.00	12,228.3	231.4	-866.0	-136.1	12.00	12.00	0.00
12,307.7	26.46	180.00	12,235.2	228.0	-866.0	-132.8	12.00	12.00	0.00
12,325.0	28.53	179.97	12,250.5	220.0	-866.0	-124.8	12.00	12.00	-0.19
12,350.0	31.53	179.93	12,272.2	207.5	-866.0	-112.4	12.00	12.00	-0.16
12,375.0	34.53	179.90	12,293.1	193.9	-866.0	-98.8	12.00	12.00	-0.13
12,400.0	37.53	179.87	12,313.4	179.2	-865.9	-84.2	12.00	12.00	-0.11
12,425.0	40.53	179.84	12,332.8	163.4	-865.9	-68.6	12.00	12.00	-0.10
12,450.0	43.53	179.82	12,351.3	146.7	-865.8	-51.9	12.00	12.00	-0.09
12,475.0	46.53	179.80	12,369.0	129.0	-865.8	-34.4	12.00	12.00	-0.08
12,500.0	49.53	179.78	12,385.7	110.4	-865.7	-15.9	12.00	12.00	-0.07
12,525.0	52.53	179.77	12,401.4	91.0	-865.6	3.4	12.00	12.00	-0.07
12,550.0	55.53	179.75	12,416.1	70.8	-865.6	23.5	12.00	12.00	-0.06
12,575.0	58.53	179.74	12,429.7	49.8	-865.5	44.4	12.00	12.00	-0.06
12,600.0	61.53	179.72	12,442.2	28.1	-865.4	65.9	12.00	12.00	-0.05
12,625.0	64.53	179.71	12,453.5	5.9	-865.3	88.0	12.00	12.00	-0.05
12,650.0	67.53	179.70	12,463.7	-17.0	-865.1	110.7	12.00	12.00	-0.05
12,675.0	70.53	179.69	12,472.6	-40.3	-865.0	133.9	12.00	12.00	-0.05
12,700.0	73.53	179.68	12,480.4	-64.1	-864.9	157.5	12.00	12.00	-0.04
12,725.0	76.53	179.67	12,486.8	-88.3	-864.7	181.5	12.00	12.00	-0.04
12,750.0	79.53	179.66	12,492.0	-112.7	-864.6	205.8	12.00	12.00	-0.04
12,775.0	82.53	179.65	12,495.9	-137.4	-864.4	230.3	12.00	12.00	-0.04
12,800.0	85.53	179.64	12,498.5	-162.3	-864.3	255.0	12.00	12.00	-0.04
12,825.0	88.53	179.63	12,499.8	-187.2	-864.1	279.8	12.00	12.00	-0.04
12,837.2	90.00	179.62	12,499.9	-199.5	-864.0	292.0	12.00	12.00	-0.04
12,900.0	90.00	179.62	12,499.9	-262.2	-863.6	354.3	0.00	0.00	0.00
13,000.0	90.00	179.62	12,499.9	-362.2	-863.0	453.7	0.00	0.00	0.00
13,100.0	90.00	179.62	12,499.9	-462.2	-862.3	553.0	0.00	0.00	0.00
13,200.0	90.00	179.62	12,499.9	-562.2	-861.7	652.3	0.00	0.00	0.00
13,300.0	90.00	179.62	12,499.9	-662.2	-861.0	751.7	0.00	0.00	0.00



Planning Report



Database:	PEDM	Local Co-ordinate Reference:	Well #701H
Company:	Midland	TVD Reference:	kb = 26' @ 3427.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3427.0usft
Site:	Honey Buzzard 35 South State Com	North Reference:	Grid
Well:	#701H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.2		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,400.0	90.00	179.62	12,499.9	-762.2	-860.3	851.0	0.00	0.00	0.00
13,500.0	90.00	179.62	12,499.9	-862.2	-859.7	950.3	0.00	0.00	0.00
13,600.0	90.00	179.62	12,500.0	-962.2	-859.0	1,049.7	0.00	0.00	0.00
13,700.0	90.00	179.62	12,500.0	-1,062.2	-858.4	1,149.0	0.00	0.00	0.00
13,800.0	90.00	179.62	12,500.0	-1,162.2	-857.7	1,248.4	0.00	0.00	0.00
13,900.0	90.00	179.62	12,500.0	-1,262.2	-857.0	1,347.7	0.00	0.00	0.00
14,000.0	90.00	179.62	12,500.0	-1,362.2	-856.4	1,447.0	0.00	0.00	0.00
14,100.0	90.00	179.62	12,500.0	-1,462.2	-855.7	1,546.4	0.00	0.00	0.00
14,200.0	90.00	179.62	12,500.0	-1,562.2	-855.1	1,645.7	0.00	0.00	0.00
14,300.0	90.00	179.62	12,500.0	-1,662.2	-854.4	1,745.0	0.00	0.00	0.00
14,400.0	90.00	179.62	12,500.0	-1,762.2	-853.7	1,844.4	0.00	0.00	0.00
14,500.0	90.00	179.62	12,500.0	-1,862.2	-853.1	1,943.7	0.00	0.00	0.00
14,600.0	90.00	179.62	12,500.0	-1,962.2	-852.4	2,043.0	0.00	0.00	0.00
14,700.0	90.00	179.62	12,500.0	-2,062.2	-851.8	2,142.4	0.00	0.00	0.00
14,800.0	90.00	179.62	12,500.0	-2,162.2	-851.1	2,241.7	0.00	0.00	0.00
14,900.0	90.00	179.62	12,500.0	-2,262.2	-850.4	2,341.1	0.00	0.00	0.00
15,000.0	90.00	179.62	12,500.0	-2,362.2	-849.8	2,440.4	0.00	0.00	0.00
15,100.0	90.00	179.62	12,500.0	-2,462.2	-849.1	2,539.7	0.00	0.00	0.00
15,200.0	90.00	179.62	12,500.0	-2,562.2	-848.5	2,639.1	0.00	0.00	0.00
15,300.0	90.00	179.62	12,500.0	-2,662.2	-847.8	2,738.4	0.00	0.00	0.00
15,400.0	90.00	179.62	12,500.0	-2,762.2	-847.1	2,837.7	0.00	0.00	0.00
15,500.0	90.00	179.62	12,500.0	-2,862.2	-846.5	2,937.1	0.00	0.00	0.00
15,600.0	90.00	179.62	12,500.0	-2,962.2	-845.8	3,036.4	0.00	0.00	0.00
15,700.0	90.00	179.62	12,500.0	-3,062.2	-845.2	3,135.7	0.00	0.00	0.00
15,800.0	90.00	179.62	12,500.0	-3,162.2	-844.5	3,235.1	0.00	0.00	0.00
15,900.0	90.00	179.62	12,500.0	-3,262.2	-843.8	3,334.4	0.00	0.00	0.00
16,000.0	90.00	179.62	12,500.0	-3,362.2	-843.2	3,433.8	0.00	0.00	0.00
16,100.0	90.00	179.62	12,500.0	-3,462.2	-842.5	3,533.1	0.00	0.00	0.00
16,200.0	90.00	179.62	12,500.0	-3,562.2	-841.9	3,632.4	0.00	0.00	0.00
16,300.0	90.00	179.62	12,500.0	-3,662.1	-841.2	3,731.8	0.00	0.00	0.00
16,400.0	90.00	179.62	12,500.0	-3,762.1	-840.5	3,831.1	0.00	0.00	0.00
16,500.0	90.00	179.62	12,500.0	-3,862.1	-839.9	3,930.4	0.00	0.00	0.00
16,600.0	90.00	179.62	12,500.0	-3,962.1	-839.2	4,029.8	0.00	0.00	0.00
16,700.0	90.00	179.62	12,500.0	-4,062.1	-838.6	4,129.1	0.00	0.00	0.00
16,800.0	90.00	179.62	12,500.0	-4,162.1	-837.9	4,228.5	0.00	0.00	0.00
16,900.0	90.00	179.62	12,500.0	-4,262.1	-837.2	4,327.8	0.00	0.00	0.00
17,000.0	90.00	179.62	12,500.0	-4,362.1	-836.6	4,427.1	0.00	0.00	0.00
17,100.0	90.00	179.62	12,500.0	-4,462.1	-835.9	4,526.5	0.00	0.00	0.00
17,200.0	90.00	179.62	12,500.0	-4,562.1	-835.3	4,625.8	0.00	0.00	0.00
17,300.0	90.00	179.62	12,500.0	-4,662.1	-834.6	4,725.1	0.00	0.00	0.00
17,400.0	90.00	179.62	12,500.0	-4,762.1	-833.9	4,824.5	0.00	0.00	0.00
17,500.0	90.00	179.62	12,500.0	-4,862.1	-833.3	4,923.8	0.00	0.00	0.00
17,600.0	90.00	179.62	12,500.0	-4,962.1	-832.6	5,023.1	0.00	0.00	0.00
17,700.0	90.00	179.62	12,500.0	-5,062.1	-832.0	5,122.5	0.00	0.00	0.00
17,800.0	90.00	179.62	12,500.0	-5,162.1	-831.3	5,221.8	0.00	0.00	0.00
17,900.0	90.00	179.62	12,500.0	-5,262.1	-830.6	5,321.2	0.00	0.00	0.00
18,000.0	90.00	179.62	12,500.0	-5,362.1	-830.0	5,420.5	0.00	0.00	0.00
18,100.0	90.00	179.62	12,500.0	-5,462.1	-829.3	5,519.8	0.00	0.00	0.00
18,200.0	90.00	179.62	12,500.0	-5,562.1	-828.7	5,619.2	0.00	0.00	0.00
18,300.0	90.00	179.62	12,500.0	-5,662.1	-828.0	5,718.5	0.00	0.00	0.00
18,400.0	90.00	179.62	12,500.0	-5,762.1	-827.3	5,817.8	0.00	0.00	0.00
18,500.0	90.00	179.62	12,500.0	-5,862.1	-826.7	5,917.2	0.00	0.00	0.00
18,600.0	90.00	179.62	12,500.0	-5,962.1	-826.0	6,016.5	0.00	0.00	0.00
18,700.0	90.00	179.62	12,500.0	-6,062.1	-825.4	6,115.8	0.00	0.00	0.00




Planning Report



Database:	PEDM	Local Co-ordinate Reference:	Well #701H
Company:	Midland	TVD Reference:	kb = 26' @ 3427.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3427.0usft
Site:	Honey Buzzard 35 South State Com	North Reference:	Grid
Well:	#701H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.2		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
18,800.0	90.00	179.62	12,500.0	-6,162.1	-824.7	6,215.2	0.00	0.00	0.00	
18,900.0	90.00	179.62	12,500.0	-6,262.1	-824.0	6,314.5	0.00	0.00	0.00	
19,000.0	90.00	179.62	12,500.0	-6,362.1	-823.4	6,413.9	0.00	0.00	0.00	
19,100.0	90.00	179.62	12,500.0	-6,462.1	-822.7	6,513.2	0.00	0.00	0.00	
19,200.0	90.00	179.62	12,500.0	-6,562.1	-822.1	6,612.5	0.00	0.00	0.00	
19,300.0	90.00	179.62	12,500.0	-6,662.1	-821.4	6,711.9	0.00	0.00	0.00	
19,400.0	90.00	179.62	12,500.0	-6,762.1	-820.7	6,811.2	0.00	0.00	0.00	
19,500.0	90.00	179.62	12,500.0	-6,862.1	-820.1	6,910.5	0.00	0.00	0.00	
19,600.0	90.00	179.62	12,500.0	-6,962.1	-819.4	7,009.9	0.00	0.00	0.00	
19,700.0	90.00	179.62	12,500.0	-7,062.1	-818.8	7,109.2	0.00	0.00	0.00	
19,800.0	90.00	179.62	12,500.0	-7,162.1	-818.1	7,208.6	0.00	0.00	0.00	
19,900.0	90.00	179.62	12,500.0	-7,262.1	-817.4	7,307.9	0.00	0.00	0.00	
20,000.0	90.00	179.62	12,500.0	-7,362.1	-816.8	7,407.2	0.00	0.00	0.00	
20,100.0	90.00	179.62	12,500.0	-7,462.1	-816.1	7,506.6	0.00	0.00	0.00	
20,118.9	90.00	179.62	12,500.0	-7,481.0	-816.0	7,525.4	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
KOP(Honey Buzzard 35 - hit/miss target - Shape - Point	0.00	0.00	12,022.5	278.0	-866.0	428,116.00	815,204.00	32.1738721°N	103.4481999°W	
FTP(Honey Buzzard 35 - plan hits target center - Point	0.00	0.00	12,235.2	228.0	-866.0	428,066.00	815,204.00	32.1737347°N	103.4482012°W	
PBHL(Honey Buzzard 35 - plan hits target center - Point	0.00	0.00	12,500.0	-7,481.0	-816.0	420,357.00	815,254.00	32.1525445°N	103.4482445°W	



To convert a Magnetic Direction to a Grid Direction, Add 5.86°
To convert a Magnetic Direction to a True Direction, Add 6.33° East
To convert a True Direction to a Grid Direction, Subtract 0.47°

WELL DETAILS: #701H			
3401.0			
kb = 26' @ 3427.0usft			
Northing 427838.00	Easting 816070.00	Latitude 32.1730884°N	Longitude 103.4454087°W

SECTION DETAILS										
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	1400.0	0.00	0.00	1400.0	0.0	0.0	0.00	0.00	0.0	
3	1816.4	8.33	287.80	1815.0	9.2	-28.8	2.00	287.80	-6.1	
4	7678.3	8.33	287.80	7615.0	268.8	-837.2	0.00	0.00	-176.4	
5	8094.8	0.00	0.00	8030.0	278.0	-866.0	2.00	180.00	-182.5	
6	12087.3	0.00	0.00	12022.5	278.0	-866.0	0.00	0.00	-182.5	KOP(Honey Buzzard 35 South SC #701H)
7	12307.7	26.46	180.00	12235.2	228.0	-866.0	12.00	180.00	-132.8	FTP(Honey Buzzard 35 South SC #701H)
8	12837.2	90.00	179.62	12499.9	-199.5	-864.0	12.00	-0.42	292.0	
9	20118.9	90.00	179.62	12500.0	-7481.0	-816.0	0.00	0.00	7525.4	PBHL(Honey Buzzard 35 South SC #701H)

CASING DETAILS
No casing data is available


WELLBORE TARGET DETAILS (MAP CO-ORDINATES)					
Name	TVD	+N/-S	+E/-W	Northing	Easting
KOP(Honey Buzzard 35 South SC #701H)	12022.5	278.0	-866.0	428116.00	815204.00
FTP(Honey Buzzard 35 South SC #701H)	12235.2	228.0	-866.0	428066.00	815204.00
PBHL(Honey Buzzard 35 South SC #701H)	12500.0	-7481.0	-816.0	420357.00	815254.00

Lea County, NM (NAD 83 NME)

Honey Buzzard 35 South State Com #701H

Plan #0.2

PROJECT DETAILS: Lea County, NM (NAD 83 NME)
Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 146331

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 146331
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	9/27/2022