

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 S. First St., Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-49120	⁵ Pool Name JAL; Wolfcamp	⁶ Pool Code 33813
⁷ Property Code 331189	⁸ Property Name Blue Marlin Fed Com	⁹ Well Number 211H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	19	25-S	36-E	-	283'	SOUTH	748'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	18	25-S	36-E	-	34'	NORTH	738'	WEST	LEA
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				
F	F	1/5/2022							


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
8/20/2021	1/5/2022	22554'	22495'	12294 ft to 22424 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1276'	1130 sks		
12.25"	9.625"	5445'	1322 sks		
8.75"	7.625"	11597'	497 sks		
6.75"	5.5"	22541'	1327 sks		

V. Well Test Data

³¹ Date New Oil 1/9/2022	³² Gas Delivery Date 1/9/2022	³³ Test Date 2/2/2022	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1625
³⁷ Choke Size 34/64	³⁸ Oil 1440	³⁹ Water 5162	⁴⁰ Gas 2118		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: 		
Title: Regulatory Analyst			Title: Petroleum Engineer		
E-mail Address: jtrlica@taprk.com			Approval Date: 09/29/22		
Date: 3/3/2022			COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.		
Phone: 720-772-5901					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ **AMENDED REPORT**

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-49120	² Pool Code 33813	³ Pool Name JAL; WOLFCAMP, WEST
⁴ Property Code 331189	⁵ Property Name BLUE MARLIN FED COM	
⁷ GRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 211H ⁹ Elevation 3074'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	19	25-S	36-E	-	283'	SOUTH	748'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	18	25-S	36-E	—	34'	NORTH	738'	WEST	LEA

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
640			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 18, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

LEASE NAME & WELL NO.: BLUE MARLIN FED COM 211H
 SECTION 18 TWP 25-S RGE 36-E SURVEY N.M.P.M.
 COUNTY LEA STATE NM ELEVATION 3074'
 DESCRIPTION 283' FSL & 748' FWL



TOPOGRAPHIC
 LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
 TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
 WWW.TOPOGRAPHIC.COM

INTERNAL
 PRE-COMPLETION
 PLAT

BLUE MARLIN FED COM 211H PRE-COMPLETION	REVISION:	
	INT	DATE
DATE: 11/11/2021		
FILE: C:\BLUE_MARLIN_FED_COM_211H		
DRAWN BY: IMU		
SHEET: 2 OF 2		

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: TapRock Resources LLC
Well Name: Blue Marlin Fed Com 211H
County: Lea
State: New Mexico
Rig Name: H&P 264
API: 30-025-49120

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 176' MD – 22,488' MD
Projection to Bit: 22,554' MD
Dates Performed: 08/20/2021 – 09/29/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Blue Marlin Fed Com 211H

Job Number: ID3011

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: HP 264

Target KBTVD: 12680.00

Target Inclination: 93.00°

Declination Correction: 5.80°

KB Elevation: 3099

Vertical Section Calculated Along Azimuth: 359.45°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	176	0.57	162.68	176	176.00	-0.84	-0.84	0.26	0.32
MWD	2	330	0.57	158.73	154	329.99	-2.29	-2.28	0.77	0.03
MWD	3	512	0.31	174.81	182	511.98	-3.63	-3.61	1.14	0.16
MWD	4	603	0.22	95.45	91	602.98	-3.89	-3.88	1.34	0.38
MWD	5	694	0.26	57.57	91	693.98	-3.80	-3.78	1.68	0.18
MWD	6	784	0.48	28.12	90	783.98	-3.36	-3.34	2.03	0.32
MWD	7	875	0.44	38.06	91	874.98	-2.75	-2.73	2.43	0.10
MWD	8	1056	0.75	60.64	181	1055.97	-1.64	-1.60	3.89	0.21
MWD	9	1225	2.55	87.27	169	1224.89	-0.96	-0.88	8.61	1.13
MWD	10	1335	2.64	97.38	110	1334.78	-1.22	-1.09	13.57	0.42
MWD	11	1430	3.12	114.52	95	1429.66	-2.62	-2.44	18.09	1.03
MWD	12	1525	4.04	139.66	95	1524.48	-6.28	-6.07	22.61	1.89
MWD	13	1618	5.14	153.54	93	1617.18	-12.55	-12.29	26.58	1.67
MWD	14	1712	5.76	172.18	94	1710.77	-21.02	-20.74	29.10	1.98
MWD	15	1806	6.24	187.65	94	1804.26	-30.75	-30.47	29.06	1.79
MWD	16	1900	5.76	181.49	94	1897.74	-40.52	-40.25	28.26	0.85
MWD	17	1995	5.36	180.09	95	1992.30	-49.72	-49.46	28.13	0.44
MWD	18	2088	4.97	179.38	93	2084.92	-58.10	-57.83	28.17	0.42
MWD	19	2183	4.44	176.13	95	2179.60	-65.88	-65.61	28.46	0.62
MWD	20	2277	3.96	173.50	94	2273.35	-72.74	-72.47	29.07	0.55
MWD	21	2371	4.88	177.71	94	2367.07	-79.97	-79.69	29.60	1.04
MWD	22	2465	5.23	178.94	94	2460.70	-88.25	-87.97	29.84	0.39
MWD	23	2559	4.92	172.44	94	2554.33	-96.53	-96.24	30.45	0.69
MWD	24	2654	5.45	173.32	95	2648.94	-105.06	-104.76	31.51	0.56
MWD	25	2747	6.11	184.57	93	2741.47	-114.38	-114.08	31.63	1.41
MWD	26	2841	5.54	177.98	94	2834.99	-123.90	-123.61	31.39	0.93
MWD	27	2935	5.49	182.99	94	2928.55	-132.93	-132.63	31.32	0.51
MWD	28	3030	5.76	191.25	95	3023.10	-142.13	-141.84	30.15	0.90
MWD	29	3124	5.10	185.54	94	3116.68	-150.90	-150.63	28.82	0.91
MWD	30	3219	4.62	180.00	95	3211.33	-158.92	-158.66	28.42	0.71
MWD	31	3313	4.00	178.15	94	3305.07	-165.99	-165.72	28.52	0.68
MWD	32	3406	3.96	178.94	93	3397.84	-172.44	-172.17	28.69	0.07
MWD	33	3501	4.84	178.86	95	3492.56	-179.73	-179.46	28.83	0.93
MWD	34	3595	6.24	182.64	94	3586.12	-188.80	-188.53	28.67	1.54
MWD	35	3689	5.85	184.04	94	3679.60	-198.67	-198.41	28.10	0.44
MWD	36	3783	5.85	186.59	94	3773.11	-208.20	-207.95	27.21	0.28
MWD	37	3877	4.57	190.90	94	3866.72	-216.62	-216.38	25.95	1.42
MWD	38	3970	3.16	193.80	93	3959.51	-222.74	-222.51	24.64	1.53
MWD	39	4064	1.85	201.80	94	4053.41	-226.65	-226.44	23.46	1.44
MWD	40	4158	1.32	179.21	94	4147.38	-229.14	-228.93	22.91	0.86
MWD	41	4251	1.49	174.99	93	4240.35	-231.42	-231.20	23.03	0.21
MWD	42	4344	1.63	172.09	93	4333.32	-233.93	-233.72	23.32	0.17
MWD	43	4438	1.10	212.87	94	4427.29	-236.01	-235.80	23.01	1.14
MWD	44	4532	0.97	242.49	94	4521.28	-237.13	-236.93	21.82	0.58
MWD	45	4627	1.27	221.40	95	4616.26	-238.27	-238.09	20.41	0.53
MWD	46	4721	1.10	220.34	94	4710.24	-239.73	-239.56	19.14	0.18
MWD	47	4814	1.23	220.60	93	4803.22	-241.16	-241.00	17.91	0.14
MWD	48	4909	1.32	213.57	95	4898.20	-242.83	-242.68	16.64	0.19
MWD	49	5003	0.57	251.89	94	4992.18	-243.87	-243.73	15.60	1.00
MWD	50	5097	0.97	301.38	94	5086.18	-243.59	-243.46	14.47	0.79
MWD	51	5191	1.10	310.78	94	5180.16	-242.57	-242.46	13.11	0.23
MWD	52	5285	0.92	288.98	94	5274.15	-241.72	-241.62	11.71	0.45
MWD	53	5387	1.05	302.61	102	5376.13	-240.94	-240.85	10.15	0.26
MWD	54	5461	1.32	307.88	74	5450.11	-240.04	-239.96	8.91	0.39
MWD	55	5555	1.10	317.20	94	5544.09	-238.70	-238.64	7.44	0.31
MWD	56	5651	1.01	288.81	96	5640.08	-237.73	-237.69	6.01	0.55
MWD	57	5745	0.79	288.19	94	5734.07	-237.25	-237.22	4.61	0.23
MWD	58	5839	0.84	288.54	94	5828.06	-236.82	-236.80	3.34	0.05
MWD	59	5933	0.70	332.84	94	5922.05	-236.08	-236.07	2.43	0.63
MWD	60	6027	0.4	72.95	94	6016.05	-235.47	-235.46	2.48	0.92
MWD	61	6122	0.35	308.85	95	6111.05	-235.19	-235.18	2.57	0.70
MWD	62	6216	0.13	267.36	94	6205.04	-235.02	-235.00	2.24	0.28
MWD	63	6310	0.62	355.6	94	6299.04	-234.51	-234.50	2.10	0.67
MWD	64	6405	0.53	347.17	95	6394.04	-233.57	-233.56	1.96	0.13
MWD	65	6499	0.79	39.99	94	6488.03	-232.65	-232.64	2.28	0.67

MWD	66	6593	0.48	10.72	94	6582.03	-231.77	-231.76	2.77	0.47
MWD	67	6687	0.84	355.96	94	6676.02	-230.70	-230.68	2.79	0.42
MWD	68	6781	0.84	34.89	94	6770.01	-229.45	-229.43	3.14	0.60
MWD	69	6875	0.62	26.63	94	6864.00	-228.44	-228.41	3.76	0.26
MWD	70	6968	0.79	347.96	93	6957.00	-227.36	-227.33	3.85	0.53
MWD	71	7063	0.88	13.71	95	7051.99	-226.01	-225.99	3.89	0.40
MWD	72	7158	1.49	66.27	95	7146.97	-224.82	-224.78	5.19	1.25
MWD	73	7251	1.85	83.14	93	7239.93	-224.18	-224.11	7.79	0.65
MWD	74	7346	2.02	70.75	95	7334.88	-223.47	-223.38	10.89	0.47
MWD	75	7440	1.89	78.75	94	7428.82	-222.65	-222.53	13.98	0.32
MWD	76	7533	1.98	69.87	93	7521.77	-221.83	-221.68	16.99	0.34
MWD	77	7629	2.33	82.18	96	7617.70	-221.03	-220.84	20.48	0.60
MWD	78	7724	2.37	70.14	95	7712.62	-220.13	-219.91	24.24	0.52
MWD	79	7818	2.68	75.32	94	7806.53	-218.95	-218.69	28.20	0.41
MWD	80	7913	1.89	72.86	95	7901.45	-217.97	-217.67	31.84	0.84
MWD	81	8007	1.27	107.14	94	7995.42	-217.84	-217.52	34.32	1.17
MWD	82	8102	1.14	168.4	95	8090.40	-219.09	-218.76	35.51	1.30
MWD	83	8196	1.32	175.25	94	8184.38	-221.08	-220.75	35.79	0.25
MWD	84	8291	1.19	145.37	95	8279.36	-222.99	-222.65	36.44	0.69
MWD	85	8385	1.19	156.62	94	8373.34	-224.70	-224.35	37.38	0.25
MWD	86	8480	1.14	156.01	95	8468.32	-226.48	-226.12	38.16	0.05
MWD	87	8574	1.19	162.86	94	8562.30	-228.27	-227.91	38.83	0.16
MWD	88	8669	1.14	181.76	95	8657.28	-230.16	-229.80	39.09	0.41
MWD	89	8764	1.27	197.14	95	8752.26	-232.11	-231.75	38.75	0.37
MWD	90	8857	1.1	202.32	93	8845.24	-233.91	-233.56	38.11	0.22
MWD	91	8951	1.01	184.83	94	8939.22	-235.57	-235.22	37.70	0.35
MWD	92	9045	0.88	230.54	94	9033.21	-236.85	-236.50	37.07	0.79
MWD	93	9140	1.27	235.72	95	9128.20	-237.89	-237.56	35.63	0.42
MWD	94	9232	1.19	228.08	92	9220.17	-239.09	-238.77	34.08	0.20
MWD	95	9326	0.92	209.27	94	9314.16	-240.39	-240.08	32.99	0.46
MWD	96	9420	0.57	204.17	94	9408.15	-241.47	-241.17	32.43	0.38
MWD	97	9515	0.57	230.54	95	9503.15	-242.19	-241.90	31.87	0.27
MWD	98	9609	0.79	223.07	94	9597.14	-242.95	-242.67	31.06	0.25
MWD	99	9703	0.84	210.06	94	9691.13	-244.02	-243.74	30.28	0.20
MWD	100	9797	1.01	210.94	94	9785.12	-245.32	-245.04	29.51	0.18
MWD	101	9891	0.92	201.88	94	9879.10	-246.72	-246.45	28.80	0.19
MWD	102	9986	1.01	216.03	95	9974.09	-248.10	-247.84	28.02	0.27
MWD	103	10081	1.23	219.81	95	10069.07	-249.55	-249.30	26.88	0.24
MWD	104	10176	1.23	217.79	95	10164.05	-251.12	-250.89	25.60	0.05
MWD	105	10271	0.66	285.03	95	10259.04	-251.78	-251.55	24.45	1.21
MWD	106	10364	1.27	329.59	93	10352.03	-250.74	-250.53	23.41	0.99
MWD	107	10458	1.32	319.04	94	10446.00	-249.01	-248.81	22.17	0.26
MWD	108	10552	1.85	279.49	94	10539.97	-247.92	-247.74	19.96	1.26
MWD	109	10646	1.93	274.39	94	10633.92	-247.52	-247.37	16.89	0.20
MWD	110	10740	1.76	322.12	94	10727.88	-246.24	-246.11	14.42	1.60
MWD	111	10834	2.37	280.46	94	10821.82	-244.72	-244.62	11.63	1.68
MWD	112	10929	2.37	284.50	95	10916.74	-243.83	-243.77	7.79	0.18
MWD	113	10978	2.02	310.60	49	10965.70	-243.00	-242.95	6.16	2.14
MWD	114	11024	2.42	302.08	46	11011.67	-241.94	-241.91	4.72	1.13
MWD	115	11118	1.45	2.37	94	11105.62	-239.69	-239.67	3.08	2.25
MWD	116	11213	1.05	335.39	95	11200.60	-237.69	-237.67	2.77	0.74
MWD	117	11308	1.67	329.41	95	11295.57	-235.70	-235.69	1.71	0.67
MWD	118	11402	1.54	336.18	94	11389.54	-233.35	-233.36	0.50	0.24
MWD	119	11497	1.54	318.69	95	11484.50	-231.21	-231.23	-0.86	0.49
MWD	120	11591	1.67	324.14	94	11578.47	-229.14	-229.17	-2.50	0.21
MWD	121	11625	1.67	317.11	34	11612.45	-228.37	-228.41	-3.12	0.60
MWD	122	11717	3.21	324.67	92	11704.37	-225.26	-225.32	-5.53	1.71
MWD	123	11811	11.82	357.71	94	11797.50	-213.45	-213.53	-7.44	9.89
MWD	124	11905	18.42	356.40	94	11888.20	-188.97	-189.06	-8.76	7.03
MWD	125	11999	20.00	2.20	94	11976.97	-158.08	-158.17	-9.07	2.63
MWD	126	12094	34.73	3.25	95	12061.10	-114.61	-114.68	-6.90	15.51
MWD	127	12189	40.26	2.28	95	12136.45	-56.90	-56.94	-4.14	5.85
MWD	128	12284	57.45	4.04	95	12198.72	14.21	14.21	-0.07	18.15
MWD	129	12378	71.38	3.08	94	12239.22	98.56	98.62	5.14	14.85
MWD	130	12473	87.38	1.05	95	12256.67	191.53	191.62	8.45	16.97
MWD	131	12507	88.84	0.09	34	12257.79	225.51	225.60	8.79	5.14
MWD	132	12601	89.41	0.53	94	12259.23	319.48	319.59	9.30	0.77
MWD	133	12695	89.23	0.53	94	12260.34	413.46	413.58	10.17	0.19
MWD	134	12789	89.05	0.09	94	12261.76	507.44	507.57	10.67	0.51
MWD	135	12883	88.97	360.00	94	12263.38	601.42	601.55	10.75	0.13
MWD	136	12978	88.22	359.12	95	12265.71	696.39	696.52	10.02	1.22
MWD	137	13073	87.56	358.59	95	12269.21	791.32	791.43	8.12	0.89
MWD	138	13168	90.73	358.59	95	12270.62	886.29	886.38	5.78	3.34
MWD	139	13262	88.18	358.86	94	12271.52	980.27	980.35	3.69	2.73
MWD	140	13356	87.16	358.42	94	12275.34	1074.18	1074.24	1.46	1.18
MWD	141	13451	86.24	360.00	95	12280.81	1169.02	1169.07	0.16	1.92
MWD	142	13545	85.54	0.26	94	12287.55	1262.77	1262.83	0.37	0.79
MWD	143	13638	84.79	359.91	93	12295.38	1355.43	1355.50	0.51	0.89
MWD	144	13732	84.48	360.00	94	12304.17	1449.01	1449.08	0.43	0.34

MWD	145	13826	84.57	359.21	94	12313.14	1542.58	1542.65	-0.21	0.84
MWD	146	13921	85.54	359.30	95	12321.33	1637.23	1637.29	-1.44	1.03
MWD	147	14015	87.69	360.00	94	12326.88	1731.06	1731.12	-2.02	2.40
MWD	148	14110	88.44	360.00	95	12330.09	1826.00	1826.06	-2.02	0.79
MWD	149	14203	88.97	359.82	93	12332.19	1918.97	1919.04	-2.16	0.60
MWD	150	14298	89.54	359.38	95	12333.43	2013.96	2014.03	-2.83	0.76
MWD	151	14393	90.15	359.38	95	12333.68	2108.96	2109.02	-3.85	0.64
MWD	152	14486	89.54	359.47	93	12333.93	2201.96	2202.02	-4.79	0.66
MWD	153	14580	89.45	0.79	94	12334.76	2295.95	2296.01	-4.57	1.41
MWD	154	14673	89.63	0.97	93	12335.51	2388.92	2389.00	-3.14	0.27
MWD	155	14767	89.93	1.05	94	12335.87	2482.88	2482.98	-1.49	0.33
MWD	156	14860	90.86	1.32	93	12335.23	2575.83	2575.96	0.44	1.04
MWD	157	14955	88.48	0.70	95	12335.78	2670.79	2670.93	2.11	2.59
MWD	158	15048	88.70	0.53	93	12338.07	2763.74	2763.90	3.11	0.30
MWD	159	15143	90.11	0.70	95	12339.05	2858.72	2858.89	4.13	1.49
MWD	160	15237	89.19	0.26	94	12339.63	2952.70	2952.88	4.91	1.08
MWD	161	15331	87.56	359.03	94	12342.29	3046.65	3046.84	4.33	2.17
MWD	162	15426	86.64	358.68	95	12347.10	3141.53	3141.69	2.44	1.04
MWD	163	15521	87.65	358.15	95	12351.83	3236.39	3236.54	-0.19	1.20
MWD	164	15615	89.45	357.01	94	12354.21	3330.31	3330.42	-4.16	2.27
MWD	165	15710	89.10	356.75	95	12355.41	3425.20	3425.27	-9.33	0.46
MWD	166	15804	88.44	356.57	94	12357.43	3519.07	3519.09	-14.80	0.73
MWD	167	15896	88.53	357.89	92	12359.86	3610.97	3610.95	-19.24	1.44
MWD	168	15991	88.31	358.51	95	12362.48	3705.91	3705.86	-22.23	0.69
MWD	169	16085	91.08	359.12	94	12362.98	3799.89	3799.83	-24.17	3.02
MWD	170	16179	91.34	359.21	94	12361.00	3893.87	3893.80	-25.54	0.29
MWD	171	16273	91.87	358.77	94	12358.36	3987.83	3987.75	-27.20	0.73
MWD	172	16367	90.73	356.66	94	12356.23	4081.75	4081.64	-30.94	2.55
MWD	173	16461	93.14	356.84	94	12353.06	4175.59	4175.43	-36.27	2.57
MWD	174	16555	93.32	356.57	94	12347.76	4269.33	4269.13	-41.66	0.34
MWD	175	16649	90.64	359.82	94	12344.51	4363.23	4363.00	-44.62	4.48
MWD	176	16742	87.65	359.30	93	12345.90	4456.21	4455.98	-45.33	3.26
MWD	177	16837	92.66	359.03	95	12345.64	4551.18	4550.94	-46.72	5.28
MWD	178	16930	94.59	357.54	93	12339.76	4643.97	4643.70	-49.49	2.62
MWD	179	17023	95.78	357.89	93	12331.36	4736.54	4736.25	-53.19	1.33
MWD	180	17117	91.34	0.53	94	12325.52	4830.33	4830.03	-54.48	5.49
MWD	181	17211	89.45	359.74	94	12324.87	4924.31	4924.02	-54.25	2.18
MWD	182	17305	90.73	1.41	94	12324.73	5018.29	5018.01	-53.31	2.24
MWD	183	17400	90.73	0.61	95	12323.51	5113.25	5112.99	-51.64	0.84
MWD	184	17494	91.43	0.88	94	12321.74	5207.20	5206.96	-50.41	0.80
MWD	185	17589	92.13	360.00	95	12318.79	5302.14	5301.91	-49.69	1.18
MWD	186	17683	90.02	0.70	94	12317.03	5396.11	5395.89	-49.11	2.36
MWD	187	17778	90.07	1.05	95	12316.95	5491.08	5490.87	-47.66	0.37
MWD	188	17872	89.67	1.05	94	12317.17	5585.04	5584.86	-45.94	0.43
MWD	189	17966	89.85	0.88	94	12317.56	5679.01	5678.84	-44.35	0.26
MWD	190	18060	88.04	359.30	94	12319.29	5772.98	5772.82	-44.21	2.56
MWD	191	18155	86.95	358.51	95	12323.44	5867.88	5867.71	-46.02	1.42
MWD	192	18249	88.84	357.89	94	12326.90	5961.79	5961.60	-48.97	2.12
MWD	193	18342	91.38	358.68	93	12326.72	6054.76	6054.55	-51.75	2.86
MWD	194	18435	90.77	359.56	93	12324.97	6147.75	6147.52	-53.18	1.15
MWD	195	18528	90.64	359.91	93	12323.83	6240.74	6240.51	-53.61	0.40
MWD	196	18623	89.14	359.21	95	12324.01	6335.73	6335.50	-54.34	1.74
MWD	197	18718	89.05	358.24	95	12325.51	6430.71	6430.47	-56.45	1.03
MWD	198	18812	87.25	358.07	94	12328.55	6524.64	6524.37	-59.48	1.92
MWD	199	18906	86.37	359.30	94	12333.78	6618.48	6618.19	-61.63	1.61
MWD	200	19000	93.36	0.18	94	12334.00	6712.42	6712.13	-62.06	7.49
MWD	201	19095	91.21	359.91	95	12330.21	6807.33	6807.05	-61.99	2.28
MWD	202	19189	94.29	0.18	94	12325.70	6901.21	6900.93	-61.91	3.29
MWD	203	19284	95.34	0.35	95	12317.73	6995.86	6995.59	-61.47	1.12
MWD	204	19379	94.64	359.65	95	12309.46	7090.50	7090.23	-61.47	1.04
MWD	205	19473	93.54	359.38	94	12302.76	7184.25	7183.99	-62.27	1.20
MWD	206	19567	93.41	359.03	94	12297.06	7278.08	7277.81	-63.57	0.40
MWD	207	19662	93.01	359.21	95	12291.74	7372.93	7372.65	-65.03	0.46
MWD	208	19756	92.44	358.51	94	12287.27	7466.82	7466.52	-66.90	0.96
MWD	209	19850	90.55	357.19	94	12284.82	7560.74	7560.41	-70.42	2.45
MWD	210	19943	92.97	358.07	93	12281.97	7653.64	7653.28	-74.26	2.77
MWD	211	20037	92.48	357.89	94	12277.50	7747.51	7747.12	-77.57	0.56
MWD	212	20131	93.63	359.74	94	12272.49	7841.36	7840.96	-79.52	2.31
MWD	213	20224	94.20	359.38	93	12266.14	7934.14	7933.74	-80.23	0.72
MWD	214	20317	93.98	358.86	93	12259.50	8026.90	8026.49	-81.65	0.61
MWD	215	20412	93.76	358.59	95	12253.09	8121.68	8121.25	-83.76	0.37
MWD	216	20506	94.33	358.42	94	12246.46	8215.43	8214.98	-86.21	0.63
MWD	217	20601	94.77	358.42	95	12238.92	8310.12	8309.65	-88.82	0.46
MWD	218	20695	95.08	357.63	94	12230.85	8403.74	8403.24	-92.05	0.90
MWD	219	20790	94.46	0.09	95	12222.95	8498.40	8497.89	-93.93	2.66
MWD	220	20884	91.43	1.67	94	12218.12	8592.23	8591.74	-92.49	3.63
MWD	221	20979	91.25	1.41	95	12215.90	8687.14	8686.68	-89.93	0.33
MWD	222	21073	90.95	1.58	94	12214.10	8781.07	8780.63	-87.48	0.37
MWD	223	21168	91.52	1.76	95	12212.05	8875.97	8875.57	-84.71	0.63

MWD	224	21263	89.80	1.67	95	12210.96	8970.89	8970.51	-81.87	1.81
MWD	225	21358	90.68	1.14	95	12210.56	9065.83	9065.48	-79.54	1.08
MWD	226	21452	93.14	0.18	94	12207.43	9159.75	9159.42	-78.46	2.81
MWD	227	21546	93.32	359.12	94	12202.13	9253.60	9253.27	-79.03	1.14
MWD	228	21640	89.85	358.94	94	12199.53	9347.54	9347.20	-80.62	3.70
MWD	229	21734	92.66	359.91	94	12197.47	9441.51	9441.16	-81.57	3.16
MWD	230	21827	92.79	359.74	93	12193.05	9534.40	9534.06	-81.85	0.23
MWD	231	21921	91.34	359.03	94	12189.66	9628.34	9627.99	-82.86	1.72
MWD	232	22015	92.97	357.54	94	12186.13	9722.25	9721.87	-85.67	2.35
MWD	233	22110	94.51	357.71	95	12179.93	9816.99	9816.59	-89.60	1.63
MWD	234	22204	95.38	357.98	94	12171.83	9910.61	9910.17	-93.12	0.97
MWD	235	22298	93.45	357.36	94	12164.59	10004.28	10003.81	-96.93	2.16
MWD	236	22392	94.07	358.15	94	12158.43	10098.03	10097.53	-100.60	1.07
MWD	237	22488	93.76	357.27	96	12151.87	10193.76	10193.23	-104.43	0.97
PTB	238	22554	93.76	357.27	66	12147.55	10259.57	10259.01	-107.57	0.00

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / LOT 4 / 32.1093843 / -103.3103017	County or Parish/State: LEA / NM
Well Number: 211H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549120	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2651136

Type of Submission: Subsequent Report

Date Sundry Submitted: 01/05/2022

Date Operation Actually Began: 11/27/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 09:51

Actual Procedure: 11/27/2021: Pressure test casing to 5000 psi for 30 minutes, good test. 12/1/2021 to 12/24/2022: Perforate from 12294 ft to 22424 ft, 1 SPF, .55 inch holes with 663 total shots. 51 stage frac with 27,772,160 lbs of 100 mesh sand. 1/2/2022 to 1/4/2022: Drill out plugs Plug Back Measured depth at 22495 ft MD, 12152 ft TVD. 1/5/2022: Ready to produce

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / LOT 4 / 32.1093843 / -103.3103017	County or Parish/State: LEA / NM
Well Number: 211H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549120	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.


Operator Electronic Signature: JEFFREY TRLICA	Signed on: JAN 05, 2022 09:51 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/19/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-49120										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name BLUE MARLIN FED COM		
								6. Well Number: 211H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat JAL; WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	19	25-S	36-E	-	283'	SOUTH	748'	WEST	LEA
BH:	D	18	25-S	36-E	-	34'	NORTH	738'	WEST	LEA
13. Date Spudded 8/20/2021	14. Date T.D. Reached 9/30/2021		15. Date Rig Released 10/2/2021		16. Date Completed (Ready to Produce) 1/5/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3074 GR		
18. Total Measured Depth of Well 22554'			19. Plug Back Measured Depth 22495'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12294 ft to 22424 ft, WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1276'		17.5"		1130 SKS		0
9.625"		40		5445"		12.25"		1322 SKS		0
7.625"		29.7		11597'		8.75"		497 SKS		0
5.5"		23		22541		6.75"		1327 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) Perforate from 12294 ft to 22424 ft, 1 SPF, .55 inch holes with 663 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12294 ft to 22424 ft 51 stage frac with 27,772,160 lbs of 100 mesh sand.				
28. PRODUCTION										
Date First Production 1/9/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING				
Date of Test 2/2/2022	Hours Tested 24	Choke Size 34/64	Prod'n For Test Period	Oil - Bbl 1440	Gas - MCF 2118	Water - Bbl. 5162	Gas - Oil Ratio 680			
Flow Tubing Press. 0	Casing Pressure 1625	Calculated 24-Hour Rate	Oil - Bbl. 1440	Gas - MCF 2118	Water - Bbl. 5162	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments DIRECTIONAL SURVEY, C-102 AS DRILLED										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name			Title			Date	
			Jeff Trlica			Regulatory Analyst			3/3/2022	
E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	1210		QUATERNARY				
11210	1350		RUSTLER				
1350	5050		TOP OF SALT				
5050	5150		BASE OF SALT				
5150	5195		DELAWARE				
5195	6154		BELL CANYON				
6154	7212		CHERRY CANYON				
7212	8447		BRUSHY CANYON				
8447	8786		BONE SPRING LIME				
8786	9738		AVALON				
9738	10302		1ST BONE SPRING SAND				
10302	11523		2ND BONE SPRING SAND				
11523	11739		3RD BONE SPRING SAND				
11759	12073		WOLFCAMP A				
12915			WOLFCAMP B				

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 137661

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 137661
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 137661

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 137661
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
Ilowe	COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	9/29/2022