

Well Name: GANTRYPERSON FEDERAL	Well Location: T19S / R33E / SEC 15 / NWNW /	County or Parish/State: LEA / NM
Well Number: 3	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM36915	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002536261	Well Status: Abandoned	Operator: COG OPERATING LLC

Accepted for Record Only

SUBJECT TO LIKE
APPROVAL BY BLM

NMOCD 10/7/22

X 7

Subsequent Report

Sundry ID: 2660691

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/08/2022

Date Operation Actually Began: 02/21/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 08:56

Actual Procedure: 02/21/22 MIRU plugging equipment. POH w/ rods & pump. Dug out cellar. ND well head, NU BOP. 02/22/22 Set RBP @ 3500'. Circ'd hole w/ 85 bbls Brine H2O. Pressure tested csg, held 500 PSI. RU Renegade wireline, ran CBL from 3500' to surface. POH w/ RBP & RD wireline. 02/23/22 RIH w/ tbg & tagged @ 3620*. Spotted 10 sx class C cmt @ 3620-3521'. Set 5 1/2" CIBP @ 3500'. Circ hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 65 sx class C cmt w/ 2% CACL @ 3500-2858'. WOC. Tagged plug @ 2850'. Spotted 25 sx class C cmt @ > 1570-1323'. WOC. 02/24/22 Tagged plug @ 1327'. ND BOP. Spotted 25 sx class C cmt @ 100' to surface in 5 1/2 & 8 5/8". Rigged down & moved off. 03/04/22 Moved in backhoe and welder. Cut off well head & anchors. Joe Balderas w/ BLM verified cmt @ surface. Welded on "Underground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

SR Attachments

- Actual Procedure
- COP_Gantryperson_Fed_3_Plugged_WBD_20220308085620.pdf
- COP_Gantryperson_Fed_3_Current_WBD_20220308085604.pdf

Received by OCD: 10/6/2022 3:17:26 PM

Page 2 of 7

Well Name: GANTRYPERSON FEDERAL	Well Location: T19S / R33E / SEC 15 / NWNW /	County or Parish/State: LEA / NM
Well Number: 3	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM36915	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002536261	Well Status: Abandoned	Operator: COG OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: RUTH SHOCKENCY	Signed on: MAR 08, 2022 08:56 AM
Name: COG OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 600 W. ILLINOIS AVE.	
City: MIDLAND	State: TX
Phone: (575) 703-8321	
Email address: RUTH.SHOCKENCY@CONOCOPHILLIPS.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact


BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 03/08/2022
Signature: James A. Amos	





COG Operating LLC		PLUGGED	
Author:	Abby @ BCM	Well No. #3	
Well Name	Gantryperson	API #:	30-025-36261
Field	Tonto	Prop #:	29887
County	Lea	Zone:	Seven Rivers
State	New Mexico		330 FNL & 990 FWL
Spud Date	8/6/2003		Sec 15 T19S R33E
GL	3670'		
KB	16'		

Description	O.D.	Grade	Weight	Depth	Cmt Sx	TOC
Surface Csg	8.625"	J-55	32	1,510	800	0'
Prod Csg	5.5"	J-55	15.5	3,900	595	0'



4. Spotted 25 sx class C cmt @ 100' to surface in 5 1/2 & 8 5/8".

12 1/4" hole

8-5/8" (32#) @ 1510' w/ 800 sks
TOC @ surf

3. Spotted 25 sx class C cmt @ 1570-1323'. WOC & Tagged plug @ 1327'.

Formation	Tops
Rust	1437
T/Salt	
B/Salt	3045
Tansill	3060
Yates	3294
7 Rivers	3673

2. Set 5 1/2" CIBP @ 3500'. Circ hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 65 sx class C cmt w/ 2% CACL @ 3500-2858'. WOC. Tagged plug @ 2850'.

3584'-3601' (Three Rivers) 28 shots - 5/2011 acidized with 1500 gal & frac'd with 40,000 lbs

1. Tagged @ 3620'. Spotted 10 sx class C cmt @ 3620-3521'.

3641'-3662' (Three Rivers) 43 shots - 8/2003 frac'd with 73,000 lbs

7 7/8" hole

5-1/2" (15.5#) @ 3,900' w/ 595 sks
TOC @ surf

TD @ 3,900'
PBTD @ 3,621'

1. Prior to rig up, provide CBL evidence of cement tops behind 5 1/2" or submit a CBL taken at 0 PSI after the Yates formation top plug described below sets. Plugging operations may be modified ensuring plugs cover the drilled wellbore I.D.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 149477

COMMENTS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 149477
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	10/9/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 149477

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 149477
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	10/7/2022