

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-23873
5. Indicate Type of Lease STATE [X] FEE []
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name NORTH VACUUM ABO EAST UNI
8. Well Number 006
9. OGRID Number 298299
10. Pool name or Wildcat VACUUM; ABO, NORTH
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [] Gas Well [] Other INJECTION
2. Name of Operator CROSS TIMBERS ENERGY, LLC
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102
4. Well Location Unit Letter D : 660 feet from the N line and 660 feet from the W line
Section 18 Township 17S Range 35E NMPM County LEA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [X] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A []
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

In response to Violation cGR2224350212 for failed BHT, Cross Timbers proposes to repair and RTI:

- 1) MIRU
2) POOH w/tubing and seal assembly. Scan tbg. Replace jts as needed.
3) RBIH w/injection string and redressed seal assembly.
4) Sting into packer at 8500'. Pressure test backside to 350 psi.
5) Sting out of packer. Circulate backside with packer fluid. Sting back into packer. Contact NMOCD and run MIT for OCD representative's directive.
6) RDMO. RTI.

Condition of Approval: notify
OCD Hobbs office 24 hours
prior of running MIT Test & Chart

Spud Date: []

Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE Regulatory Analyst DATE 09/30/2022

Type or print name Connie Blaylock E-mail address: cblaylock@mspartners.com PHONE: 817-334-7882


For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 10/12/22
Conditions of Approval:

CROSS TIMBERS ENERGY, LLC

Well: North Vacuum Abo East Unit #6
API: 30-025-23873
Location: Section 18, T17S, R35E
County: Lea, New Mexico
Elevation: 4008 GL; KB 4018 (10')

CURRENT – SEPT 2022




Spud: 10/15/71
 Complete Well: 12/1//71
Abo: Initial Completion
12/71: Perforate 8642-44, 50-53, 74, 81-84, 91-94 (2JSPF, 32 holes).
 Acidize w/10,000 gals 20% Retarded Acid
IP: 191 BO/5 BW/138 MCF.
8/81: Cmt Behind Prod Csg: Csg leak found @ 1804'. Squeezed with 400 sx C + 2% Ca CL. Drill out and RWTP.
11/85: Conv to WIW: Drill to new PBTD of 8790'. Perforate 8592-8780 with 84 holes. Acidize with 6000 gals 15% NEFE+100 gals mutual solvent+175 RCNBS. IP: 155 BWIPD/1750 psi.

CROSS TIMBERS ENERGY, LLC

Well: North Vacuum Abo East Unit #6
API: 30-025-23873
Location: Section 18, T17S, R35E
County: Lea, New Mexico
Elevation: 4008 GL; KB 4018 (10')

PROPOSED



Spud: 10/15/71
 Complete Well: 12/1//71
Abo: Initial Completion
12/71: Perforate 8642-44, 50-53, 74, 81-84, 91-94 (2JSPF, 32 holes).
 Acidize w/10,000 gals 20% Retarded Acid
IP: 191 BO/5 BW/138 MCF.
8/81: Cmt Behind Prod Csg: Csg leak found @ 1804'. Squeezed with 400 sx C + 2% Ca CL. Drill out and RWTP.
11/85: Conv to WIW: Drill to new PBTD of 8790'. Perforate 8592-8780 with 84 holes. Acidize with 6000 gals 15% NEFE+100 gals mutual solvent+175 RCNBS. IP: 155 BWIPD/1750 psi.

Tubing/Packer Detail:
 2 3/8" tubing
 Baker Model N packer
 Landed @ 8500'.

Abo Perfs:
12/71:
 8642-44, 50-53, 74, 81-84, 91-94 (2JSPF, 32 holes)
11/85:
 8592-8780 with 84 holes. (2 spf)

PBTD 8790'
TD 8800'

5-1/2", 14 & 17# in 7-7/8" hole
 Set at 8800'.
 Cemented with 3070 sx.
 Circ Unknown

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 147711

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 147711
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run PWOT MIT?BHT	10/12/2022