ecesticality Copy Po Appropriate 43 strict 1:19	State of New Mexico	Form C-103 ¹
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240		WELL API NO. 30-025-33246
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	5. Indicate Type of Lease
<u>District III</u> – (505) 334-6178	1220 South St. Francis Dr.	STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM		V-2512
87505 SUNDRY NOTIC	ES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSA	LS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	
DIFFERENT RESERVOIR. USE "APPLICA" PROPOSALS.)	TION FOR PERMIT" (FORM C-101) FOR SUCH	SHELL STATE
	as Well Other	8. Well Number #003
2. Name of Operator		9. OGRID Number
OXY USA INC.		16696
3. Address of Operator	TV 77040	10. Pool name or Wildcat
PO BOX 4294, HOUSTON,	X 77210	WEST RED TANK DELAWARE; RED TANK BONE SPRING
4. Well Location Unit Letter F : 19	80	110 Car Carrata WEST 11 and
Section 36	Township 22S Range 32E 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	NMPM County LEA
	11. Elevation (<i>Snow whether DR</i> , RR <i>B</i> , R1, GR, etc. 1731' GL)
·	701 02	
12 Check Ar	propriate Box to Indicate Nature of Notice	Report or Other Data
12. Check 11	propriate Box to indicate readure of reduce	, Report of Other Data
NOTICE OF INT	ENTION TO: SUE	BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON 🔲 REMEDIAL WOI	
 -	· —	RILLING OPNS. P AND A
	MULTIPLE COMPL CASING/CEMEN	NT JOB 📙
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM		
OTHER:	OTHER: ed operations. (Clearly state all pertinent details, a	ad give pertinent dates, including estimated date
). SEE RULE 19.15.7.14 NMAC. For Multiple Co	
proposed completion or recor		ompletions. Attach wendore diagram of
FF	T	
PLEASE FIND THE PLUGGIN	REPORT AND FINAL WELLBORE ATTACHED.	
TELAGET IND THE TEGGOIN	THE ON MIN THAT WELLBONE AT MOTIES.	
		pproved for plugging of well bore only. Liability under
		ond is retained pending Location cleanup & receipt of
	l de la companya de	103Q (Subsequent Report of Well Plugging) which
	l de la companya de	ay be found at OCD Web Page, OCD Permitting @ ww.emnrd.state.nm.us
	W	ww.emmu.state.mm.us
C. ID.	P's Poloso Date	
Spud Date:	Rig Release Date:	
The selection of Control of the Cont		11 . 12 . 6
I hereby certify that the information at	ove is true and complete to the best of my knowled	ge and belief.
SIGNATURE tephen foracek	TITLE REGULATORY ENGIN	NEER DATE 10/11/22
·		
Type or print name STEPHEN JANA	ACEK E-mail address: STEPHEN_JANA	CEK@OXY.COM PHONE: 713-493-1986
For State Use Only		
A DDD OVED DV		DATE
APPROVED BY: Conditions of Approval (if any):	Accepted for record – NMOCD gc 10/13/2022	DATE
Conditions of Approval (II ally).		

Stephen Janacek

10/11/2022 Shell State #003 30-025-33246-0000 Lea String 1 OD 13.375 in TD 848 ft TOC 0 ft PERF @ 1240'. SQZ AND CIRCULATE 340 SX CMT 1240' TO SURFACE. VERIFIED CMT TO SURFACE. PERF AT 3670'. SQZ 35 SX CMT 3670'-3570'. TAG AT 3539'. String 2 OD 8.625 in SPOT 50 SX CMT 4960'-4612'. TAG TD 4662 ft TOC 0 ft AT 4460'. SPOT 25 SX CMT 5953'-5763'. TAG AT 5701'. SPOT 25 SX CMT 6575'-6400'. TAG DV Tool AT 6331'. Top 6475 ft **Delaware Perfs** CIBP SET AT 7176. SPOT 25 SX 7226'-7340' 7176'-6950'. TAG AT 6952'. 7888'-7890' 8070'-8073' 8480-8624' (Squeezed) CIBP SET AT 8790'. SPOT 25 SX String 3 8790'-8564'. TAG AT 8527' OD 5.5 in **Bone Spring Perfs** TD 9050 ft TOC 4000 ft 8840'-8882'

Final Wellbore

PBTD 9050 ft

Shell State #003 30-025-33246 Well Plugged on 9/19/2022

Plug	Description
	1ST PLUG) BALANCED PLUG FROM 8790' TO 8564' W/ 25 SXS CLASS H CMT, 5.25 BBLS,15.6# 1.18 YIELD,
1	COVERING 226' DISPLACE TO 8564' DISPLACE W/ 49.6 BBLS
	2ND PLUG) BALANCED PLUG FROM 7176' TO 6950' W/ 25 SXS CLASS H CMT, 5.25 BBLS,15.6# 1.18 YIELD,
2	COVERING 226' DISPLACE TO 6950' DISPLACE W/ 40.3 BBLS
	3RD PLUG) BALANCE PLUG 6575' TO 6400' SPOT 25 SXS CLASS C CMT, 5.8 BBLS,14.8# 1.32 YIELD, COVERING
3	250' DISPLACE TO 6325' DISPLACE W/ 36.6 BBLS
	4TH PLUG) BALANCE PLUG 5953' TO 5763' SPOT 25 SXS CLASS C CMT, 5.8 BBLS,14.8# 1.32 YIELD, COVERING
4	250' DISPLACE TO 5703' DISPLACE W/ 33 BBLS
	5TH PLUG) BALANCE PLUG 4960' TO 4612' SPOT 50 SXS CLASS C CMT, 11.75 BBLS,14.8# 1.32 YIELD, COVERING
5	506' DISPLACE TO 4454' DISPLACE W/ 25.8 BBLS
	6TH PLUG) PERF @ 3670' SQZ 35 SXS CLASS C CMT, 8.2 BBLS, 14.8# 1.32 YIELD, COVERING 354' DISPLACE TO
6	3570' DISPLACE W/ 29.6 BBLS ISIP = 500 PSI
	7TH PLUG) PERF @ 1240' SQZ 340 SXS CLASS C CMT, 79.9 BBLS,14.8# 1.32 YIELD, COVERING 3445' FROM 1240' -
	0' GOT FULL RETURNS ON INTERMEDIUM CASING CLOSE VALVE AND LEFT 500 PSI ON PRODUCTION CASING,
7	WOC TOP OFF HOLE WITH CMT VERIFY CMT AT SURFACE

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 150070

COMMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	150070
	Action Type:
	[C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	10/13/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 150070

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	150070
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/13/2022