

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 8/18/22
⁴ API Number 30-015-48927	⁵ Pool Name PADUCA; BONE SPRING (O)	⁶ Pool Code 96641
⁷ Property Code 300635	⁸ Property Name Cotton Draw Unit	⁹ Well Number 543H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	12	25S	31E		583	South	2952	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
3	1	25S	31E		93	North	2255	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 8/18/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
020809	Lucid Energy Group 3100 McKinnon St. Ste 800 Dallas, TX 75201	Gas
329657	Cotton Draw Midstream, L.L.C. 333 W. Sheridan Ave. Oklahoma City, OK 731702	Gas
020445	Plains Marketing P.O. Box 4648 Houston, TX 77210	Oil

IV. Well Completion Data

²¹ Spud Date 2/10/22	²² Ready Date 8/18/22	²³ TD 19079	²⁴ PBDT 18,930 MD/8,794 TVD	²⁵ Perforations 9021 - 19038	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	746	610 sx CLC; Circ 122 sx		
12-1/4"	9-5/8"	8360	660 sx CLC ; Circ 3 sx		
8-1/2"	5-1/2"	19063	1864 sx CLH; Circ 0 sx		
	Tubing: 2-7/8"	8496			

V. Well Test Data

³¹ Date New Oil 8/28/22	³² Gas Delivery Date 8/28/22	³³ Test Date 8/28/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 626 psi	³⁶ Csg. Pressure N/A
³⁷ Choke Size N/A	³⁸ Oil 1537 bbl	³⁹ Water 1354 bbl	⁴⁰ Gas 4701 mcf		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 		OIL CONSERVATION DIVISION Approved by: 	
Printed name: Shayda Omoumi		Title: Petroleum Engineer	
Title: Regulatory Compliance Professional		Approval Date: 10/20/22	
E-mail Address: shayda.omoumi@dvni.com			
Date: 9/13/2022	Phone: 405-552-3513		

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-48927	Pool Code 96641	Pool Name PADUCA;BONE SPRING (O)
Property Code 300635	Property Name COTTON DRAW UNIT	Well Number 543H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3408.4'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	12	25-S	31-E		583	SOUTH	2592	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
LOT 3	1	25-S	31-E		93	NORTH	2255	WEST	EDDY
Dedicated Acres 320.25	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

COTTON DRAW UNIT 543H
ELEV: 3408.4'
LAT: 32.139184
LON: 103.731734
N: 414890.99
E: 727545.42

KICK OFF POINT
2229' FWL 69' FSL SEC. 12
LAT: 32.137766
LON: 103.732905
N: 414373.08
E: 727185.64

FIRST TAKE POINT
2238' FWL 427' FSL SEC. 12
LAT: 32.138751
LON: 103.732876
N: 414731.23
E: 727192.72

LAST TAKE POINT
2255' FWL 134' FNL SEC. 1
LAT: 32.166258
LON: 103.732797
N: 424738.21
E: 727161.33

BOTTOM OF HOLE
LAT: 32.166371
LON: 103.732799
N: 424779.12
E: 727160.68

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shayda Omoumi 8/8/2022
Signature Date

Shayda Omoumi
Printed Name

shayda.omoumi@dmn.com
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

05/2022
Date of Survey

Signature & Seal of Professional Surveyor



08/03/2022
Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

☐ Y

Is this well an infill well?

☐ N

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 543H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Site:	Cotton Draw Unit	MD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Well:	Cotton Draw Unit 543H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Cotton Draw Unit			
Site Position:		Northing:	435,369.65 usft	Latitude:	32.1955958
From:	Map	Easting:	719,574.94 usft	Longitude:	-103.7571294
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.31 °

Well	Cotton Draw Unit 543H					
Well Position	+N/-S	0.00 usft	Northing:	414,890.99 usft	Latitude:	32.1391844
	+E/-W	0.00 usft	Easting:	727,545.42 usft	Longitude:	-103.7317337
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,408.40 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	1/18/2022	6.45	59.72	47,570.70000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	357.77	

Survey Program	Date	3/10/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
176.00	19,079.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	414,890.99	727,545.42	32.1391844	-103.7317337
176.00	0.40	117.70	176.00	-0.29	0.54	414,890.70	727,545.96	32.1391836	-103.7317320
271.00	0.50	134.00	271.00	-0.73	1.14	414,890.26	727,546.55	32.1391824	-103.7317301
367.00	0.60	156.60	366.99	-1.48	1.64	414,889.51	727,547.05	32.1391803	-103.7317285
462.00	0.80	182.40	461.98	-2.60	1.81	414,888.39	727,547.22	32.1391772	-103.7317280
557.00	0.90	190.60	556.97	-4.00	1.64	414,886.99	727,547.06	32.1391734	-103.7317285
652.00	1.10	199.20	651.96	-5.59	1.20	414,885.40	727,546.62	32.1391690	-103.7317300
683.00	1.30	202.20	682.95	-6.20	0.97	414,884.79	727,546.39	32.1391674	-103.7317307
810.00	1.50	210.60	809.91	-8.96	-0.42	414,882.03	727,545.00	32.1391598	-103.7317353
904.00	1.60	214.20	903.88	-11.11	-1.78	414,879.88	727,543.64	32.1391539	-103.7317397
999.00	1.50	218.00	998.85	-13.18	-3.29	414,877.81	727,542.12	32.1391482	-103.7317446
1,094.00	1.30	222.60	1,093.82	-14.96	-4.79	414,876.03	727,540.63	32.1391434	-103.7317495

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 543H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Site:	Cotton Draw Unit	MD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Well:	Cotton Draw Unit 543H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,189.00	1.00	225.60	1,188.80	-16.33	-6.11	414,874.66	727,539.31	32.1391396	-103.7317538
1,283.00	0.90	218.60	1,282.79	-17.48	-7.16	414,873.51	727,538.26	32.1391365	-103.7317572
1,378.00	0.90	217.40	1,377.77	-18.65	-8.07	414,872.33	727,537.34	32.1391333	-103.7317602
1,473.00	0.80	210.10	1,472.76	-19.82	-8.86	414,871.17	727,536.56	32.1391301	-103.7317627
1,568.00	0.60	203.00	1,567.76	-20.85	-9.39	414,870.14	727,536.03	32.1391272	-103.7317644
1,663.00	0.50	189.60	1,662.75	-21.72	-9.65	414,869.27	727,535.77	32.1391249	-103.7317653
1,758.00	0.50	158.80	1,757.75	-22.51	-9.57	414,868.47	727,535.85	32.1391227	-103.7317651
1,854.00	2.00	204.90	1,853.72	-24.42	-10.12	414,866.56	727,535.29	32.1391174	-103.7317669
1,949.00	4.20	211.30	1,948.58	-28.90	-12.63	414,862.09	727,532.79	32.1391052	-103.7317751
2,044.00	6.10	213.60	2,043.19	-36.08	-17.23	414,854.91	727,528.19	32.1390855	-103.7317901
2,139.00	7.20	215.30	2,137.55	-45.14	-23.46	414,845.85	727,521.95	32.1390607	-103.7318104
2,234.00	7.00	213.50	2,231.82	-54.83	-30.10	414,836.16	727,515.32	32.1390342	-103.7318320
2,329.00	6.50	210.40	2,326.16	-64.29	-36.01	414,826.70	727,509.40	32.1390082	-103.7318513
2,424.00	5.90	207.90	2,420.61	-73.25	-41.02	414,817.74	727,504.40	32.1389837	-103.7318676
2,520.00	7.40	209.90	2,515.96	-82.97	-46.41	414,808.02	727,499.00	32.1389571	-103.7318852
2,616.00	8.10	211.40	2,611.08	-94.10	-53.02	414,796.89	727,492.40	32.1389266	-103.7319067
2,710.00	7.60	210.80	2,704.20	-105.09	-59.65	414,785.90	727,485.77	32.1388965	-103.7319284
2,805.00	7.20	210.60	2,798.41	-115.61	-65.90	414,775.38	727,479.52	32.1388676	-103.7319487
2,900.00	6.30	211.80	2,892.75	-125.17	-71.67	414,765.82	727,473.74	32.1388415	-103.7319676
2,996.00	5.80	214.10	2,988.22	-133.66	-77.17	414,757.33	727,468.25	32.1388182	-103.7319855
3,091.00	6.80	215.60	3,082.64	-142.21	-83.14	414,748.78	727,462.28	32.1387948	-103.7320049
3,186.00	7.30	215.80	3,176.92	-151.68	-89.94	414,739.31	727,455.48	32.1387689	-103.7320270
3,281.00	5.90	211.30	3,271.29	-160.74	-96.01	414,730.25	727,449.41	32.1387440	-103.7320468
3,376.00	6.10	210.90	3,365.77	-169.25	-101.14	414,721.74	727,444.28	32.1387207	-103.7320635
3,471.00	5.70	211.40	3,460.27	-177.60	-106.19	414,713.38	727,439.23	32.1386979	-103.7320800
3,567.00	6.50	206.60	3,555.72	-186.53	-111.10	414,704.46	727,434.31	32.1386734	-103.7320960
3,662.00	7.80	201.90	3,649.98	-197.32	-115.92	414,693.67	727,429.50	32.1386438	-103.7321118
3,757.00	8.00	196.90	3,744.08	-209.63	-120.24	414,681.36	727,425.17	32.1386100	-103.7321260
3,852.00	7.20	192.20	3,838.25	-221.77	-123.42	414,669.22	727,421.99	32.1385767	-103.7321365
3,947.00	6.50	188.60	3,932.57	-232.91	-125.48	414,658.08	727,419.93	32.1385461	-103.7321433
4,042.00	7.00	193.40	4,026.91	-243.86	-127.63	414,647.13	727,417.79	32.1385161	-103.7321505
4,138.00	7.30	195.40	4,122.17	-255.43	-130.60	414,635.56	727,414.81	32.1384843	-103.7321603
4,233.00	6.90	205.20	4,216.44	-266.41	-134.64	414,624.58	727,410.78	32.1384542	-103.7321735
4,328.00	7.60	222.30	4,310.69	-276.22	-141.30	414,614.77	727,404.12	32.1384273	-103.7321952
4,423.00	7.60	229.90	4,404.86	-284.92	-150.33	414,606.07	727,395.09	32.1384036	-103.7322245
4,518.00	7.20	230.00	4,499.07	-292.79	-159.70	414,598.20	727,385.72	32.1383821	-103.7322549
4,613.00	7.60	221.80	4,593.28	-301.30	-168.44	414,589.69	727,376.97	32.1383588	-103.7322834
4,708.00	8.10	216.60	4,687.39	-311.35	-176.62	414,579.63	727,368.79	32.1383313	-103.7323100
4,803.00	7.90	215.90	4,781.47	-322.02	-184.44	414,568.97	727,360.98	32.1383021	-103.7323354
4,899.00	7.30	215.80	4,876.62	-332.31	-191.88	414,558.68	727,353.54	32.1382739	-103.7323596
4,994.00	6.90	216.40	4,970.89	-341.80	-198.79	414,549.19	727,346.62	32.1382479	-103.7323821
5,089.00	6.70	217.70	5,065.22	-350.77	-205.57	414,540.22	727,339.85	32.1382234	-103.7324042
5,184.00	6.50	218.30	5,159.60	-359.38	-212.29	414,531.61	727,333.13	32.1381998	-103.7324261
5,279.00	7.10	220.60	5,253.93	-368.06	-219.44	414,522.93	727,325.97	32.1381761	-103.7324493
5,375.00	6.80	221.60	5,349.22	-376.81	-227.08	414,514.18	727,318.34	32.1381521	-103.7324741
5,470.00	6.70	218.30	5,443.56	-385.37	-234.25	414,505.62	727,311.17	32.1381287	-103.7324975
5,565.00	6.90	215.60	5,537.90	-394.36	-241.00	414,496.63	727,304.41	32.1381041	-103.7325195
5,660.00	6.70	214.70	5,632.23	-403.55	-247.48	414,487.44	727,297.94	32.1380789	-103.7325405
5,755.00	6.60	216.40	5,726.59	-412.50	-253.87	414,478.49	727,291.54	32.1380544	-103.7325614
5,851.00	6.50	217.60	5,821.96	-421.25	-260.46	414,469.74	727,284.95	32.1380305	-103.7325828
5,946.00	6.20	216.70	5,916.38	-429.62	-266.81	414,461.37	727,278.61	32.1380076	-103.7326035
6,041.00	5.80	216.90	6,010.86	-437.57	-272.76	414,453.42	727,272.66	32.1379858	-103.7326228
6,136.00	6.10	216.10	6,105.35	-445.49	-278.61	414,445.50	727,266.80	32.1379641	-103.7326419
6,231.00	6.10	215.80	6,199.81	-453.66	-284.54	414,437.33	727,260.87	32.1379418	-103.7326612
6,326.00	6.00	216.80	6,294.28	-461.73	-290.47	414,429.26	727,254.95	32.1379197	-103.7326805

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 543H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Site:	Cotton Draw Unit	MD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Well:	Cotton Draw Unit 543H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,421.00	5.90	216.30	6,388.77	-469.64	-296.33	414,421.35	727,249.08	32.1378980	-103.7326996
6,516.00	4.90	222.60	6,483.34	-476.56	-301.97	414,414.43	727,243.45	32.1378791	-103.7327179
6,612.00	4.40	227.10	6,579.03	-482.09	-307.44	414,408.90	727,237.97	32.1378640	-103.7327357
6,707.00	4.20	228.20	6,673.76	-486.89	-312.71	414,404.10	727,232.71	32.1378509	-103.7327528
6,802.00	4.00	227.10	6,768.52	-491.46	-317.73	414,399.53	727,227.69	32.1378384	-103.7327691
6,897.00	3.60	229.30	6,863.31	-495.66	-322.42	414,395.33	727,223.00	32.1378269	-103.7327843
6,992.00	3.10	230.00	6,958.15	-499.26	-326.64	414,391.73	727,218.77	32.1378171	-103.7327980
7,087.00	3.00	231.40	7,053.01	-502.46	-330.55	414,388.53	727,214.86	32.1378083	-103.7328107
7,182.00	2.50	234.00	7,147.90	-505.23	-334.17	414,385.76	727,211.24	32.1378008	-103.7328224
7,277.00	2.40	234.80	7,242.82	-507.59	-337.48	414,383.39	727,207.94	32.1377943	-103.7328332
7,372.00	2.40	234.50	7,337.73	-509.90	-340.72	414,381.09	727,204.70	32.1377880	-103.7328437
7,467.00	2.10	233.60	7,432.66	-512.08	-343.74	414,378.91	727,201.68	32.1377821	-103.7328535
7,562.00	1.90	234.20	7,527.60	-514.04	-346.42	414,376.95	727,199.00	32.1377767	-103.7328622
7,657.00	1.50	230.70	7,622.56	-515.75	-348.66	414,375.24	727,196.76	32.1377721	-103.7328694
7,752.00	1.50	236.50	7,717.53	-517.22	-350.66	414,373.77	727,194.76	32.1377681	-103.7328759
7,847.00	1.30	233.30	7,812.50	-518.55	-352.56	414,372.44	727,192.86	32.1377644	-103.7328821
7,942.00	1.20	230.50	7,907.48	-519.83	-354.19	414,371.16	727,191.23	32.1377610	-103.7328874
8,038.00	1.10	232.00	8,003.46	-521.03	-355.69	414,369.95	727,189.72	32.1377577	-103.7328922
8,133.00	0.60	280.00	8,098.45	-521.51	-356.90	414,369.48	727,188.52	32.1377564	-103.7328962
8,226.00	1.00	309.50	8,191.44	-520.91	-358.01	414,370.08	727,187.41	32.1377580	-103.7328997
8,315.00	1.50	333.70	8,280.42	-519.37	-359.12	414,371.62	727,186.30	32.1377623	-103.7329033
8,421.00	1.67	337.60	8,386.38	-516.70	-360.32	414,374.29	727,185.09	32.1377696	-103.7329071
KOP @ 8421' MD, 67' FSL, 2231' FWL									
8,516.00	12.75	357.17	8,480.48	-504.91	-361.37	414,386.08	727,184.04	32.1378021	-103.7329103
8,589.54	22.00	357.17	8,550.59	-483.00	-362.46	414,407.99	727,182.96	32.1378623	-103.7329134
X FTP @ 8590' MD, 100' FSL, 2284' FWL									
8,611.00	24.70	357.17	8,570.29	-474.51	-362.88	414,416.48	727,182.54	32.1378857	-103.7329146
8,706.00	36.97	359.36	8,651.71	-425.93	-364.18	414,465.06	727,181.24	32.1380192	-103.7329180
8,801.00	52.62	3.23	8,718.93	-359.25	-362.36	414,531.74	727,183.06	32.1382025	-103.7329109
8,897.00	64.66	3.49	8,768.80	-277.57	-357.55	414,613.42	727,187.86	32.1384269	-103.7328939
8,992.00	74.50	2.10	8,801.90	-188.76	-353.25	414,702.23	727,192.16	32.1386710	-103.7328784
9,087.00	78.90	0.10	8,823.75	-96.35	-351.49	414,794.64	727,193.92	32.1389250	-103.7328710
9,182.00	82.60	359.00	8,839.02	-2.60	-352.23	414,888.39	727,193.18	32.1391827	-103.7328717
9,278.00	87.60	359.30	8,847.22	93.00	-353.65	414,983.99	727,191.77	32.1394455	-103.7328746
9,303.00	88.20	359.20	8,848.14	117.99	-353.98	415,008.97	727,191.44	32.1395142	-103.7328752
9,398.00	90.70	358.70	8,849.05	212.96	-355.72	415,103.95	727,189.70	32.1397753	-103.7328791
9,493.00	91.10	359.00	8,847.56	307.93	-357.62	415,198.92	727,187.79	32.1400363	-103.7328836
9,588.00	90.80	358.70	8,845.98	402.89	-359.53	415,293.88	727,185.89	32.1402974	-103.7328880
9,683.00	91.10	358.20	8,844.41	497.85	-362.10	415,388.83	727,183.32	32.1405584	-103.7328946
9,779.00	92.00	358.40	8,841.81	593.77	-364.95	415,484.76	727,180.47	32.1408222	-103.7329021
9,874.00	92.40	358.60	8,838.16	688.66	-367.43	415,579.65	727,177.98	32.1410830	-103.7329084
9,969.00	93.20	357.90	8,833.52	783.50	-370.33	415,674.49	727,175.09	32.1413438	-103.7329160
10,064.00	92.90	0.00	8,828.47	878.35	-372.07	415,769.34	727,173.35	32.1416045	-103.7329199
10,160.00	90.90	1.20	8,825.28	974.28	-371.06	415,865.27	727,174.35	32.1418682	-103.7329150
10,255.00	90.40	359.50	8,824.21	1,069.27	-370.48	415,960.26	727,174.93	32.1421293	-103.7329114
10,350.00	92.20	358.60	8,822.05	1,164.23	-372.06	416,055.22	727,173.36	32.1423904	-103.7329148
10,445.00	90.50	359.70	8,819.81	1,259.19	-373.47	416,150.18	727,171.95	32.1426514	-103.7329176
10,540.00	92.40	0.90	8,817.41	1,354.15	-372.97	416,245.14	727,172.45	32.1429124	-103.7329143
10,636.00	94.90	0.20	8,811.30	1,449.94	-372.05	416,340.93	727,173.37	32.1431757	-103.7329096
10,731.00	91.90	0.50	8,805.66	1,544.76	-371.47	416,435.75	727,173.95	32.1434364	-103.7329060
10,826.00	90.20	1.60	8,803.92	1,639.73	-369.73	416,530.72	727,175.69	32.1436974	-103.7328987
10,921.00	90.80	1.50	8,803.09	1,734.69	-367.16	416,625.68	727,178.26	32.1439583	-103.7328887
11,017.00	91.10	1.80	8,801.50	1,830.63	-364.39	416,721.62	727,181.02	32.1442220	-103.7328780
11,112.00	90.20	359.40	8,800.42	1,925.62	-363.40	416,816.60	727,182.02	32.1444831	-103.7328731
11,207.00	90.20	358.00	8,800.09	2,020.59	-365.56	416,911.58	727,179.86	32.1447442	-103.7328783

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 543H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Site:	Cotton Draw Unit	MD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Well:	Cotton Draw Unit 543H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,302.00	90.90	356.80	8,799.18	2,115.48	-369.86	417,006.47	727,175.55	32.1450051	-103.7328905
11,397.00	91.80	356.10	8,796.94	2,210.27	-375.74	417,101.26	727,169.67	32.1452658	-103.7329078
11,493.00	91.30	356.50	8,794.35	2,306.04	-381.94	417,197.03	727,163.48	32.1455291	-103.7329261
11,587.00	90.00	355.30	8,793.28	2,399.79	-388.66	417,290.78	727,156.76	32.1457869	-103.7329461
11,682.00	89.20	357.80	8,793.94	2,494.60	-394.37	417,385.59	727,151.04	32.1460476	-103.7329629
11,777.00	90.90	358.50	8,793.86	2,589.55	-397.44	417,480.54	727,147.98	32.1463086	-103.7329711
11,873.00	87.30	1.80	8,795.37	2,685.51	-397.19	417,576.50	727,148.23	32.1465724	-103.7329686
11,968.00	87.90	1.80	8,799.35	2,780.38	-394.21	417,671.37	727,151.21	32.1468331	-103.7329572
12,063.00	88.00	1.40	8,802.74	2,875.28	-391.56	417,766.27	727,153.86	32.1470940	-103.7329469
12,158.00	89.10	1.20	8,805.15	2,970.22	-389.40	417,861.21	727,156.01	32.1473549	-103.7329383
12,253.00	89.10	1.40	8,806.64	3,065.19	-387.25	417,956.18	727,158.17	32.1476159	-103.7329296
12,349.00	89.30	1.50	8,807.98	3,161.15	-384.82	418,052.14	727,160.60	32.1478797	-103.7329200
12,444.00	90.70	1.60	8,807.98	3,256.11	-382.25	418,147.10	727,163.17	32.1481407	-103.7329100
12,539.00	90.80	1.40	8,806.74	3,351.07	-379.76	418,242.06	727,165.65	32.1484016	-103.7329003
12,635.00	91.20	1.60	8,805.06	3,447.02	-377.25	418,338.01	727,168.16	32.1486653	-103.7328904
12,730.00	92.70	2.50	8,801.83	3,541.90	-373.86	418,432.89	727,171.56	32.1489261	-103.7328777
12,825.00	93.10	1.90	8,797.02	3,636.71	-370.21	418,527.70	727,175.20	32.1491867	-103.7328643
12,920.00	91.60	1.50	8,793.13	3,731.59	-367.40	418,622.58	727,178.02	32.1494474	-103.7328535
13,015.00	90.70	1.30	8,791.22	3,826.54	-365.08	418,717.53	727,180.34	32.1497084	-103.7328442
13,110.00	91.60	0.90	8,789.31	3,921.50	-363.25	418,812.49	727,182.16	32.1499694	-103.7328366
13,206.00	90.00	0.50	8,787.97	4,017.48	-362.08	418,908.47	727,183.34	32.1502332	-103.7328311
13,301.00	89.00	0.10	8,788.80	4,112.47	-361.58	419,003.46	727,183.83	32.1504943	-103.7328278
13,396.00	89.50	0.20	8,790.05	4,207.47	-361.33	419,098.45	727,184.08	32.1507554	-103.7328253
13,491.00	90.90	0.10	8,789.72	4,302.46	-361.09	419,193.45	727,184.33	32.1510165	-103.7328228
13,586.00	89.80	1.40	8,789.13	4,397.45	-359.84	419,288.44	727,185.57	32.1512776	-103.7328170
13,682.00	89.90	0.50	8,789.39	4,493.43	-358.25	419,384.42	727,187.17	32.1515414	-103.7328102
13,777.00	90.10	0.20	8,789.39	4,588.43	-357.67	419,479.42	727,187.75	32.1518025	-103.7328066
13,872.00	91.00	0.20	8,788.47	4,683.43	-357.34	419,574.42	727,188.08	32.1520637	-103.7328038
13,893.99	90.88	0.34	8,788.11	4,705.41	-357.24	419,596.40	727,188.18	32.1521241	-103.7328031
X SEC @ 13894' MD, 0' FSL, 2259' FWL									
13,967.00	90.50	0.80	8,787.23	4,778.41	-356.51	419,669.40	727,188.91	32.1523247	-103.7327994
14,062.00	90.80	0.70	8,786.15	4,873.40	-355.27	419,764.39	727,190.15	32.1525858	-103.7327937
14,157.00	88.80	359.90	8,786.48	4,968.39	-354.77	419,859.38	727,190.65	32.1528469	-103.7327904
14,253.00	88.70	358.80	8,788.58	5,064.36	-355.86	419,955.35	727,189.56	32.1531107	-103.7327921
14,348.00	88.40	358.50	8,790.98	5,159.30	-358.10	420,050.29	727,187.32	32.1533718	-103.7327977
14,444.00	88.00	358.00	8,794.00	5,255.21	-361.03	420,146.20	727,184.39	32.1536354	-103.7328054
14,539.00	88.20	357.40	8,797.15	5,350.08	-364.84	420,241.07	727,180.58	32.1538963	-103.7328160
14,634.00	89.10	358.00	8,799.39	5,444.98	-368.65	420,335.97	727,176.77	32.1541572	-103.7328266
14,729.00	89.40	358.00	8,800.63	5,539.91	-371.96	420,430.90	727,173.45	32.1544182	-103.7328356
14,824.00	89.60	358.00	8,801.46	5,634.85	-375.28	420,525.84	727,170.14	32.1546792	-103.7328446
14,919.00	89.50	358.30	8,802.20	5,729.80	-378.34	420,620.79	727,167.07	32.1549402	-103.7328528
15,014.00	89.50	357.50	8,803.03	5,824.73	-381.83	420,715.72	727,163.59	32.1552012	-103.7328623
15,110.00	91.70	358.30	8,802.03	5,920.65	-385.34	420,811.64	727,160.07	32.1554650	-103.7328720
15,205.00	90.00	358.20	8,800.62	6,015.60	-388.24	420,906.58	727,157.17	32.1557260	-103.7328796
15,300.00	89.80	358.10	8,800.79	6,110.55	-391.31	421,001.53	727,154.11	32.1559870	-103.7328878
15,395.00	89.90	358.00	8,801.03	6,205.49	-394.54	421,096.48	727,150.87	32.1562481	-103.7328966
15,490.00	90.90	0.20	8,800.37	6,300.47	-396.04	421,191.46	727,149.38	32.1565092	-103.7328997
15,586.00	91.50	359.90	8,798.36	6,396.45	-395.95	421,287.44	727,149.46	32.1567730	-103.7328977
15,681.00	88.70	359.20	8,798.19	6,491.43	-396.70	421,382.42	727,148.72	32.1570341	-103.7328984
15,776.00	88.70	358.80	8,800.35	6,586.40	-398.36	421,477.38	727,147.06	32.1572951	-103.7329020
15,871.00	88.70	358.00	8,802.51	6,681.33	-401.01	421,572.32	727,144.41	32.1575561	-103.7329089
15,967.00	89.70	358.00	8,803.85	6,777.26	-404.36	421,668.25	727,141.06	32.1578199	-103.7329180
16,062.00	89.70	358.20	8,804.34	6,872.21	-407.51	421,763.20	727,137.91	32.1580809	-103.7329265
16,157.00	89.50	358.40	8,805.01	6,967.17	-410.33	421,858.16	727,135.09	32.1583420	-103.7329338
16,254.00	90.00	359.30	8,805.43	7,064.14	-412.27	421,955.13	727,133.14	32.1586086	-103.7329384

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 543H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Site:	Cotton Draw Unit	MD Reference:	GE 3408.4' + KB 25' @ 3433.40usft
Well:	Cotton Draw Unit 543H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,349.00	91.40	359.60	8,804.27	7,159.13	-413.18	422,050.12	727,132.23	32.1588697	-103.7329396
16,444.00	90.10	0.10	8,803.03	7,254.12	-413.43	422,145.11	727,131.98	32.1591308	-103.7329387
16,540.00	91.20	0.10	8,801.94	7,350.11	-413.26	422,241.10	727,132.15	32.1593947	-103.7329364
16,635.00	91.30	0.80	8,799.86	7,445.09	-412.52	422,336.07	727,132.90	32.1596557	-103.7329323
16,730.00	93.20	0.80	8,796.13	7,540.00	-411.19	422,430.99	727,134.22	32.1599166	-103.7329263
16,825.00	90.80	1.20	8,792.82	7,634.92	-409.54	422,525.91	727,135.88	32.1601775	-103.7329193
16,920.00	89.50	0.60	8,792.57	7,729.90	-408.04	422,620.89	727,137.37	32.1604385	-103.7329127
17,015.00	90.10	0.50	8,792.90	7,824.90	-407.13	422,715.89	727,138.28	32.1606997	-103.7329081
17,110.00	88.70	1.10	8,793.90	7,919.88	-405.81	422,810.87	727,139.61	32.1609607	-103.7329021
17,206.00	89.60	1.40	8,795.32	8,015.85	-403.71	422,906.84	727,141.70	32.1612245	-103.7328936
17,301.00	88.00	1.00	8,797.31	8,110.80	-401.72	423,001.79	727,143.69	32.1614855	-103.7328854
17,396.00	88.80	1.20	8,799.96	8,205.75	-399.90	423,096.74	727,145.52	32.1617464	-103.7328778
17,491.00	90.20	1.50	8,800.79	8,300.71	-397.66	423,191.70	727,147.75	32.1620074	-103.7328689
17,586.00	91.60	2.00	8,799.30	8,395.66	-394.76	423,286.65	727,150.65	32.1622683	-103.7328578
17,681.00	89.60	0.00	8,798.30	8,490.63	-393.10	423,381.62	727,152.31	32.1625294	-103.7328507
17,776.00	88.00	0.90	8,800.29	8,585.60	-392.36	423,476.59	727,153.06	32.1627904	-103.7328466
17,872.00	89.50	1.20	8,802.39	8,681.56	-390.60	423,572.55	727,154.82	32.1630542	-103.7328392
17,967.00	90.50	0.90	8,802.39	8,776.54	-388.86	423,667.53	727,156.56	32.1633152	-103.7328319
18,062.00	91.60	0.40	8,800.65	8,871.52	-387.78	423,762.51	727,157.64	32.1635763	-103.7328267
18,157.00	90.10	0.90	8,799.24	8,966.50	-386.70	423,857.49	727,158.71	32.1638373	-103.7328215
18,253.00	91.10	1.20	8,798.23	9,062.47	-384.94	423,953.46	727,160.47	32.1641011	-103.7328141
18,348.00	90.20	0.90	8,797.16	9,157.45	-383.20	424,048.44	727,162.21	32.1643622	-103.7328067
18,443.00	92.50	1.30	8,794.92	9,252.40	-381.38	424,143.39	727,164.04	32.1646231	-103.7327991
18,538.00	90.20	0.00	8,792.68	9,347.36	-380.30	424,238.35	727,165.11	32.1648842	-103.7327939
18,633.00	89.80	0.00	8,792.68	9,442.36	-380.30	424,333.35	727,165.11	32.1651453	-103.7327922
18,728.00	88.10	359.60	8,794.42	9,537.34	-380.64	424,428.33	727,164.78	32.1654064	-103.7327916
18,823.00	90.20	359.40	8,795.83	9,632.32	-381.46	424,523.31	727,163.95	32.1656675	-103.7327925
18,918.00	91.50	359.40	8,794.42	9,727.30	-382.46	424,618.29	727,162.96	32.1659286	-103.7327940
19,013.00	92.90	359.10	8,790.77	9,822.22	-383.70	424,713.21	727,161.72	32.1661895	-103.7327963
19,072.00	92.90	359.10	8,787.79	9,881.14	-384.63	424,772.13	727,160.79	32.1663515	-103.7327983
X LTP @ 19072' MD, 100' FNL, 2255' FWL									
19,079.00	92.90	359.10	8,787.43	9,888.13	-384.74	424,779.12	727,160.68	32.1663707	-103.7327985
PBHL; 93' FNL, 2255' FWL									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
8,421.00	8,386.38	-516.70	-360.32	KOP @ 8421' MD, 67' FSL, 2231' FWL	
8,589.54	8,550.59	-483.00	-362.46	X FTP @ 8590' MD, 100' FSL, 2284' FWL	
13,893.99	8,788.11	4,705.41	-357.24	X SEC @ 13894' MD, 0' FSL, 2259' FWL	
19,072.00	8,787.79	9,881.14	-384.63	X LTP @ 19072' MD, 100' FNL, 2255' FWL	
19,079.00	8,787.43	9,888.13	-384.74	PBHL; 93' FNL, 2255' FWL	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-48927
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Cotton Draw Unit
4. Well Location Unit Letter <u>N</u> : <u>583</u> feet from the <u>South</u> line and <u>2952</u> feet from the <u>West</u> line Section <u>12</u> Township <u>25S</u> Range <u>31E</u> NMPM County <u>Eddy</u>		8. Well Number 543H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3408.4'		9. OGRID Number 6137
		10. Pool name or Wildcat PADUCA; BONE SPRING (O)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/20/22-8/18/22: MIRU WL & PT. TIH & ran CBL, found TOC @ 1800'. PT csg to 1500 psi for 30min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 9021'-19038', total 1188 holes. Frac totals 15,072,924# proppant, 36 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 18,930' MD/8,794' TVD. CHC, FWB, ND BOP. RIH w/253 jts 2-7/8" L-80 tbg, set @ 8496'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Professional DATE 9/13/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmn.com PHONE: 405-552-3513

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO.		30-015-48927						
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN						
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing:						5. Lease Name or Unit Agreement Name				
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						Cotton Draw Unit				
						6. Well Number:				
						543H				
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator						9. OGRID				
Devon Energy Production Company, L.P.						6137				
10. Address of Operator						11. Pool name or Wildcat				
333 West Sheridan Avenue, Oklahoma City, OK 73102						PADUCA; BONE SPRING (O)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	12	25S	31E		583	South	2952	West	Eddy
BH:		1	25S	31E	3	93	North	2255	West	Eddy
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		3408.4' GL	
2/10/22	3/2/22		3/4/22		8/18/22					
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
19079 MD, 8787 TVD			18,930 MD/8,794 TVD			Yes		RBT		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
9021-19038, BONE SPRING (O)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		746		17-1/2"		610 sx CIC; circ 122 sx		
9-5/8"		40		8360		12-1/4"		660 sx CIC; circ 3 sx		
5-1/2"		20		19063		8-1/2"		1864 sx CIH; circ 0 sx		TOC @ 6050
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
					SIZE	DEPTH SET	PACKER SET			
					2-7/8" L-80	8496				
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
9021 - 19038, total 1188 holes					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					9021-19038		Acidize and frac in 34 stages. See detailed summary attached.			
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
8/18/22		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
8/28/22	24	N/A		1537	4701	1354	3058.555628			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
626 psi	N/A									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)						30. Test Witnessed By				
Sold										
31. List Attachments										
Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Title		Regulatory Compliance Professional		Date 9/13/2022		
Shayda Omoumi		Shayda Omoumi								
E-mail Address shayda.omoumi@dvn.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 640			
Salt - 1020			
Base of Salt - 4176			
Lamar - 4402			
Delaware - 4434			
Cherry Canyon - 5250			
Brushy Canyon - 6662			
1st Bone Spring Lime - 8304			
1st Bone Spring Sand - 9362			
2nd Bone Spring Sand - 9930			
3rd Bone Spring Lime - 10460			
3rd Bone Spring Sand - 11236			
Wolfcamp - 11650			
Strawn - 13600			

No. 1, from..... N/Ato..... N/A
 No. 2, from..... N/Ato..... N/A
 No. 3, from..... N/Ato..... N/A
 No. 4, from..... N/Ato..... N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 142846

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 142846
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 142846

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 142846
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	10/20/2022