

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 8/18/22
⁴ API Number 30-015-48928	⁵ Pool Name PADUCA; BONE SPRING (O)	⁶ Pool Code 96641
⁷ Property Code 300635	⁸ Property Name Cotton Draw Unit	⁹ Well Number 542H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	12	25S	31E		583	South	2562	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
3	1	25S	31E		99	North	1679	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 8/18/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
020809	Lucid Energy Group 3100 McKinnon St. Ste 800 Dallas, TX 75201	Gas
329657	Cotton Draw Midstream, L.L.C. 333 W. Sheridan Ave. Oklahoma City, OK 731702	Gas
020445	Plains Marketing P.O. Box 4648 Houston, TX 77210	Oil

IV. Well Completion Data

²¹ Spud Date 2/10/22	²² Ready Date 8/18/22	²³ TD 19053	²⁴ PBDT 18,930 MD/8,804 TVD	²⁵ Perforations 9019 - 19000	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	746	719 sx CLC; Circ 365 sx		
12-1/4"	9-5/8"	8407	660 sx CLC ; Circ 3 sx		
8-1/2"	5-1/2"	19040	2120 sx CLH; Circ 0 sx		
	Tubing: 2-7/8"	8550			

V. Well Test Data

³¹ Date New Oil 8/28/22	³² Gas Delivery Date 8/28/22	³³ Test Date 8/28/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 643 psi	³⁶ Csg. Pressure 0 psi
³⁷ Choke Size N/A	³⁸ Oil 1667 bbl	³⁹ Water 1225 bbl	⁴⁰ Gas 4956 mcf	⁴¹ Test Method flowing	
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: 		
Title: Regulatory Compliance Professional			Title: Petroleum Engineer		
E-mail Address: shayda.omoumi@dvni.com			Approval Date: 10/20/22		
Date: 9/13/2022		Phone: 405-552-3513			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-48928	Pool Code 96641	Pool Name PADUCA;BONE SPRING (O)
Property Code 300635	Property Name COTTON DRAW UNIT	Well Number 542H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3409.0'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	12	25-S	31-E		583	SOUTH	2562	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
LOT 3	1	25-S	31-E		99	NORTH	1679	WEST	EDDY
Dedicated Acres 320.25	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

COTTON DRAW UNIT 542H
ELEV: 3409.0'
LAT:32.139184
LON:103.731831
N:414890.69
E:727515.42

KICK OFF POINT
1842' FWL 131' FSL SEC. 12
LAT:32.137932
LON:103.734155
N:414431.32
E:726798.43

FIRST TAKE POINT
1760' FWL 461' FSL SEC. 12
LAT:32.138840
LON:103.734420
N:414760.97
E:726714.67

LAST TAKE POINT
1683' FWL 151' FNL SEC. 1
LAT:32.166218
LON:103.734649
N:424720.52
E:726588.54

BOTTOM OF HOLE
LAT:32.166364
LON:103.734660
N:424773.36
E:726584.57

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shayda Omoumi 8/8/2022
Signature Date

Shayda Omoumi
Printed Name

shayda.omoumi@dvn.com
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

05/2022
Date of Survey

Signature & Seal of Professional Surveyor



08/03/2022

Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

☐ N

Is this well an infill well?

☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-48927		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, LP.	Property Name: COTTON DRAW UNIT	Well Number 543H

KZ 06/29/2018

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 542H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3409' + KB 25' @ 3434.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3409' + KB 25' @ 3434.00usft
Well:	Cotton Draw Unit 542H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Cotton Draw Unit				
Site Position:		Northing:	435,369.65 usft	Latitude:	32.1955958
From:	Map	Easting:	719,574.94 usft	Longitude:	-103.7571294
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.31 °

Well	Cotton Draw Unit 542H					
Well Position	+N/-S	0.00 usft	Northing:	414,890.69 usft	Latitude:	32.1391841
	+E/-W	0.00 usft	Easting:	727,515.42 usft	Longitude:	-103.7318307
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,409.00 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	1/18/2022	6.45	59.72	47,570.70000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	354.62	

Survey Program	Date	3/21/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
176.00	19,053.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	414,890.69	727,515.42	32.1391841	-103.7318307
176.00	0.60	337.60	176.00	0.85	-0.35	414,891.54	727,515.07	32.1391864	-103.7318318
303.00	0.40	314.40	302.99	1.78	-0.92	414,892.47	727,514.49	32.1391890	-103.7318336
398.00	0.40	238.80	397.99	1.84	-1.44	414,892.53	727,513.97	32.1391891	-103.7318353
493.00	0.70	225.50	492.99	1.26	-2.14	414,891.95	727,513.28	32.1391875	-103.7318376
588.00	0.90	219.00	587.98	0.27	-3.02	414,890.96	727,512.39	32.1391849	-103.7318404
683.00	1.10	217.50	682.96	-1.03	-4.05	414,889.66	727,511.37	32.1391813	-103.7318438
807.00	1.40	213.20	806.93	-3.24	-5.60	414,887.45	727,509.81	32.1391752	-103.7318488
902.00	1.50	204.20	901.90	-5.35	-6.75	414,885.34	727,508.67	32.1391695	-103.7318526
997.00	1.30	198.70	996.87	-7.50	-7.60	414,883.19	727,507.81	32.1391635	-103.7318554
1,091.00	1.50	223.30	1,090.85	-9.41	-8.79	414,881.28	727,506.63	32.1391583	-103.7318592
1,186.00	1.50	223.80	1,185.81	-11.21	-10.50	414,879.48	727,504.92	32.1391534	-103.7318648

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 542H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3409' + KB 25' @ 3434.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3409' + KB 25' @ 3434.00usft
Well:	Cotton Draw Unit 542H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,281.00	2.00	245.80	1,280.77	-12.79	-12.87	414,877.90	727,502.54	32.1391491	-103.7318725
1,376.00	2.70	260.00	1,375.69	-13.86	-16.59	414,876.83	727,498.83	32.1391462	-103.7318845
1,470.00	3.80	265.10	1,469.54	-14.51	-21.87	414,876.18	727,493.54	32.1391445	-103.7319016
1,565.00	4.60	264.10	1,564.28	-15.17	-28.80	414,875.52	727,486.62	32.1391428	-103.7319240
1,660.00	5.30	257.40	1,658.93	-16.52	-36.87	414,874.17	727,478.55	32.1391392	-103.7319501
1,756.00	5.90	258.10	1,754.47	-18.50	-46.03	414,872.19	727,469.39	32.1391339	-103.7319797
1,851.00	7.00	254.10	1,848.87	-21.09	-56.37	414,869.60	727,459.05	32.1391269	-103.7320132
1,946.00	8.20	249.30	1,943.03	-25.07	-68.28	414,865.62	727,447.14	32.1391162	-103.7320517
2,041.00	8.90	242.90	2,036.98	-30.82	-81.16	414,859.87	727,434.26	32.1391006	-103.7320934
2,136.00	9.90	238.40	2,130.70	-38.44	-94.65	414,852.25	727,420.76	32.1390798	-103.7321372
2,231.00	9.60	235.90	2,224.33	-47.16	-108.17	414,843.53	727,407.25	32.1390561	-103.7321810
2,326.00	9.10	235.90	2,318.07	-55.82	-120.95	414,834.87	727,394.47	32.1390325	-103.7322224
2,422.00	9.40	235.00	2,412.82	-64.57	-133.66	414,826.12	727,381.76	32.1390086	-103.7322636
2,517.00	9.70	232.60	2,506.50	-73.88	-146.37	414,816.81	727,369.04	32.1389832	-103.7323049
2,612.00	9.40	231.80	2,600.19	-83.54	-158.83	414,807.15	727,356.59	32.1389569	-103.7323453
2,707.00	8.50	231.80	2,694.03	-92.68	-170.44	414,798.01	727,344.98	32.1389319	-103.7323830
2,802.00	8.90	233.50	2,787.94	-101.39	-181.87	414,789.30	727,333.55	32.1389081	-103.7324200
2,898.00	8.20	237.90	2,882.87	-109.45	-193.63	414,781.24	727,321.78	32.1388862	-103.7324582
2,993.00	8.90	235.20	2,976.81	-117.24	-205.41	414,773.45	727,310.01	32.1388649	-103.7324964
3,088.00	9.40	236.10	3,070.60	-125.76	-217.88	414,764.93	727,297.53	32.1388417	-103.7325368
3,183.00	8.80	238.40	3,164.41	-133.90	-230.51	414,756.79	727,284.91	32.1388195	-103.7325778
3,279.00	6.90	237.50	3,259.50	-140.84	-241.63	414,749.84	727,273.79	32.1388006	-103.7326138
3,374.00	7.20	237.70	3,353.79	-147.09	-251.47	414,743.60	727,263.94	32.1387836	-103.7326457
3,469.00	7.80	240.30	3,447.97	-153.47	-262.11	414,737.22	727,253.31	32.1387662	-103.7326802
3,564.00	8.70	245.10	3,541.99	-159.69	-274.22	414,731.00	727,241.19	32.1387493	-103.7327195
3,659.00	8.00	247.50	3,635.98	-165.24	-286.85	414,725.45	727,228.57	32.1387342	-103.7327604
3,754.00	6.60	236.70	3,730.22	-170.77	-297.52	414,719.92	727,217.90	32.1387192	-103.7327949
3,850.00	6.90	230.30	3,825.55	-177.48	-306.57	414,713.21	727,208.85	32.1387009	-103.7328243
3,944.00	8.40	228.50	3,918.71	-185.64	-316.06	414,705.05	727,199.36	32.1386786	-103.7328551
4,039.00	11.30	226.00	4,012.30	-196.70	-327.95	414,693.99	727,187.47	32.1386484	-103.7328937
4,135.00	11.30	226.00	4,106.44	-209.77	-341.48	414,680.92	727,173.93	32.1386127	-103.7329377
4,230.00	10.40	222.10	4,199.74	-222.60	-353.93	414,668.09	727,161.49	32.1385776	-103.7329781
4,325.00	10.40	225.30	4,293.18	-234.99	-365.77	414,655.70	727,149.65	32.1385437	-103.7330166
4,420.00	11.20	227.60	4,386.50	-247.25	-378.68	414,643.44	727,136.74	32.1385102	-103.7330585
4,515.00	11.50	228.70	4,479.64	-259.72	-392.61	414,630.97	727,122.81	32.1384762	-103.7331037
4,610.00	11.00	228.80	4,572.82	-271.94	-406.54	414,618.75	727,108.88	32.1384428	-103.7331490
4,705.00	10.20	228.80	4,666.19	-283.45	-419.69	414,607.24	727,095.73	32.1384114	-103.7331916
4,800.00	9.70	227.90	4,759.77	-294.35	-431.96	414,596.33	727,083.46	32.1383816	-103.7332315
4,896.00	9.30	228.40	4,854.45	-304.93	-443.76	414,585.76	727,071.66	32.1383527	-103.7332698
4,991.00	8.70	228.60	4,948.28	-314.77	-454.89	414,575.91	727,060.53	32.1383258	-103.7333059
5,086.00	8.40	232.40	5,042.22	-323.76	-465.77	414,566.93	727,049.64	32.1383012	-103.7333412
5,181.00	9.40	236.10	5,136.08	-332.32	-477.71	414,558.37	727,037.71	32.1382779	-103.7333800
5,276.00	10.00	237.30	5,229.72	-341.10	-491.09	414,549.59	727,024.32	32.1382540	-103.7334234
5,372.00	9.20	237.70	5,324.38	-349.71	-504.59	414,540.98	727,010.82	32.1382305	-103.7334671
5,467.00	8.30	238.10	5,418.27	-357.39	-516.83	414,533.30	726,998.58	32.1382096	-103.7335068
5,562.00	7.70	237.80	5,512.34	-364.40	-528.04	414,526.28	726,987.38	32.1381905	-103.7335431
5,657.00	7.00	236.10	5,606.56	-371.02	-538.23	414,519.66	726,977.19	32.1381724	-103.7335762
5,753.00	6.90	237.60	5,701.86	-377.38	-547.95	414,513.31	726,967.46	32.1381551	-103.7336077
5,848.00	6.60	236.70	5,796.20	-383.43	-557.34	414,507.26	726,958.08	32.1381386	-103.7336381
5,943.00	6.40	237.80	5,890.59	-389.25	-566.38	414,501.44	726,949.04	32.1381228	-103.7336674
6,038.00	6.10	239.40	5,985.02	-394.64	-575.20	414,496.05	726,940.21	32.1381081	-103.7336961
6,133.00	5.70	240.20	6,079.52	-399.56	-583.64	414,491.13	726,931.77	32.1380947	-103.7337234
6,228.00	5.40	241.00	6,174.07	-404.07	-591.65	414,486.62	726,923.77	32.1380824	-103.7337493
6,323.00	6.20	238.80	6,268.59	-408.89	-599.94	414,481.80	726,915.47	32.1380693	-103.7337762
6,419.00	7.00	238.50	6,363.95	-414.63	-609.37	414,476.05	726,906.05	32.1380537	-103.7338068

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 542H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3409' + KB 25' @ 3434.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3409' + KB 25' @ 3434.00usft
Well:	Cotton Draw Unit 542H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,513.00	6.60	237.80	6,457.29	-420.51	-618.82	414,470.18	726,896.59	32.1380377	-103.7338374
6,609.00	6.40	237.40	6,552.67	-426.33	-628.00	414,464.36	726,887.42	32.1380218	-103.7338672
6,704.00	6.20	238.00	6,647.10	-431.90	-636.81	414,458.79	726,878.61	32.1380066	-103.7338957
6,799.00	5.80	239.00	6,741.58	-437.09	-645.27	414,453.60	726,870.14	32.1379925	-103.7339232
6,894.00	5.30	238.80	6,836.13	-441.84	-653.14	414,448.85	726,862.28	32.1379795	-103.7339487
6,989.00	4.80	239.40	6,930.76	-446.13	-660.32	414,444.56	726,855.10	32.1379679	-103.7339719
7,084.00	4.00	240.40	7,025.48	-449.79	-666.62	414,440.90	726,848.80	32.1379579	-103.7339924
7,179.00	3.80	240.60	7,120.26	-452.97	-672.24	414,437.72	726,843.17	32.1379492	-103.7340106
7,274.00	3.70	240.30	7,215.06	-456.04	-677.65	414,434.65	726,837.77	32.1379409	-103.7340281
7,369.00	3.50	242.20	7,309.87	-458.91	-682.87	414,431.78	726,832.54	32.1379331	-103.7340450
7,464.00	3.40	245.80	7,404.70	-461.42	-688.01	414,429.27	726,827.41	32.1379263	-103.7340617
7,559.00	3.00	247.00	7,499.55	-463.54	-692.87	414,427.15	726,822.55	32.1379205	-103.7340774
7,654.00	2.30	260.00	7,594.45	-464.85	-697.03	414,425.84	726,818.38	32.1379170	-103.7340909
7,749.00	2.10	269.80	7,689.38	-465.18	-700.65	414,425.51	726,814.77	32.1379161	-103.7341026
7,844.00	2.10	272.10	7,784.32	-465.12	-704.13	414,425.56	726,811.29	32.1379163	-103.7341138
7,940.00	1.70	280.40	7,880.26	-464.80	-707.29	414,425.89	726,808.13	32.1379172	-103.7341240
8,035.00	1.50	294.00	7,975.23	-464.04	-709.81	414,426.65	726,805.61	32.1379194	-103.7341322
8,130.00	1.40	287.60	8,070.20	-463.19	-712.05	414,427.50	726,803.36	32.1379218	-103.7341394
8,225.00	1.40	303.70	8,165.17	-462.19	-714.12	414,428.50	726,801.29	32.1379245	-103.7341461
8,320.00	1.10	318.50	8,260.15	-460.86	-715.69	414,429.82	726,799.72	32.1379282	-103.7341511
8,362.00	1.20	315.90	8,302.14	-460.25	-716.27	414,430.44	726,799.15	32.1379299	-103.7341529
8,421.00	1.10	324.80	8,361.13	-459.34	-717.02	414,431.35	726,798.39	32.1379324	-103.7341554
KOP & FTP @ 8421' MD, 124' FSL, 1845' FWL									
8,516.00	10.10	338.20	8,455.58	-450.84	-720.65	414,439.85	726,794.77	32.1379558	-103.7341669
8,611.00	22.90	337.20	8,546.48	-425.97	-730.95	414,464.72	726,784.47	32.1380244	-103.7341998
8,707.00	36.00	341.20	8,629.90	-381.84	-747.35	414,508.85	726,768.06	32.1381459	-103.7342520
8,802.00	52.10	347.70	8,697.99	-318.34	-764.46	414,572.35	726,750.96	32.1383207	-103.7343061
8,897.00	60.80	349.10	8,750.44	-240.85	-780.31	414,649.84	726,735.10	32.1385340	-103.7343559
8,993.00	69.40	349.90	8,790.82	-155.31	-796.15	414,735.38	726,719.27	32.1387693	-103.7344055
9,088.00	76.20	349.70	8,818.90	-66.05	-812.21	414,824.64	726,703.21	32.1390149	-103.7344558
9,183.00	82.60	351.10	8,836.37	25.98	-827.76	414,916.66	726,687.65	32.1392681	-103.7345044
9,278.00	87.40	349.90	8,844.64	119.29	-843.38	415,009.98	726,672.04	32.1395249	-103.7345532
9,373.00	90.00	353.00	8,846.80	213.19	-857.50	415,103.88	726,657.92	32.1397832	-103.7345971
9,399.00	90.50	354.30	8,846.69	239.03	-860.37	415,129.72	726,655.04	32.1398543	-103.7346059
9,494.00	90.10	354.20	8,846.19	333.55	-869.89	415,224.24	726,645.53	32.1401142	-103.7346350
9,589.00	90.20	357.20	8,845.94	428.27	-877.01	415,318.96	726,638.40	32.1403747	-103.7346563
9,684.00	90.50	0.80	8,845.36	523.24	-878.67	415,413.93	726,636.75	32.1406358	-103.7346599
9,779.00	90.70	1.10	8,844.36	618.22	-877.09	415,508.91	726,638.32	32.1408968	-103.7346531
9,875.00	91.90	0.60	8,842.19	714.18	-875.67	415,604.87	726,639.75	32.1411606	-103.7346468
9,970.00	89.50	0.70	8,841.03	809.16	-874.59	415,699.85	726,640.82	32.1414217	-103.7346416
10,065.00	90.10	0.80	8,841.36	904.15	-873.35	415,794.84	726,642.07	32.1416828	-103.7346359
10,160.00	91.00	2.90	8,840.45	999.09	-870.28	415,889.78	726,645.13	32.1419437	-103.7346243
10,255.00	91.60	2.30	8,838.29	1,093.97	-865.97	415,984.66	726,649.44	32.1422044	-103.7346087
10,351.00	92.10	2.10	8,835.19	1,189.85	-862.29	416,080.54	726,653.12	32.1424679	-103.7345951
10,446.00	90.00	2.60	8,833.45	1,284.75	-858.40	416,175.43	726,657.02	32.1427287	-103.7345808
10,541.00	90.60	2.30	8,832.95	1,379.66	-854.34	416,270.35	726,661.08	32.1429895	-103.7345659
10,636.00	91.20	1.60	8,831.46	1,474.59	-851.10	416,365.28	726,664.31	32.1432504	-103.7345538
10,732.00	91.00	0.20	8,829.62	1,570.56	-849.60	416,461.25	726,665.82	32.1435142	-103.7345472
10,827.00	91.90	359.70	8,827.21	1,665.53	-849.68	416,556.21	726,665.74	32.1437753	-103.7345458
10,922.00	92.60	359.40	8,823.48	1,760.45	-850.42	416,651.14	726,664.99	32.1440362	-103.7345465
11,017.00	90.20	0.90	8,821.16	1,855.41	-850.17	416,746.10	726,665.24	32.1442972	-103.7345440
11,113.00	90.40	3.10	8,820.66	1,951.34	-846.82	416,842.03	726,668.59	32.1445609	-103.7345314
11,208.00	90.80	2.60	8,819.67	2,046.22	-842.10	416,936.91	726,673.31	32.1448216	-103.7345144
11,303.00	91.70	2.40	8,817.59	2,141.11	-837.96	417,031.80	726,677.46	32.1450823	-103.7344994
11,398.00	92.00	3.20	8,814.53	2,235.94	-833.32	417,126.63	726,682.10	32.1453430	-103.7344827

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 542H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3409' + KB 25' @ 3434.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3409' + KB 25' @ 3434.00usft
Well:	Cotton Draw Unit 542H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,494.00	92.80	3.00	8,810.51	2,331.72	-828.13	417,222.41	726,687.28	32.1456061	-103.7344642
11,589.00	90.20	2.90	8,808.02	2,426.55	-823.25	417,317.24	726,692.17	32.1458668	-103.7344467
11,684.00	90.20	2.80	8,807.69	2,521.43	-818.52	417,412.12	726,696.89	32.1461275	-103.7344297
11,779.00	91.30	3.50	8,806.44	2,616.28	-813.30	417,506.97	726,702.11	32.1463881	-103.7344112
11,875.00	90.30	1.60	8,805.10	2,712.17	-809.03	417,602.86	726,706.38	32.1466516	-103.7343956
11,970.00	90.70	1.50	8,804.27	2,807.13	-806.46	417,697.82	726,708.95	32.1469126	-103.7343856
12,065.00	89.60	359.50	8,804.03	2,902.12	-805.63	417,792.81	726,709.78	32.1471737	-103.7343812
12,160.00	89.70	359.50	8,804.61	2,997.12	-806.46	417,887.80	726,708.95	32.1474349	-103.7343822
12,255.00	90.10	359.90	8,804.77	3,092.11	-806.96	417,982.80	726,708.46	32.1476960	-103.7343821
12,351.00	90.20	358.90	8,804.52	3,188.11	-807.97	418,078.80	726,707.45	32.1479599	-103.7343836
12,446.00	90.40	359.20	8,804.02	3,283.09	-809.54	418,173.78	726,705.87	32.1482210	-103.7343870
12,541.00	90.10	357.50	8,803.61	3,378.05	-812.28	418,268.74	726,703.14	32.1484820	-103.7343941
12,637.00	90.70	357.20	8,802.94	3,473.94	-816.72	418,364.63	726,698.70	32.1487457	-103.7344068
12,732.00	88.30	357.10	8,803.77	3,568.81	-821.44	418,459.50	726,693.98	32.1490066	-103.7344203
12,827.00	88.30	356.60	8,806.59	3,663.63	-826.66	418,554.32	726,688.76	32.1492673	-103.7344355
12,922.00	88.80	356.90	8,808.99	3,758.45	-832.04	418,649.14	726,683.38	32.1495280	-103.7344512
13,017.00	89.00	356.50	8,810.81	3,853.27	-837.51	418,743.96	726,677.91	32.1497887	-103.7344671
13,112.00	88.80	356.40	8,812.64	3,948.07	-843.39	418,838.76	726,672.03	32.1500494	-103.7344844
13,207.00	89.80	357.00	8,813.80	4,042.90	-848.86	418,933.59	726,666.56	32.1503102	-103.7345004
13,301.00	90.60	357.20	8,813.47	4,136.78	-853.61	419,027.47	726,661.80	32.1505683	-103.7345141
13,397.00	91.80	357.50	8,811.46	4,232.66	-858.05	419,123.35	726,657.37	32.1508319	-103.7345267
13,492.00	92.00	354.80	8,808.31	4,327.38	-864.42	419,218.07	726,650.99	32.1510924	-103.7345456
13,587.00	92.90	354.70	8,804.25	4,421.90	-873.11	419,312.59	726,642.31	32.1513523	-103.7345719
13,682.00	91.60	355.00	8,800.52	4,516.44	-881.63	419,407.13	726,633.79	32.1516123	-103.7345978
13,777.00	91.60	354.00	8,797.87	4,610.96	-890.73	419,501.65	726,624.68	32.1518723	-103.7346255
13,871.87	89.52	355.38	8,796.93	4,705.41	-899.51	419,596.10	726,615.91	32.1521320	-103.7346521
X SEC @ 13872' MD, 0' FSL, 1662' FWL									
13,873.00	89.50	355.40	8,796.94	4,706.54	-899.60	419,597.23	726,615.82	32.1521351	-103.7346524
13,968.00	88.40	357.70	8,798.69	4,801.34	-905.31	419,692.03	726,610.10	32.1523958	-103.7346692
14,063.00	87.90	0.40	8,801.75	4,896.27	-906.89	419,786.96	726,608.53	32.1526568	-103.7346726
14,158.00	87.60	0.30	8,805.48	4,991.20	-906.31	419,881.89	726,609.11	32.1529177	-103.7346690
14,254.00	89.60	1.10	8,807.83	5,087.16	-905.14	419,977.84	726,610.28	32.1531814	-103.7346635
14,349.00	89.40	359.80	8,808.66	5,182.15	-904.39	420,072.84	726,611.03	32.1534425	-103.7346593
14,444.00	90.30	0.80	8,808.91	5,277.14	-903.89	420,167.83	726,611.52	32.1537037	-103.7346560
14,539.00	90.80	1.30	8,807.99	5,372.12	-902.15	420,262.81	726,613.27	32.1539647	-103.7346487
14,634.00	91.30	1.20	8,806.25	5,467.08	-900.08	420,357.77	726,615.34	32.1542257	-103.7346403
14,729.00	92.20	1.30	8,803.35	5,562.01	-898.01	420,452.70	726,617.41	32.1544866	-103.7346319
14,825.00	89.00	0.30	8,802.35	5,657.99	-896.67	420,548.68	726,618.75	32.1547504	-103.7346258
14,920.00	89.10	359.90	8,803.92	5,752.97	-896.50	420,643.66	726,618.91	32.1550115	-103.7346236
15,015.00	89.10	359.20	8,805.41	5,847.96	-897.25	420,738.65	726,618.17	32.1552726	-103.7346243
15,110.00	89.00	358.10	8,806.99	5,942.92	-899.49	420,833.61	726,615.93	32.1555337	-103.7346298
15,205.00	90.20	0.40	8,807.65	6,037.90	-900.73	420,928.59	726,614.69	32.1557948	-103.7346321
15,300.00	91.00	0.20	8,806.66	6,132.89	-900.23	421,023.58	726,615.18	32.1560559	-103.7346288
15,396.00	92.00	0.00	8,804.14	6,228.86	-900.06	421,119.55	726,615.35	32.1563197	-103.7346266
15,491.00	90.80	0.80	8,801.82	6,323.82	-899.40	421,214.51	726,616.02	32.1565807	-103.7346227
15,586.00	91.20	0.20	8,800.17	6,418.81	-898.57	421,309.49	726,616.84	32.1568418	-103.7346183
15,682.00	91.80	0.20	8,797.65	6,514.77	-898.24	421,405.46	726,617.18	32.1571055	-103.7346155
15,777.00	89.20	1.10	8,796.82	6,609.75	-897.16	421,500.44	726,618.26	32.1573666	-103.7346103
15,873.00	89.50	1.20	8,797.91	6,705.73	-895.23	421,596.42	726,620.18	32.1576304	-103.7346024
15,968.00	89.50	0.60	8,798.74	6,800.71	-893.74	421,691.40	726,621.68	32.1578915	-103.7345959
16,063.00	89.70	0.60	8,799.41	6,895.70	-892.75	421,786.39	726,622.67	32.1581526	-103.7345909
16,159.00	89.80	0.50	8,799.82	6,991.70	-891.82	421,882.39	726,623.59	32.1584164	-103.7345862
16,254.00	90.30	0.40	8,799.74	7,086.69	-891.08	421,977.38	726,624.34	32.1586775	-103.7345821
16,349.00	91.10	1.10	8,798.58	7,181.68	-889.83	422,072.37	726,625.58	32.1589386	-103.7345764
16,443.00	91.00	2.30	8,796.86	7,275.62	-887.05	422,166.31	726,628.37	32.1591968	-103.7345657

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 542H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3409' + KB 25' @ 3434.00usft
Site:	Cotton Draw Unit	MD Reference:	GE 3409' + KB 25' @ 3434.00usft
Well:	Cotton Draw Unit 542H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,539.00	90.60	2.80	8,795.52	7,371.51	-882.78	422,262.20	726,632.64	32.1594603	-103.7345502
16,634.00	88.80	3.00	8,796.01	7,466.39	-877.97	422,357.08	726,637.45	32.1597210	-103.7345329
16,730.00	89.40	3.00	8,797.52	7,562.24	-872.95	422,452.93	726,642.47	32.1599844	-103.7345150
16,825.00	90.10	3.00	8,797.94	7,657.11	-867.97	422,547.80	726,647.44	32.1602451	-103.7344972
16,920.00	88.20	1.90	8,799.35	7,752.01	-863.91	422,642.70	726,651.50	32.1605059	-103.7344824
17,015.00	88.50	1.60	8,802.08	7,846.92	-861.01	422,737.61	726,654.40	32.1607668	-103.7344713
17,110.00	88.40	0.50	8,804.65	7,941.87	-859.27	422,832.56	726,656.14	32.1610277	-103.7344640
17,205.00	89.00	0.60	8,806.81	8,036.84	-858.36	422,927.53	726,657.05	32.1612888	-103.7344593
17,300.00	88.80	359.40	8,808.63	8,131.82	-858.36	423,022.51	726,657.05	32.1615499	-103.7344576
17,395.00	89.00	359.50	8,810.45	8,226.80	-859.27	423,117.49	726,656.14	32.1618110	-103.7344588
17,490.00	89.10	359.10	8,812.03	8,321.78	-860.43	423,212.47	726,654.98	32.1620721	-103.7344609
17,586.00	89.30	359.40	8,813.37	8,417.76	-861.69	423,308.45	726,653.73	32.1623359	-103.7344632
17,681.00	89.70	359.00	8,814.20	8,512.75	-863.02	423,403.44	726,652.40	32.1625970	-103.7344658
17,776.00	90.10	359.10	8,814.36	8,607.74	-864.59	423,498.43	726,650.82	32.1628581	-103.7344692
17,871.00	90.50	358.70	8,813.87	8,702.72	-866.42	423,593.41	726,649.00	32.1631193	-103.7344734
17,966.00	91.20	359.00	8,812.46	8,797.69	-868.32	423,688.38	726,647.09	32.1633803	-103.7344778
18,062.00	91.00	358.60	8,810.62	8,893.65	-870.33	423,784.34	726,645.08	32.1636441	-103.7344826
18,157.00	90.20	357.30	8,809.62	8,988.58	-873.73	423,879.27	726,641.69	32.1639051	-103.7344919
18,252.00	90.30	356.50	8,809.21	9,083.44	-878.87	423,974.13	726,636.55	32.1641660	-103.7345068
18,347.00	90.00	356.30	8,808.96	9,178.25	-884.83	424,068.94	726,630.58	32.1644267	-103.7345243
18,443.00	90.40	356.40	8,808.62	9,274.06	-890.94	424,164.75	726,624.47	32.1646901	-103.7345424
18,538.00	89.60	355.80	8,808.62	9,368.83	-897.41	424,259.52	726,618.01	32.1649507	-103.7345615
18,633.00	90.20	355.80	8,808.79	9,463.58	-904.36	424,354.27	726,611.05	32.1652113	-103.7345823
18,728.00	91.70	357.20	8,807.21	9,558.38	-910.16	424,449.07	726,605.25	32.1654720	-103.7345993
18,823.00	90.50	356.80	8,805.39	9,653.23	-915.13	424,543.92	726,600.28	32.1657328	-103.7346137
18,918.00	90.70	356.10	8,804.39	9,748.05	-921.02	424,638.74	726,594.40	32.1659935	-103.7346310
19,000.00	90.90	355.70	8,803.25	9,829.83	-926.88	424,720.52	726,588.54	32.1662184	-103.7346485
19,052.00	90.90	355.70	8,802.43	9,881.68	-930.78	424,772.36	726,584.64	32.1663609	-103.7346602
X LTP @ 19052' MD, 100' FNL, 1678' FWL									
19,053.00	90.90	355.70	8,802.42	9,882.67	-930.85	424,773.36	726,584.57	32.1663637	-103.7346604
PBHL; 99' FNL, 1678' FWL									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment	
		+N/-S (usft)	+E/-W (usft)		
8,421.00	8,361.13	-459.34	-717.02	KOP & FTP @ 8421' MD, 124' FSL, 1845' FWL	
13,871.87	8,796.93	4,705.41	-899.51	X SEC @ 13872' MD, 0' FSL, 1662' FWL	
19,052.00	8,802.43	9,881.68	-930.78	X LTP @ 19052' MD, 100' FNL, 1678' FWL	
19,053.00	8,802.42	9,882.67	-930.85	PBHL; 99' FNL, 1678' FWL	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		WELL API NO. 30-015-48928 5. Indicate Type of Lease STATE ☐ FEE ☐ 6. State Oil & Gas Lease No.
2. Name of Operator Devon Energy Production Company, L.P.		7. Lease Name or Unit Agreement Name Cotton Draw Unit
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		8. Well Number 542H
4. Well Location Unit Letter N : 583 feet from the South line and 2562 feet from the West line Section 12 Township 25S Range 31E NMPM County Eddy		9. OGRID Number 6137
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3409'		10. Pool name or Wildcat PADUCA; BONE SPRING (O)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/20/22-8/18/22: MIRU WL & PT. TIH & ran CBL, found TOC @ 1330'. PT csg to 1500 psi for 30min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 9019'-19000', total 1188 holes. Frac totals 15,079,924# proppant, 60 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 18,930' MD/8,804' TVD. CHC, FWB, ND BOP. RIH w/255 jts 2-7/8" L-80 tbg, set @ 8550'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Professional DATE 9/13/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dmn.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505				State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011			
				1. WELL API NO. 30-015-48928							
				2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN							
				3. State Oil & Gas Lease No.							
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Cotton Draw Unit			
								6. Well Number: 542H			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER											
8. Name of Operator Devon Energy Production Company, L.P.								9. OGRID 6137			
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102								11. Pool name or Wildcat PADUCA; BONE SPRING (O)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	N	12	25S	31E		583	South	2562	West	Eddy	
BH:		1	25S	31E	3	99	North	1679	West	Eddy	
13. Date Spudded 2/10/22	14. Date T.D. Reached 3/11/22		15. Date Rig Released 3/14/22			16. Date Completed (Ready to Produce) 8/18/22			17. Elevations (DF and RKB, RT, GR, etc.) 3409' GL		
18. Total Measured Depth of Well 19053 MD, 8802 TVD			19. Plug Back Measured Depth 18,930 MD/8,804 TVD			20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run RBT		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9019-19000, BONE SPRING (O)											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13-3/8"		54.5		746		17-1/2"		719 sx C/C; circ 365 sx			
9-5/8"		40		8407		12-1/4"		660 sx C/C; circ 3 sx			
5-1/2"		20		19040		8-1/2"		2120 sx C/H; circ 0 sx		TOC @ 4925	
24. LINER RECORD											
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD				
							SIZE	DEPTH SET	PACKER SET		
							2-7/8" L-80	8550			
26. Perforation record (interval, size, and number) 9019 - 19000, total 1188 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 9019-19000 Acidize and frac in 34 stages. See detailed summary attached.					
28. PRODUCTION											
Date First Production 8/18/22		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing					Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 8/28/22	Hours Tested 24	Choke Size N/A	Prod'n For Test Period	Oil - Bbl 1667	Gas - MCF 4956	Water - Bbl. 1225	Gas - Oil Ratio 2973.005399				
Flow Tubing Press. 643 psi	Casing Pressure 0 psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)					
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By			
31. List Attachments Directional Survey, Logs											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.											
33. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude Longitude NAD 1927 1983											
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature		Printed Name		Shayda Omoumi		Title		Regulatory Compliance Professional		Date 9/13/2022	
E-mail Address		shayda.omoumi@dvn.com									

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 640			
Salt - 1020			
Base of Salt - 4176			
Lamar - 4402			
Delaware - 4434			
Cherry Canyon - 5250			
Brushy Canyon - 6662			
1st Bone Spring Lime - 8304			
1st Bone Spring Sand - 9362			
2nd Bone Spring Sand - 9930			
3rd Bone Spring Lime - 10460			
3rd Bone Spring Sand - 11236			
Wolfcamp - 11650			
Strawn - 13600			

No. 1, from.....	N/A.....	to.....	N/A.....	No. 3, from.....	N/A.....	to.....	N/A.....
No. 2, from.....	N/A.....	to.....	N/A.....	No. 4, from.....	N/A.....	to.....	N/A.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 142862

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 142862
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 142862

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 142862
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	10/20/2022