

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources  
  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-104  
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

|                                                                                                                 |                                              |                                                           |                                   |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------|-----------------------------------|
| <sup>1</sup> Operator name and Address<br>Enduring Resources IV LLC.<br>200 Energy Court<br>Farmington NM 87401 |                                              | <sup>2</sup> OGRID Number<br>372286                       |                                   |
|                                                                                                                 |                                              | <sup>3</sup> Reason for Filing Code/ Effective Date<br>RT |                                   |
| <sup>4</sup> API Number<br>30-045-38268                                                                         | <sup>5</sup> Pool Name<br>LYBROOK MANCOS W   |                                                           | <sup>6</sup> Pool Code<br>98157   |
| <sup>7</sup> Property Code<br>321259                                                                            | <sup>8</sup> Property Name<br>W LYBROOK UNIT |                                                           | <sup>9</sup> Well Number<br>#760H |

II. <sup>10</sup> Surface Location

|                    |               |                 |             |         |                       |                           |                       |                        |                    |
|--------------------|---------------|-----------------|-------------|---------|-----------------------|---------------------------|-----------------------|------------------------|--------------------|
| UL or lot no.<br>M | Section<br>23 | Township<br>23N | Range<br>9W | Lot Idn | Feet from the<br>521' | North/South Line<br>South | Feet from the<br>591' | East/West line<br>West | County<br>San Juan |
|--------------------|---------------|-----------------|-------------|---------|-----------------------|---------------------------|-----------------------|------------------------|--------------------|

<sup>11</sup> Bottom Hole Location

|                             |                                        |                 |                                                   |         |                                   |                           |                                    |                        |                                     |
|-----------------------------|----------------------------------------|-----------------|---------------------------------------------------|---------|-----------------------------------|---------------------------|------------------------------------|------------------------|-------------------------------------|
| UL or lot no.<br>M          | Section<br>15                          | Township<br>23N | Range<br>9W                                       | Lot Idn | Feet from the<br>1155'            | North/South line<br>South | Feet from the<br>165'              | East/West line<br>West | County<br>San Juan                  |
| <sup>12</sup> Lse Code<br>F | <sup>13</sup> Producing Method<br>Code |                 | <sup>14</sup> Gas Connection<br>Date<br>4/25/2022 |         | <sup>15</sup> C-129 Permit Number |                           | <sup>16</sup> C-129 Effective Date |                        | <sup>17</sup> C-129 Expiration Date |

III. Oil and Gas Transporters

|                                    |                                               |                     |
|------------------------------------|-----------------------------------------------|---------------------|
| <sup>18</sup> Transporter<br>OGRID | <sup>19</sup> Transporter Name<br>and Address | <sup>20</sup> O/G/W |
| 248440                             | WESTERN REFINING COMPANY, LLC                 | O                   |
| 373888                             | HARVEST FOUR CORNERS. LLC                     | G                   |

IV. Well Completion Data

|                                       |                                      |                                            |                                                |                                                                      |                                  |                            |
|---------------------------------------|--------------------------------------|--------------------------------------------|------------------------------------------------|----------------------------------------------------------------------|----------------------------------|----------------------------|
| <sup>21</sup> Spud Date<br>12/21/2021 | <sup>22</sup> Ready Date<br>5/4/2022 | <sup>23</sup> TD<br>13379' MD<br>4715' TVD | <sup>24</sup> PBDT<br>13254.1' MD<br>4720' TVD | <sup>25</sup> Perforations<br>~ 4920'-13249' MD<br>~ 4656'-4720' TVD | <sup>26</sup> DHC, MC<br>R-14051 |                            |
| <sup>27</sup> Hole Size               |                                      | <sup>28</sup> Casing & Tubing Size         |                                                | <sup>29</sup> Depth Set                                              |                                  | <sup>30</sup> Sacks Cement |
| 17-1/2"                               |                                      | 13-3/8",54.5#, J-55                        |                                                | 360' MD                                                              |                                  | 350 sx - surface           |
| 12-1/4"                               |                                      | 9-5/8",36#, J-55                           |                                                | 2652' MD                                                             |                                  | 642 sx- surface            |
| 8-1/2"                                |                                      | 5-1/2",17#, P-110                          |                                                | 13368.4' MD                                                          |                                  | 2007 sx- surface           |
|                                       |                                      |                                            |                                                |                                                                      |                                  |                            |

V. Well Test Data

|                            |                                 |                         |                           |                             |                             |
|----------------------------|---------------------------------|-------------------------|---------------------------|-----------------------------|-----------------------------|
| <sup>31</sup> Date New Oil | <sup>32</sup> Gas Delivery Date | <sup>33</sup> Test Date | <sup>34</sup> Test Length | <sup>35</sup> Tbg. Pressure | <sup>36</sup> Csg. Pressure |
| <sup>37</sup> Choke Size   | <sup>38</sup> Oil               | <sup>39</sup> Water     | <sup>40</sup> Gas         |                             | <sup>41</sup> Test Method   |

|                                                                                                                                                                                                                                               |                                                                        |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|--|--|--|--|
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br><br>Signature: <i>Kayla White</i> | OIL CONSERVATION DIVISION<br><br>Approved by: <i>PATRICIA MARTINEZ</i> |  |  |  |  |
| Printed name:<br>Kayla White                                                                                                                                                                                                                  | Title: <i>PETROLEUM SPECIALIST</i>                                     |  |  |  |  |
| Title:<br>Associate Consultant, Environmental Engineer                                                                                                                                                                                        | Approval Date: <i>4/27/2022</i>                                        |  |  |  |  |
| E-mail Address:<br>Kayla.N.White@wsp.com                                                                                                                                                                                                      | <i>RT EXPIRES 7/27/2022</i>                                            |  |  |  |  |
| Date:<br>3/24/2022                                                                                                                                                                                                                            |                                                                        |  |  |  |  |



*ENDURING RESOURCES IV LLC*

March 22, 2022

Re: W LYBROOK UNIT 760H- 30-045-38268

Pursuant to NMOC rule 19.15.7.16(C) request is herein made to keep all data and accompanying attachments contained in form C-105 confidential.

Sincerely,

A handwritten signature in blue ink, appearing to read "Heather Huntington".

Heather Huntington  
Permitting Technician  
Enduring Resources, LLC.  
[hhuntington@enduringresources.com](mailto:hhuntington@enduringresources.com)

District I  
Received by OGD: 4/22/2022 3:11:35 PM  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First Street, Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Drive, Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department

Form C-102  
Revised August 1, 2011 Page 3 of 11

Submit one copy to  
Appropriate District Office

OIL CONSERVATION DIVISION  
1220 South St. Francis Drive  
Santa Fe, NM 87505

☐ AMENDED REPORT

AS-DRILLED WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                         |                                                       |                                            |
|-----------------------------------------|-------------------------------------------------------|--------------------------------------------|
| <sup>1</sup> API Number<br>30-045-38268 | <sup>2</sup> Pool Code<br>98157                       | <sup>3</sup> Pool Name<br>LYBROOK MANCOS W |
| <sup>4</sup> Property Code<br>321259    | <sup>5</sup> Property Name<br>W LYBROOK UNIT          | <sup>6</sup> Well Number<br>760H           |
| <sup>7</sup> GRID No.<br>372286         | <sup>8</sup> Operator Name<br>ENDURING RESOURCES, LLC | <sup>9</sup> Elevation<br>6747'            |

<sup>10</sup> Surface Location


| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County   |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|----------|
| M             | 23      | 23N      | 9W    |         | 521           | SOUTH            | 591           | WEST           | SAN JUAN |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County   |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|----------|
| M             | 15      | 23N      | 9W    |         | 1155          | SOUTH            | 165           | WEST           | SAN JUAN |

|                                         |                                                                                                                                  |                               |                                  |                                                      |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------------|------------------------------------------------------|
| <sup>12</sup> Dedicated Acres<br>520.00 | S/2 SW/4 - Section 15<br>N/2 NW/4, SE/4 NW/4<br>W/2 NE/4, SE/4 NE/4<br>N/2 SE/4, SE/4 SE/4 - Section 22<br>W/2 SW/4 - Section 23 | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No.<br>R-14051 - 12,807.24 Acres |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------------|------------------------------------------------------|

NO ALLOWABLE WILL BE ASSIGNED  
TO THIS COMPLETION UNTIL ALL  
INTERESTS HAVE BEEN CONSOLIDATED  
OR A NON-STANDARD UNIT HAS  
BEEN APPROVED BY THE DIVISION



<sup>17</sup> OPERATOR CERTIFICATION  
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.  
Signature: Heather Huntington Date: 3/18/22  
Printed Name: Heather Huntington  
E-mail Address: hhhuntington@enduringresources.com

<sup>18</sup> SURVEYOR CERTIFICATION  
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.  
Date Revised: MARCH 9, 2022  
Survey Date: SEPTEMBER 10, 2015  
Signature and Seal of Professional Surveyor



**JASON C. EDWARDS**  
Certificate Number 15269

District I  
Received by OGD: 4/23/2022 3:11:35 PM  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First Street, Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Drive, Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department

Form C-102  
Revised August 1, 2014 Page 4 of 11

Submit one copy to  
Appropriate District Office

OIL CONSERVATION DIVISION  
1220 South St. Francis Drive  
Santa Fe, NM 87505

☐ AMENDED REPORT

AS-DRILLED WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                         |  |                                                       |  |                                            |                                  |
|-----------------------------------------|--|-------------------------------------------------------|--|--------------------------------------------|----------------------------------|
| <sup>1</sup> API Number<br>30-045-38268 |  | <sup>2</sup> Pool Code<br>98157                       |  | <sup>3</sup> Pool Name<br>LYBROOK MANCOS W |                                  |
| <sup>4</sup> Property Code<br>321259    |  | <sup>5</sup> Property Name<br>W LYBROOK UNIT          |  |                                            | <sup>6</sup> Well Number<br>760H |
| <sup>7</sup> GRID No.<br>372286         |  | <sup>8</sup> Operator Name<br>ENDURING RESOURCES, LLC |  |                                            | <sup>9</sup> Elevation<br>6747'  |

<sup>10</sup> Surface Location


| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County   |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|----------|
| M             | 23      | 23N      | 9W    |         | 521           | SOUTH            | 591           | WEST           | SAN JUAN |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County   |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|----------|
| M             | 15      | 23N      | 9W    |         | 1155          | SOUTH            | 165           | WEST           | SAN JUAN |

|                                                                                                                                                                             |  |                               |  |                                  |                                                      |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------|--|----------------------------------|------------------------------------------------------|--|
| <sup>12</sup> Dedicated Acres<br>520.00<br>S/2 SW/4 - Section 15<br>N/2 NW/4, SE/4 NW/4<br>W/2 NE/4, SE/4 NE/4<br>N/2 SE/4, SE/4 SE/4 - Section 22<br>W/2 SW/4 - Section 23 |  | <sup>13</sup> Joint or Infill |  | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No.<br>R-14051 - 12,807.24 Acres |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------|--|----------------------------------|------------------------------------------------------|--|

NO ALLOWABLE WILL BE ASSIGNED  
TO THIS COMPLETION UNTIL ALL  
INTERESTS HAVE BEEN CONSOLIDATED  
OR A NON-STANDARD UNIT HAS  
BEEN APPROVED BY THE DIVISION



<sup>17</sup> OPERATOR CERTIFICATION  
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

3/16/22

Signature  
Heather Huntington  
Printed Name  
hhuntington@enduringresources.com  
E-mail Address

<sup>18</sup> SURVEYOR CERTIFICATION  
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date Revised: MARCH 9, 2022  
Survey Date: SEPTEMBER 10, 2015

Signature and Seal of Professional Surveyor



JASON C. EDWARDS  
Certificate Number 15269

(A) 1291' FSL 0' FEL  
SEC 22, T23N, R9W  
LAT: 36.208683 °N  
LONG: 107.766489 °W  
DATUM: NAD1927

LAT: 36.208696 °N  
LONG: 107.767103 °W  
DATUM: NAD1983

(B) 2651' FSL 1348' FEL  
SEC 22, T23N, R9W  
LAT: 36.212412 °N  
LONG: 107.771058 °W  
DATUM: NAD1927

LAT: 36.212426 °N  
LONG: 107.771672 °W  
DATUM: NAD1983

(C) 1336' FNL 2640' FWL  
SEC 22, T23N, R9W  
LAT: 36.216021 °N  
LONG: 107.775479 °W  
DATUM: NAD1927

LAT: 36.216034 °N  
LONG: 107.776094 °W  
DATUM: NAD1983

(D) 0' FNL 1304' FWL  
SEC 22, T23N, R9W  
LAT: 36.219716 °N  
LONG: 107.780007 °W  
DATUM: NAD1927

LAT: 36.219729 °N  
LONG: 107.780621 °W  
DATUM: NAD1983

Enduring Resources LLC  
San Juan County  
W Lybrook 726 Pad (726  
W Lybrook Unit No. 760H  
Original Hole  
Surveys Original Hole  
01-Mar-2022 (11964)  
MD

New Mexico NAD83 NM W  
728 729 760 & 761)

|         | Inc   | Azimuth | TVD     | N/S     | E/W     | VS      | DLS   | Y       | X       | Latitude | Longitude | SS       | TVD                                    | Comment |
|---------|-------|---------|---------|---------|---------|---------|-------|---------|---------|----------|-----------|----------|----------------------------------------|---------|
| 0       | 0     | 0       | 0       | 0       | 0       | 0       | 0     | 0       | 1894502 | 2743222  | 36.20659  | -107.765 | -6775                                  |         |
| 431     | 1.49  | 4.1     | 430.95  | 5.59    | 0.4     | 3.67    | 0.35  | 1894508 | 2743222 | 36.2066  | -107.765  | -6344.05 | MWD surveys                            |         |
| 493     | 1.76  | 8.06    | 492.93  | 7.34    | 0.59    | 4.77    | 0.47  | 1894509 | 2743222 | 36.20661 | -107.765  | -6282.07 |                                        |         |
| 584     | 1.54  | 3.22    | 583.89  | 9.94    | 0.86    | 6.42    | 0.29  | 1894512 | 2743223 | 36.20661 | -107.765  | -6191.11 |                                        |         |
| 676     | 1.19  | 7.09    | 675.86  | 12.12   | 1.04    | 7.83    | 0.39  | 1894514 | 2743223 | 36.20662 | -107.765  | -6099.14 |                                        |         |
| 766     | 0.83  | 96.21   | 765.85  | 12.98   | 1.81    | 7.9     | 1.6   | 1894515 | 2743224 | 36.20662 | -107.765  | -6009.15 |                                        |         |
| 857     | 0.97  | 116.78  | 856.84  | 12.56   | 3.15    | 6.65    | 0.38  | 1894515 | 2743225 | 36.20662 | -107.765  | -5918.16 |                                        |         |
| 948     | 0.26  | 136.11  | 947.84  | 12.07   | 3.98    | 5.72    | 0.8   | 1894514 | 2743226 | 36.20662 | -107.765  | -5827.16 |                                        |         |
| 1039    | 0.53  | 111.94  | 1038.83 | 11.76   | 4.51    | 5.12    | 0.34  | 1894514 | 2743226 | 36.20662 | -107.765  | -5736.17 |                                        |         |
| 1130    | 0.26  | 110.27  | 1129.83 | 11.53   | 5.1     | 4.55    | 0.3   | 1894513 | 2743227 | 36.20662 | -107.765  | -5645.17 |                                        |         |
| 1224    | 0.22  | 156.33  | 1223.83 | 11.29   | 5.37    | 4.19    | 0.2   | 1894513 | 2743227 | 36.20662 | -107.765  | -5551.17 |                                        |         |
| 1318    | 0.18  | 171.97  | 1317.83 | 10.98   | 5.46    | 3.9     | 0.07  | 1894513 | 2743227 | 36.20662 | -107.765  | -5457.17 |                                        |         |
| 1412    | 2.33  | 119.15  | 1411.8  | 9.9     | 7.15    | 1.94    | 2.37  | 1894512 | 2743229 | 36.20661 | -107.765  | -5363.2  |                                        |         |
| 1506    | 6.15  | 118.27  | 1505.53 | 6.59    | 13.26   | -4.72   | 4.06  | 1894509 | 2743235 | 36.2066  | -107.765  | -5269.47 |                                        |         |
| 1600    | 9.58  | 121.79  | 1598.63 | 0.08    | 24.35   | -17.16  | 3.68  | 1894502 | 2743246 | 36.20659 | -107.765  | -5176.37 |                                        |         |
| 1693    | 11.47 | 123.11  | 1690.06 | -9.05   | 38.67   | -33.74  | 2.05  | 1894493 | 2743260 | 36.20656 | -107.765  | -5084.94 |                                        |         |
| 1787    | 12.96 | 121.52  | 1781.93 | -19.67  | 55.49   | -53.14  | 1.62  | 1894482 | 2743277 | 36.20653 | -107.765  | -4993.07 |                                        |         |
| 1882    | 14.63 | 122.49  | 1874.19 | -31.68  | 74.69   | -75.21  | 1.77  | 1894470 | 2743296 | 36.2065  | -107.765  | -4900.81 |                                        |         |
| 1976    | 15.82 | 125.57  | 1964.89 | -45.51  | 95.12   | -99.44  | 1.53  | 1894456 | 2743317 | 36.20646 | -107.765  | -4810.11 |                                        |         |
| 2070    | 15.47 | 125.39  | 2055.41 | -60.23  | 115.77  | -124.44 | 0.38  | 1894442 | 2743338 | 36.20642 | -107.765  | -4719.59 |                                        |         |
| 2165    | 14.55 | 125.39  | 2147.16 | -74.47  | 135.82  | -148.7  | 0.97  | 1894427 | 2743358 | 36.20638 | -107.765  | -4627.84 |                                        |         |
| 2259    | 16    | 124.07  | 2237.84 | -88.57  | 156.18  | -173.07 | 1.59  | 1894413 | 2743378 | 36.20634 | -107.765  | -4537.16 |                                        |         |
| 2354    | 16.22 | 125.22  | 2329.11 | -103.56 | 177.87  | -199    | 0.41  | 1894398 | 2743400 | 36.2063  | -107.764  | -4445.89 |                                        |         |
| 2448    | 15.51 | 125.92  | 2419.53 | -118.5  | 198.77  | -224.35 | 0.78  | 1894383 | 2743421 | 36.20626 | -107.764  | -4355.47 |                                        |         |
| 2542    | 14.33 | 126.18  | 2510.36 | -132.74 | 218.34  | -248.25 | 1.26  | 1894369 | 2743440 | 36.20622 | -107.764  | -4264.64 |                                        |         |
| 2595    | 13.8  | 126.09  | 2561.77 | -140.34 | 228.74  | -260.98 | 1     | 1894362 | 2743450 | 36.2062  | -107.764  | -4213.23 |                                        |         |
| 2631    | 13.53 | 126     | 2596.75 | -145.34 | 235.62  | -269.38 | 0.74  | 1894357 | 2743457 | 36.20619 | -107.764  | -4178.25 | 9 5/8" Casing @ 2631.00 MD 2596.75 TVD |         |
| 2696    | 13.05 | 125.83  | 2660.01 | -154.11 | 247.72  | -284.14 | 0.74  | 1894348 | 2743469 | 36.20616 | -107.764  | -4114.99 |                                        |         |
| 2790    | 14.63 | 127.68  | 2751.28 | -167.58 | 265.72  | -306.39 | 1.75  | 1894334 | 2743487 | 36.20613 | -107.764  | -4023.72 |                                        |         |
| 2884    | 16.66 | 128.38  | 2841.79 | -183.2  | 285.68  | -331.55 | 2.17  | 1894319 | 2743507 | 36.20608 | -107.764  | -3933.21 |                                        |         |
| 2998    | 15.21 | 127.59  | 2951.41 | -202.47 | 310.34  | -362.61 | 1.29  | 1894299 | 2743532 | 36.20603 | -107.764  | -3823.59 |                                        |         |
| 3092    | 17.23 | 129.08  | 3041.66 | -218.77 | 330.92  | -388.69 | 2.19  | 1894283 | 2743553 | 36.20598 | -107.764  | -3733.34 |                                        |         |
| 3187    | 16.7  | 128.99  | 3132.53 | -236.23 | 352.45  | -416.26 | 0.56  | 1894266 | 2743574 | 36.20594 | -107.764  | -3642.47 |                                        |         |
| 3282    | 16.96 | 129.26  | 3223.46 | -253.59 | 373.79  | -443.62 | 0.29  | 1894248 | 2743596 | 36.20589 | -107.764  | -3551.54 |                                        |         |
| 3376    | 13.36 | 128.64  | 3314.17 | -269.05 | 392.9   | -468.07 | 3.83  | 1894233 | 2743615 | 36.20585 | -107.764  | -3460.83 |                                        |         |
| 3470    | 15.69 | 126.36  | 3405.16 | -283.37 | 411.62  | -491.43 | 2.55  | 1894219 | 2743633 | 36.20581 | -107.764  | -3369.84 |                                        |         |
| 3565    | 17.05 | 124.6   | 3496.31 | -298.89 | 433.43  | -517.83 | 1.52  | 1894203 | 2743655 | 36.20576 | -107.764  | -3278.69 |                                        |         |
| 3659    | 18.68 | 124.69  | 3585.77 | -315.29 | 457.15  | -546.2  | 1.73  | 1894187 | 2743679 | 36.20572 | -107.764  | -3189.23 |                                        |         |
| 3754    | 13.23 | 121.61  | 3677.08 | -329.65 | 478.93  | -571.76 | 5.8   | 1894172 | 2743701 | 36.20568 | -107.763  | -3097.92 |                                        |         |
| 3849    | 8.26  | 120.03  | 3770.39 | -338.77 | 494.11  | -588.94 | 5.24  | 1894163 | 2743716 | 36.20565 | -107.763  | -3004.61 |                                        |         |
| 3943    | 4.44  | 114.05  | 3863.79 | -343.64 | 503.28  | -598.86 | 4.12  | 1894158 | 2743725 | 36.20564 | -107.763  | -2911.21 |                                        |         |
| 4038    | 1.54  | 108.6   | 3958.65 | -345.54 | 507.85  | -603.44 | 3.06  | 1894156 | 2743730 | 36.20564 | -107.763  | -2816.35 |                                        |         |
| 4101    | 1.19  | 107.29  | 4021.64 | -346.01 | 509.28  | -604.78 | 0.56  | 1894156 | 2743731 | 36.20563 | -107.763  | -2753.36 |                                        |         |
| 4132    | 0.62  | 88.39   | 4052.63 | -346.1  | 509.75  | -605.18 | 2.05  | 1894156 | 2743732 | 36.20563 | -107.763  | -2722.37 |                                        |         |
| 4163    | 2.37  | 332.81  | 4083.62 | -345.52 | 509.63  | -604.68 | 8.7   | 1894156 | 2743731 | 36.20564 | -107.763  | -2691.38 |                                        |         |
| 4195    | 5.1   | 326.84  | 4115.55 | -343.74 | 508.55  | -602.66 | 8.61  | 1894158 | 2743730 | 36.20564 | -107.763  | -2659.45 |                                        |         |
| 4226    | 7.51  | 324.11  | 4146.36 | -340.95 | 506.61  | -599.31 | 7.83  | 1894161 | 2743728 | 36.20565 | -107.763  | -2628.64 |                                        |         |
| 4258    | 10.02 | 321.91  | 4177.99 | -337.06 | 503.66  | -594.48 | 7.91  | 1894165 | 2743725 | 36.20566 | -107.763  | -2597.01 |                                        |         |
| 4289    | 12.66 | 319.19  | 4208.38 | -332.37 | 499.78  | -588.42 | 8.69  | 1894170 | 2743722 | 36.20567 | -107.763  | -2566.62 |                                        |         |
| 4321    | 14.9  | 318.49  | 4239.46 | -326.63 | 494.76  | -580.81 | 7.02  | 1894175 | 2743717 | 36.20569 | -107.763  | -2535.54 |                                        |         |
| 4353    | 17.31 | 318.57  | 4270.2  | -319.98 | 488.88  | -571.95 | 7.53  | 1894182 | 2743711 | 36.20571 | -107.763  | -2504.8  |                                        |         |
| 4384    | 19.47 | 318.75  | 4299.61 | -312.64 | 482.42  | -562.19 | 6.97  | 1894189 | 2743704 | 36.20573 | -107.763  | -2475.39 |                                        |         |
| 4416    | 21.75 | 319.54  | 4329.56 | -304.12 | 475.06  | -550.96 | 7.18  | 1894198 | 2743697 | 36.20575 | -107.763  | -2445.44 |                                        |         |
| 4447    | 23.38 | 319.81  | 4358.19 | -295.05 | 467.36  | -539.1  | 5.27  | 1894207 | 2743689 | 36.20577 | -107.764  | -2416.81 |                                        |         |
| 4478    | 25.18 | 320.68  | 4386.45 | -285.25 | 459.21  | -526.41 | 5.92  | 1894217 | 2743681 | 36.2058  | -107.764  | -2388.55 |                                        |         |
| 4510    | 26.98 | 320.07  | 4415.19 | -274.41 | 450.24  | -512.4  | 5.69  | 1894228 | 2743672 | 36.20583 | -107.764  | -2359.81 |                                        |         |
| 4541    | 30.15 | 317.78  | 4442.41 | -263.25 | 440.49  | -497.62 | 10.82 | 1894239 | 2743662 | 36.20586 | -107.764  | -2332.59 |                                        |         |
| 4573    | 33.53 | 313.92  | 4469.59 | -251.16 | 428.72  | -480.75 | 12.33 | 1894251 | 2743650 | 36.2059  | -107.764  | -2305.41 |                                        |         |
| 4605    | 37.71 | 310.66  | 4495.6  | -238.65 | 414.92  | -462.15 | 14.34 | 1894263 | 2743637 | 36.20593 | -107.764  | -2279.4  |                                        |         |
| 4636    | 42.45 | 310.4   | 4519.32 | -225.69 | 399.75  | -442.25 | 15.3  | 1894276 | 2743622 | 36.20597 | -107.764  | -2255.68 |                                        |         |
| 4668    | 47.07 | 311.9   | 4542.03 | -210.85 | 382.8   | -419.78 | 14.81 | 1894291 | 2743605 | 36.20601 | -107.764  | -2232.97 |                                        |         |
| 4697.04 | 51.35 | 312.39  | 4561    | -196.1  | 366.5   | -397.82 | 14.8  | 1894306 | 2743588 | 36.20605 | -107.764  | -2214    | FTP MDCS_G top @ 4697 MD               |         |
| 4699    | 51.64 | 312.42  | 4562.22 | -195.07 | 365.37  | -396.29 | 14.8  | 1894307 | 2743587 | 36.20605 | -107.764  | -2212.78 |                                        |         |
| 4730    | 56.6  | 313.21  | 4580.38 | -178    | 346.96  | -371.2  | 16.13 | 1894324 | 2743569 | 36.2061  | -107.764  | -2194.62 |                                        |         |
| 4762    | 59.63 | 313.74  | 4597.28 | -159.3  | 327.24  | -344.04 | 9.57  | 1894343 | 2743549 | 36.20615 | -107.764  | -2177.72 |                                        |         |
| 4794    | 61.26 | 313.48  | 4613.07 | -140.11 | 307.09  | -316.21 | 5.14  | 1894362 | 2743529 | 36.2062  | -107.764  | -2161.93 |                                        |         |
| 4825    | 65.13 | 313.48  | 4627.04 | -121.07 | 287.01  | -288.56 | 12.48 | 1894381 | 2743509 | 36.20625 | -107.764  | -2147.96 |                                        |         |
| 4857    | 69.48 | 313.21  | 4639.39 | -100.81 | 265.55  | -259.06 | 13.62 | 1894401 | 2743487 | 36.20631 | -107.764  | -2135.61 |                                        |         |
| 4889    | 74.53 | 313.3   | 4649.27 | -79.96  | 243.39  | -228.65 | 15.78 | 1894422 | 2743465 | 36.20637 | -107.764  | -2125.73 |                                        |         |
| 4920    | 79.5  | 313.3   | 4656.23 | -59.25  | 221.41  | -198.46 | 16.03 | 1894443 | 2743443 | 36.20642 | -107.764  | -2118.77 |                                        |         |
| 4952    | 84.42 | 312.95  | 4660.71 | -37.6   | 198.29  | -166.8  | 15.41 | 1894464 | 2743420 | 36.20648 | -107.764  | -2114.29 |                                        |         |
| 4983    | 87.06 | 313.13  | 4663.01 | -16.5   | 175.7   | -135.91 | 8.54  | 1894485 | 2743397 | 36.20654 | -107.765  | -2111.99 |                                        |         |
| 5077    | 86.92 | 312.6   | 4667.95 | 47.35   | 106.9   | -42.1   | 0.58  | 1894549 | 2743329 | 36.20672 | -107.765  | -2107.05 |                                        |         |
| 5171    | 88.24 | 315.06  | 4671.92 | 112.39  | 39.16   | 51.78   | 2.97  | 1894614 | 2743261 | 36.20689 | -107.765  | -2103.08 |                                        |         |
| 5266    | 87.36 | 314.44  | 4675.56 | 179.22  | -28.26  | 146.71  | 1.13  | 1894681 | 2743193 | 36.20708 | -107.765  | -2099.44 |                                        |         |
| 5360    | 88.77 | 316.91  | 4678.74 | 246.42  | -93.9   | 240.64  | 3.02  | 1894748 | 2743128 | 36.20726 | -107.765  | -2096.26 |                                        |         |
| 5454    | 88.86 | 317.08  | 4680.68 | 315.15  | -158    | 334.56  | 0.2   | 1894817 | 2743064 | 36.20745 | -107.766  | -2094.32 |                                        |         |
| 5549    | 87.85 | 316.11  | 4683.41 | 384.14  | -223.25 | 429.49  | 1.47  | 1894886 | 2742999 | 36.20764 | -107.766  | -20      |                                        |         |

|       |       |        |         |         |          |         |      |         |         |          |          |                                                                             |
|-------|-------|--------|---------|---------|----------|---------|------|---------|---------|----------|----------|-----------------------------------------------------------------------------|
| 10647 | 89.78 | 315.15 | 4698.73 | 3981.37 | -3834    | 5526.3  | 1.2  | 1898483 | 2739388 | 36.21753 | -107.778 | -2076.27                                                                    |
| 10741 | 89.17 | 314.36 | 4699.59 | 4047.55 | -3900.75 | 5620.3  | 1.06 | 1898550 | 2739321 | 36.21771 | -107.778 | -2075.41                                                                    |
| 10835 | 90.62 | 316.64 | 4699.76 | 4114.59 | -3966.63 | 5714.29 | 2.87 | 1898617 | 2739255 | 36.2179  | -107.779 | -2075.24                                                                    |
| 10930 | 91.1  | 317.17 | 4698.34 | 4183.95 | -4031.53 | 5809.22 | 0.75 | 1898686 | 2739190 | 36.21809 | -107.779 | -2076.66                                                                    |
| 11024 | 91.54 | 317.26 | 4696.17 | 4252.92 | -4095.36 | 5903.13 | 0.48 | 1898755 | 2739126 | 36.21828 | -107.779 | -2078.83                                                                    |
| 11117 | 91.1  | 315.85 | 4694.03 | 4320.42 | -4159.29 | 5996.06 | 1.59 | 1898822 | 2739062 | 36.21846 | -107.779 | -2080.97                                                                    |
| 11212 | 91.85 | 316.64 | 4691.58 | 4389.02 | -4224.97 | 6091.01 | 1.15 | 1898891 | 2738997 | 36.21865 | -107.779 | -2083.42                                                                    |
| 11306 | 88.81 | 315.59 | 4691.04 | 4456.76 | -4290.12 | 6184.98 | 3.42 | 1898959 | 2738932 | 36.21884 | -107.78  | -2083.96                                                                    |
| 11401 | 88.59 | 315.59 | 4693.2  | 4524.6  | -4356.58 | 6279.95 | 0.23 | 1899027 | 2738865 | 36.21902 | -107.78  | -2081.8                                                                     |
| 11496 | 88.99 | 315.41 | 4695.2  | 4592.35 | -4423.15 | 6374.92 | 0.46 | 1899094 | 2738799 | 36.21921 | -107.78  | -2079.8                                                                     |
| 11590 | 89.34 | 314.8  | 4696.57 | 4658.93 | -4489.49 | 6468.91 | 0.75 | 1899161 | 2738732 | 36.21939 | -107.78  | -2078.43                                                                    |
| 11684 | 89.3  | 314.88 | 4697.69 | 4725.21 | -4556.14 | 6562.91 | 0.1  | 1899227 | 2738666 | 36.21957 | -107.781 | -2077.31                                                                    |
| 11778 | 88.99 | 314.18 | 4699.09 | 4791.12 | -4623.15 | 6656.89 | 0.81 | 1899293 | 2738599 | 36.21976 | -107.781 | -2075.91                                                                    |
| 11873 | 88.99 | 313.57 | 4700.77 | 4856.95 | -4691.62 | 6751.86 | 0.64 | 1899359 | 2738530 | 36.21994 | -107.781 | -2074.23                                                                    |
| 11967 | 88.15 | 315.41 | 4703.11 | 4922.8  | -4758.65 | 6845.82 | 2.15 | 1899425 | 2738463 | 36.22012 | -107.781 | -2071.89                                                                    |
| 12061 | 87.93 | 314.8  | 4706.33 | 4989.35 | -4824.95 | 6939.76 | 0.69 | 1899491 | 2738397 | 36.2203  | -107.781 | -2068.67                                                                    |
| 12155 | 88.33 | 314.18 | 4709.4  | 5055.19 | -4891.98 | 7033.71 | 0.78 | 1899557 | 2738330 | 36.22048 | -107.782 | -2065.6                                                                     |
| 12250 | 89.6  | 317.87 | 4711.11 | 5123.53 | -4957.91 | 7128.66 | 4.11 | 1899625 | 2738264 | 36.22067 | -107.782 | -2063.89                                                                    |
| 12345 | 89.78 | 317.61 | 4711.63 | 5193.84 | -5021.8  | 7223.55 | 0.33 | 1899696 | 2738200 | 36.22086 | -107.782 | -2063.37                                                                    |
| 12439 | 90.09 | 317.34 | 4711.73 | 5263.12 | -5085.34 | 7317.46 | 0.44 | 1899765 | 2738136 | 36.22105 | -107.782 | -2063.27                                                                    |
| 12533 | 90.31 | 317.17 | 4711.4  | 5332.15 | -5149.14 | 7411.39 | 0.3  | 1899834 | 2738073 | 36.22124 | -107.783 | -2063.6                                                                     |
| 12628 | 87.58 | 316.46 | 4713.15 | 5401.4  | -5214.13 | 7506.32 | 2.97 | 1899903 | 2738008 | 36.22143 | -107.783 | -2061.85                                                                    |
| 12722 | 87.76 | 316.47 | 4716.97 | 5469.49 | -5278.83 | 7600.21 | 0.19 | 1899971 | 2737943 | 36.22162 | -107.783 | -2058.03                                                                    |
| 12813 | 87.89 | 316.03 | 4720.43 | 5535.18 | -5341.71 | 7691.12 | 0.5  | 1900037 | 2737880 | 36.2218  | -107.783 | -2054.57                                                                    |
| 12903 | 88.51 | 315.59 | 4723.26 | 5599.68 | -5404.41 | 7781.07 | 0.84 | 1900102 | 2737817 | 36.22198 | -107.783 | -2051.74                                                                    |
| 12994 | 89.38 | 316.37 | 4724.93 | 5665.1  | -5467.64 | 7872.04 | 1.28 | 1900167 | 2737754 | 36.22216 | -107.784 | -2050.07                                                                    |
| 13086 | 90.26 | 315.59 | 4725.22 | 5731.26 | -5531.57 | 7964.02 | 1.28 | 1900233 | 2737690 | 36.22234 | -107.784 | -2049.78                                                                    |
| 13177 | 92.15 | 316.99 | 4723.31 | 5797.02 | -5594.43 | 8054.97 | 2.58 | 1900299 | 2737627 | 36.22252 | -107.784 | -2051.69                                                                    |
| 13254 | 92.38 | 316.55 | 4720.26 | 5853.07 | -5647.13 | 8131.87 | 0.65 | 1900355 | 2737575 | 36.22267 | -107.784 | -2054.74 LTP @ 13254 MD 4720.26 TVD                                         |
| 13267 | 92.42 | 316.47 | 4719.72 | 5862.5  | -5656.07 | 8144.86 | 0.65 | 1900364 | 2737566 | 36.2227  | -107.784 | -2055.28 330 perp @ 13267 MD 4719.72 TVD - Survey @ 13267.00 MD 4719.72 TVD |
| 13379 | 92.42 | 316.47 | 4714.99 | 5943.63 | -5733.14 | 8256.72 | 0    | 1900446 | 2737489 | 36.22292 | -107.785 | -2060.01 Survey projected to 13379.00 MD 4714.99 TVD                        |

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North.  
Vertical depths are relative to RKB=6747+28 = 6775.00

The Dogleg Severity is in Degrees per 100 feet.  
Vertical Section is from 0.00 E/-W 0.00 N/-S and calculated along an Azimuth of 315.000° (Grid).

Coordinate System is North American Datum 1983 US State Plane 1983  
Central meridian is -107.833°.  
Grid Convergence at Surface is 0.040°.

New Mexico Western ZoneS

Geomagnetic model is IGRF2020 Date for magnetic data is 1/14/2022  
Declination is 8.75 Dip 62.72 field strength is 49234.25

Based upon Minimum Curvature type calculations  
the Bottom Hole Displacement is 8258.06ft.

at a Measured Depth of 13379.00ft.  
in the Direction of 315.000° (Grid).

WELL NAME: **W LYBROOK UNIT 760H**

OBJECTIVE: **Drill, complete, and equip single lateral in the Mancos-I formation**

API Number: *30-045-38268*

AFE Number: *DV03017*

ER Well Number: *NM06443.01*

State: **New Mexico**

County: **San Juan**

Surface Elev.:      **6,748**      ft ASL (GL)      **6,776**      ft ASL (KB)

Surface Location: **23-23N-09W**   Sec-Twn- Rng      **521**      ft FSL      **591**      ft FWL

BH Location: **15-23N-09W**   Sec-Twn- Rng      **1048**      ft FSL      **236**      ft FWL

Driving Directions: ***FROM THE INTERSECTION OF US HWY 550 & US HWY 64 IN BLOOMFIELD, NM:***

South on US Hwy 550 for 38.3 miles to MM 113.4, Right (Southwest) on CR #7890 for 0.8 miles to fork, Left (South) remaining on CR #7890 for 1.3 miles to 4-way intersection, Left (Southeast) remaining on CR #7890 for 0.6 miles to fork, Right (Southwest) on CR #7890 for 0.5 miles to fork, Right (West) exiting CR #7890 for 0.6 miles to fork, Left (West) for 0.7 miles to fork; Right (Northwest) for 0.2 miles onto W Lybrook Unit 726H Pad.

| QUICK REFERENCE |        |         |
|-----------------|--------|---------|
| Sur TD (MD)     | 350    | ft      |
| Int TD (MD)     | 2,602  | ft      |
| KOP (MD)        | 4,149  | ft      |
| KOP (TVD)       | 4,072  | ft      |
| Target (TVD)    | 4,675  | ft      |
| Curve BUR       | 10 °   | /100 ft |
| POE (MD)        | 5,105  | ft      |
| TD (MD)         | 13,201 | ft      |
| Lat Len (ft)    | 8,096  | ft      |

WELL CONSTRUCTION SUMMARY:

|              | Hole (in) | TD MD (ft) | Csg (in) | Csg (lb/ft) | Csg (grade) | Csg (conn) | Csg Top (ft) | Csg Bot (ft) |
|--------------|-----------|------------|----------|-------------|-------------|------------|--------------|--------------|
| Surface      | 17.500    | 350        | 13.375   | 54.5        | J-55        | BTC        | 0            | 350          |
| Intermediate | 12.250    | 2,602      | 9.625    | 36.0        | J-55        | LTC        | 0            | 2,602        |
| Production   | 8.500     | 13,201     | 5.500    | 17.0        | P-110       | LTC        | 0            | 13,201       |

CEMENT PROPERTIES SUMMARY:


|               | Type          | Wt (ppg) | Yd (cuft/sk) | Wtr (gal/sk) | Hole Cap. (cuft/ft) | % Excess | TOC (ft MD) | Total (sx) |
|---------------|---------------|----------|--------------|--------------|---------------------|----------|-------------|------------|
| Surface       | Type III      | 14.6     | 1.39         | 6.686        | 0.6946              | 100%     | 0           | 350        |
| Inter. (Lead) | III:POZ Blend | 12.5     | 2.14         | 12.05        | 0.3627              | 70%      | 0           | 495        |
| Inter. (Tail) | Type III      | 14.6     | 1.38         | 6.64         | 0.3132              | 20%      | 2,102       | 136        |
| Prod. (Lead)  | Type I / II   | 12.4     | 2.360        | 13.4         | 0.2691              | 65%      | 0           | 588        |
| Prod. (Tail)  | G:POZ blend   | 13.3     | 1.560        | 7.7          | 0.2291              | 10%      | 3,674       | 1,539      |

COMPLETION / PRODUCTION SUMMARY:

Frac: 35 plug-and-perf stages with 250,000 bbls slickwater fluid and 15,000,000 lbs of proppant (estimated)

Flowback: Flow back through production tubing as pressures allow (ESP may be used for load recovery assitance)

Production: Produce through production tubing via gas-lift into permanent production and storage facilities



| Tops            | TVD (ft KB) | MD (ft KB) |
|-----------------|-------------|------------|
| Ojo Alamo       | 335         | 335        |
| Kirtland        | 440         | 440        |
| Fruitland       | 645         | 645        |
| Pictured Cliffs | 1,035       | 1,035      |
| Lewis           | 1,155       | 1,155      |
| Chacra          | 1,415       | 1,415      |
| Cliff House     | 2,453       | 2,481      |
| Menefee         | 2,468       | 2,497      |
| Point Lookout   | 3,441       | 3,508      |
| Mancos          | 3,601       | 3,674      |
| Gallup (MNCS_A) | 3,931       | 4,007      |
| MNCS_B          | 4,031       | 4,107      |
| MNCS_C          | 4,121       | 4,198      |
| MNCS_Cms        | 4,161       | 4,238      |
| MNCS_D          | 4,291       | 4,373      |
| MNCS_E          | 4,427       | 4,531      |
| MNCS_F          | 4,482       | 4,606      |
| MNCS_G          | 4,563       | 4,738      |
| MNCS_H          | 4,603       | 4,819      |
| MNCS_I          | 4,649       | 4,936      |
| FTP TARGET      | 4,675       | 5,105      |
| LTP TARGET      | 4,735       | 13,201     |

This document will be submitted with the completion package after the well has been completed.

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 100975

**ACKNOWLEDGMENTS**

|                                                                                                |                                                                |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Operator:<br>ENDURING RESOURCES, LLC<br>6300 S Syracuse Way, Suite 525<br>Centennial, CO 80111 | OGRID:<br>372286                                               |
|                                                                                                | Action Number:<br>100975                                       |
|                                                                                                | Action Type:<br>[C-104] Tight Hole Completion Packet (C-104CT) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 100975

CONDITIONS

|                                                                                                |                                                                |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Operator:<br>ENDURING RESOURCES, LLC<br>6300 S Syracuse Way, Suite 525<br>Centennial, CO 80111 | OGRID:<br>372286                                               |
|                                                                                                | Action Number:<br>100975                                       |
|                                                                                                | Action Type:<br>[C-104] Tight Hole Completion Packet (C-104CT) |

CONDITIONS

| Created By | Condition            | Condition Date |
|------------|----------------------|----------------|
| plmartinez | RT EXPIRES 7/27/2022 | 10/24/2022     |