

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date RT	
⁴ API Number 30-043-21402	⁵ Pool Name Lybrook Gallup		⁶ Pool Code 42289
⁷ Property Code 325271	⁸ Property Name Venado Canyon Unit		⁹ Well Number 301H

II. ¹⁰ Surface Location

UL or lot no. H	Section 14	Township 22N	Range 06W	Lot Idn	Feet from the 2229'	North/South Line North	Feet from the 747'	East/West line East	County Sandoval
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	-----------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. L	Section 11	Township 22N	Range 06W	Lot Idn	Feet from the 2025'	North/South line South	Feet from the 114'	East/West line West	County Sandoval
¹² Lse Code F	¹³ Producing Method Code		¹⁴ Gas Connection Date TBD		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP 6500 Townbridge Drive, El Paso, TX 79905	O
151618	Enterprise Field Services, LLC Post Office Box 4503, Houston, TX 77001	G
	~Gas will be flared during flowback & until N2 & O2 is cleaned from the wellbore~	

IV. Well Completion Data

²¹ Spud Date 04/22/22	²² Ready Date 11/01/22	²³ TD 11,379' MD 5,420' TVD	²⁴ PBDT 11,362' MD 5,420' TVD	²⁵ Perforations 5,738'-11,303' MD 5,391'- 5,429' TVD Frac Sleeve @ 11,332'	²⁶ DHC, MC	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
12.25		9.625" 36# J55		380'		109
8.75		7" 26# J55		5,679'		673
6.125		4.5" 11.6# P110		TOL: 5,389' BOL: 11,375'		730

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>			OIL CONSERVATION DIVISION Approved by: John Garcia		
Printed name: Shaw-Marie Ford			Title: Engineer		
Title: Regulatory Specialist			Approval Date: 10/26/2022		
E-mail Address: sford@djrlle.com			RT Expires 90 days after ready date		
Date: 09/21/22		Phone: 505-716-3297			

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

DISTRICT II
811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-043-21402	² Pool Code 42289	³ Pool Name LYBROOK GALLUP
⁴ Property Code 325271	⁵ Property Name VENADO CANYON UNIT	⁶ Well Number 301H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 7122

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	14	22-N	6-W		2229	NORTH	747	EAST	SANDOVAL

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	11	22-N	6-W		2025	SOUTH	114	WEST	SANDOVAL
¹² Dedicated Acres SEE DETAIL BELOW			¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No. R-14067 R-14067A		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16


DETAIL:
DEDICATED ACRES

SEC. 14: NE/4, NE/NW (200 ACRES)

SEC. 11: SW/SE, S2/SW, NW/SW
(160 ACRES)

SEC. 10: NE/SE (40 ACRES)

TOTAL = 400 ACRES





DJR

Venado Canyon

H14 2206

301H

End of Well Report



www.scientificdrilling.com





Company Name: DJR Operating
 Project: Venado Canyon Unit
 Site: H14 2206 Pad
 Well: # 301H
 Wellbore: Original Drilling



WELL DETAILS: # 301H

GL 7122' & RKB 26' @ 7148ft (H&P 443) 7122

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	
0	0	1870026.79	2841571.31	36.13869719	-107.43207377	4



Design: Original Drilling (# 301H/Original Drilling)

Created By: Janie Collins Date: 17:18, June 23 2022

PROJECT DETAILS: Venado Canyon Unit

Geodetic System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone: New Mexico Western Zone

System Datum: Mean Sea Level
 Local North: True



DJR Operating

Venado Canyon Unit

H14 2206 Pad

301H - Slot 4

Original Drilling

Design: Original Drilling

Standard Survey Report

23 June, 2022



www.scientificdrilling.com



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 301H - Slot 4
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 301H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Venado Canyon Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site	H14 2206 Pad		
Site Position:		Northing:	1,870,046.75 usft
From:	Lat/Long	Easting:	2,841,573.62 usft
Position Uncertainty:	0 ft	Slot Radius:	13.20 in
		Latitude:	36.13875198
		Longitude:	-107.43206567
		Grid Convergence:	0.24 °

Well	# 301H - Slot 4		
Well Position	+N/-S	0 ft	Northing:
	+E/-W	0 ft	Easting:
Position Uncertainty	0 ft	Wellhead Elevation:	ft
		Latitude:	36.13869719
		Longitude:	-107.43207377
		Ground Level:	7122 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	6/17/2022	8.53	62.67	48,958.40000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0	315.51	

Survey Program	Date	6/23/2022			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
450	4751	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
4831	5590	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
5761	11,379	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
450	1.29	251.42	450	-2	-5	2	0.29	0.29	0.00	
542	1.08	138.29	542	-3	-5	2	2.15	-0.23	-122.97	
632	0.88	152.81	632	-4	-4	0	0.35	-0.22	16.13	
725	2.51	138.65	725	-6	-3	-2	1.80	1.75	-15.23	
817	2.60	141.62	817	-9	0	-7	0.17	0.10	3.23	
908	2.84	143.06	908	-13	3	-11	0.27	0.26	1.58	
1001	3.57	138.38	1001	-17	6	-16	0.83	0.78	-5.03	
1091	3.65	137.91	1090	-21	10	-22	0.09	0.09	-0.52	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 301H - Slot 4
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 301H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1181	4.41	140.90	1180	-26	14	-28	0.88	0.84	3.32
1271	4.82	140.76	1270	-31	18	-35	0.46	0.46	-0.16
1362	3.73	133.29	1361	-36	23	-42	1.34	-1.20	-8.21
1452	3.73	137.54	1450	-40	27	-48	0.31	0.00	4.72
1542	4.15	139.69	1540	-45	31	-54	0.49	0.47	2.39
1634	5.18	138.90	1632	-51	36	-61	1.12	1.12	-0.86
1725	2.29	148.95	1723	-55	40	-67	3.24	-3.18	11.04
1815	2.09	173.62	1813	-59	41	-70	1.06	-0.22	27.41
1905	2.39	166.52	1903	-62	41	-73	0.45	0.33	-7.89
2000	2.52	162.69	1997	-66	42	-77	0.22	0.14	-4.03
2095	1.51	116.13	2092	-68	44	-80	1.94	-1.06	-49.01
2189	1.15	136.36	2186	-70	46	-82	0.62	-0.38	21.52
2284	0.54	142.08	2281	-71	47	-83	0.65	-0.64	6.02
2379	0.85	160.03	2376	-72	47	-84	0.39	0.33	18.89
2474	2.51	81.71	2471	-72	50	-86	2.61	1.75	-82.44
2569	1.65	80.34	2566	-72	53	-88	0.91	-0.91	-1.44
2664	1.30	98.94	2661	-71	56	-90	0.62	-0.37	19.58
2758	0.77	88.46	2755	-72	57	-91	0.60	-0.56	-11.15
2853	1.18	115.15	2850	-72	59	-93	0.63	0.43	28.09
2948	0.42	136.50	2945	-73	60	-94	0.85	-0.80	22.47
3043	0.40	204.69	3040	-73	60	-94	0.48	-0.02	71.78
3138	1.13	89.48	3135	-74	61	-95	1.42	0.77	-121.27
3233	0.86	124.77	3230	-74	62	-96	0.69	-0.28	37.15
3328	0.77	120.70	3325	-75	63	-98	0.11	-0.09	-4.28
3422	0.71	178.62	3419	-76	64	-99	0.76	-0.06	61.62
3517	2.36	129.96	3514	-77	66	-101	2.07	1.74	-51.22
3612	2.65	129.27	3609	-80	69	-105	0.31	0.31	-0.73
3707	2.42	142.28	3704	-83	72	-109	0.65	-0.24	13.69
3802	2.06	149.40	3799	-86	74	-113	0.48	-0.38	7.49
3897	2.48	158.07	3894	-89	75	-117	0.57	0.44	9.13
3992	2.73	158.21	3989	-94	77	-121	0.26	0.26	0.15
4087	2.33	155.42	4084	-97	79	-125	0.44	-0.42	-2.94
4182	2.46	150.00	4179	-101	80	-128	0.27	0.14	-5.71
4276	2.17	149.36	4272	-104	82	-132	0.31	-0.31	-0.68
4371	2.23	153.51	4367	-107	84	-136	0.18	0.06	4.37
4466	1.91	154.22	4462	-110	86	-139	0.34	-0.34	0.75
4561	1.34	137.19	4557	-113	87	-141	0.78	-0.60	-17.93
4656	0.58	155.94	4652	-114	88	-143	0.86	-0.80	19.74
4751	1.07	179.48	4747	-115	88	-144	0.62	0.52	24.78
4831	2.10	314.44	4827	-115	87	-143	3.69	1.29	168.70
4926	18.25	327.79	4920	-101	78	-127	17.07	17.00	14.05
5021	24.25	320.45	5009	-73	58	-93	6.90	6.32	-7.73
5116	34.38	314.85	5092	-39	26	-46	11.04	10.66	-5.89



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 301H - Slot 4
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 301H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
5210	40.28	315.41	5166	1	-14	11	6.29	6.28	0.60	
5305	48.69	316.75	5234	49	-60	77	8.91	8.85	1.41	
5400	59.58	314.69	5290	104	-114	154	11.60	11.46	-2.17	
5495	64.38	314.41	5334	163	-174	238	5.06	5.05	-0.29	
5590	75.64	315.35	5367	226	-237	327	11.89	11.85	0.99	
5761	87.62	316.78	5392	347	-354	496	7.05	7.01	0.84	
5856	87.55	315.89	5396	416	-420	591	0.94	-0.07	-0.94	
5950	87.52	315.57	5400	483	-485	685	0.34	-0.03	-0.34	
6044	86.98	314.28	5404	549	-552	779	1.49	-0.57	-1.37	
6138	89.36	314.15	5407	615	-619	872	2.54	2.53	-0.14	
6232	89.43	313.22	5408	680	-687	966	0.99	0.07	-0.99	
6326	90.54	316.22	5408	746	-754	1060	3.40	1.18	3.19	
6421	90.20	316.08	5408	815	-819	1155	0.39	-0.36	-0.15	
6516	90.57	315.71	5407	883	-886	1250	0.55	0.39	-0.39	
6610	90.27	314.26	5406	949	-952	1344	1.58	-0.32	-1.54	
6701	90.77	318.49	5405	1015	-1015	1435	4.68	0.55	4.65	
6791	88.93	319.35	5406	1083	-1074	1525	2.26	-2.04	0.96	
6882	89.43	319.15	5407	1152	-1133	1616	0.59	0.55	-0.22	
6973	87.85	317.63	5409	1220	-1194	1707	2.41	-1.74	-1.67	
7062	88.19	317.10	5412	1285	-1254	1796	0.71	0.38	-0.60	
7152	88.69	316.54	5415	1351	-1316	1886	0.83	0.56	-0.62	
7242	89.66	317.10	5416	1417	-1377	1976	1.24	1.08	0.62	
7333	90.03	317.04	5416	1483	-1439	2067	0.41	0.41	-0.07	
7423	89.29	318.76	5417	1550	-1499	2156	2.08	-0.82	1.91	
7514	89.53	318.61	5418	1618	-1560	2247	0.31	0.26	-0.16	
7606	88.96	317.61	5419	1687	-1621	2339	1.25	-0.62	-1.09	
7697	90.47	317.68	5419	1754	-1682	2430	1.66	1.66	0.08	
7788	88.89	317.51	5420	1821	-1744	2521	1.75	-1.74	-0.19	
7879	89.16	317.07	5421	1888	-1805	2612	0.57	0.30	-0.48	
7969	89.77	317.12	5422	1954	-1867	2702	0.68	0.68	0.06	
8060	88.19	315.27	5424	2020	-1930	2793	2.67	-1.74	-2.03	
8151	88.52	314.88	5426	2084	-1994	2884	0.56	0.36	-0.43	
8243	89.63	314.95	5428	2149	-2059	2976	1.21	1.21	0.08	
8333	89.46	314.41	5429	2212	-2123	3066	0.63	-0.19	-0.60	
8423	89.46	313.49	5429	2275	-2188	3156	1.02	0.00	-1.02	
8513	90.91	315.72	5429	2338	-2252	3246	2.96	1.61	2.48	
8604	91.71	315.81	5427	2403	-2315	3337	0.88	0.88	0.10	
8695	91.24	316.10	5425	2468	-2379	3428	0.61	-0.52	0.32	
8785	90.70	316.13	5423	2533	-2441	3518	0.60	-0.60	0.03	
8875	91.61	316.60	5421	2598	-2503	3608	1.14	1.01	0.52	
8965	88.72	316.20	5421	2664	-2565	3698	3.24	-3.21	-0.44	
9057	88.99	316.19	5423	2730	-2629	3790	0.29	0.29	-0.01	
9146	90.17	315.75	5424	2794	-2691	3879	1.42	1.33	-0.49	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 301H - Slot 4
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 301H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
9237	90.70	315.81	5423	2859	-2754	3970	0.59	0.58	0.07	
9328	89.09	316.78	5423	2925	-2817	4061	2.07	-1.77	1.07	
9419	90.47	316.93	5424	2991	-2879	4152	1.53	1.52	0.16	
9510	88.46	315.79	5424	3057	-2942	4243	2.54	-2.21	-1.25	
9599	89.09	314.90	5426	3121	-3004	4332	1.22	0.71	-1.00	
9690	90.37	315.29	5427	3185	-3069	4423	1.47	1.41	0.43	
9782	90.81	314.98	5426	3250	-3134	4515	0.59	0.48	-0.34	
9872	90.10	314.29	5425	3313	-3198	4605	1.10	-0.79	-0.77	
9964	89.56	313.62	5425	3377	-3264	4697	0.94	-0.59	-0.73	
10,055	90.91	314.51	5425	3441	-3329	4788	1.78	1.48	0.98	
10,146	89.56	311.71	5425	3503	-3396	4878	3.42	-1.48	-3.08	
10,237	90.07	312.97	5425	3564	-3463	4969	1.49	0.56	1.38	
10,327	90.80	312.82	5424	3625	-3529	5059	0.83	0.81	-0.17	
10,418	89.56	310.48	5424	3686	-3597	5150	2.91	-1.36	-2.57	
10,508	90.47	312.44	5424	3745	-3664	5240	2.40	1.01	2.18	
10,598	90.03	310.78	5423	3805	-3732	5330	1.91	-0.49	-1.84	
10,688	89.40	311.67	5424	3864	-3799	5419	1.21	-0.70	0.99	
10,778	90.37	315.08	5424	3926	-3865	5509	3.94	1.08	3.79	
10,869	90.03	313.48	5424	3990	-3930	5600	1.80	-0.37	-1.76	
10,959	87.89	313.16	5425	4051	-3995	5690	2.40	-2.38	-0.36	
11,051	89.70	315.30	5427	4116	-4061	5782	3.05	1.97	2.33	
11,142	91.01	315.20	5427	4180	-4125	5873	1.44	1.44	-0.11	
11,232	91.37	317.11	5425	4245	-4188	5963	2.16	0.40	2.12	
11,326	91.71	315.70	5422	4313	-4252	6057	1.54	0.36	-1.50	
11,379	91.71	315.70	5421	4351	-4289	6110	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
301H 85° Casing	0.00	0.00	5388	265	-266	1,870,290.81	2,841,304.17	36.13942549	-107.43297481	
- actual wellpath misses target center by 12ft at 5641ft MD (5378 TVD, 261 N, -272 E)										
- Point										
301H Heel Rev 1	0.00	0.00	5403	426	-424	1,870,451.31	2,841,145.36	36.13986820	-107.43351040	
- actual wellpath misses target center by 8ft at 5867ft MD (5396 TVD, 424 N, -427 E)										
- Circle (radius 50)										
301H Toe	0.00	0.00	5428	4578	-4497	1,874,586.37	2,837,055.54	36.15127290	-107.44730580	
- actual wellpath misses target center by 308ft at 11379ft MD (5421 TVD, 4351 N, -4289 E)										
- Circle (radius 100)										



Scientific Drilling
Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 301H - Slot 4
Project:	Venado Canyon Unit	TVD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Site:	H14 2206 Pad	MD Reference:	GL 7122' & RKB 26' @ 7148ft (H&P 443)
Well:	# 301H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Design Annotations

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
450	450	-2	-5	First Surface MWD Survey
4751	4747	-115	88	Last Surface MWD Survey
4831	4827	-115	87	First Curve MWD Survey
5590	5367	226	-237	Last Curve MWD Survey
5761	5392	347	-354	First Lateral MWD Survey
11,326	5422	4313	-4252	Last Lateral MWD Survey
11,379	5421	4351	-4289	Projection to TD

Checked By: _____ Approved By: _____ Date: _____

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Operating
Well Name & No.	Venado Canyon H14 2206 301H
County & State	San Juan, NM
SDI Job No.	OP.034264
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 450 feet to a measured depth of 11,379 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

23-Jun-22

Date

Janie Collins

Colorado District Well Planner
Scientific Drilling International

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 145325

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 145325
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 145325

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 145325
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	RT Expires 90 days after ready date	10/26/2022