

Well Name: JIC APACHE I	Well Location: T23N / R3W / SEC 11 / SESE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 6	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC167	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003921383	Well Status: Oil Well Shut In	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2697757

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/12/2022

Date Operation Actually Began: 09/26/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 12:11

Actual Procedure: The subject well was Plugged & Abandoned on 09/26/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR\_BLM\_Submittal\_20221012121132.pdf

Well Name: JIC APACHE 1	Well Location: T23N / R3W / SEC 11 / SESE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 6	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC167	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003921383	Well Status: Oil Well Shut In	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: OCT 12, 2022 12:11 PM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 10/18/2022

Signature: Kenneth Rennick

DJR Operating, LLC  
P&A End of Well Report  
Jicarilla Apache I 6  
API # 30-039-21383  
SE/SE Unit P. Sec 11, T23N, R3W  
Rio Arriba County, NM  
Spud Date: 5-21-1977  
Plug Date: 9-26-2022

11-17 and 18-2020:

MIRU. Pull rods and pump. Pull tbg.  
Release rig.

9-20-2022:

MIRU. SITP = N/A, SICP = 0, BH = 0.

9-21-2022:

NDWH, NUBOP. TIH with scraper and workstring to 7262'. TOOH.

9-22-2022:

TIH, set cement retainer at 7251'. PT casing, good test. Establish rate through CR into Dakota perforations. SD due to lightning.

9-23-2022:

P&A Plug 1: Dakota perforations and formation top: Sting into CR, mix and pump plug of 25 sx through CR. Sting out and place 18 sx above CR. TOOH, remove CR stinger.

P&A Plug 2: Gallup formation top: TIH to 6246'. Mix and pump balanced plug of 18 sx from 6246' to 6095'.

P&A Plug 3: Mancos formation top: Pull up to 5390'. Mix and pump balanced plug of 18 sx from 5390' to 5240'.

P&A Plug 4: Mesa Verde formation top: Pull up to 4712'. Mix and pump balanced plug of 18 sx from 4712' to 4562'.

P&A Plug 5: Chacra formation top: Pull up to 3920'. Mix and pump balanced plug of 18 sx from 3920' to 3770'.

P&A Plug 6: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Pull up to 3104'. Mix and pump balanced plug of 68 sx from 3104' to 2526'.

P&A Plug 7: Nacimiento formation top: Pull up to 2061'. Mix and pump balanced plug of 18 sx from 2061' to 1911'. TOOH.

9-26-2022:

P&A Plug 8: Surface casing shoe to surface: TIH to 418'. Mix and pump balanced plug of 55 sx from 418' to surface.

Cut off WH. Install P&A marker. Top off with 16 sx.  
Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Bill Diers, BLM and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.23385 N, Long; 107.11973 W

DJR Operating, LLC  
P&A Marker  
Jicarilla Apache I 6  
API # 30-039-21383  
SE/SE Unit P. Sec 11, T23N, R3W  
Rio Arriba County, NM  
Spud Date: 5-21-1977  
Plug Date: 9-26-2022







# United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

## Memorandum

To: Robert Switzer, Environmental Protection Specialist  
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer  
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.

  
Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

**End of Well Report**  
**DJR Operating, LLC**  
**Jicarilla Apache I # 6**

API # 30-039-21383  
 SE/SE, Unit P, Sec 11, T23N, R03W  
 Rio Arriba County, NM

GL 7236'  
 KB 7250'  
 Spu 5/21/1977

**SURF CSG**

Hole size 13.75  
 Csg Size: 9.625  
 Wt: 32#  
 Grade: H-40  
 ID: 9.001  
 Depth 367'  
 cap cf/ft: 0.4419  
 TOC: Surf

**FORMATION TOPS**

San Jose	Surface
Nacimiento	2011'
Ojo Alamo	2636'
Kirtland	2809'
Fruitland	2880'
Pictured Cliffs	3054'
Chacra	3870'
Mesa Verde	4662'
Mancos	5340'
Gallup	6196'
Dakota	7265'

**PROD CSG**

Hole size 8.75  
 Csg Size: 5.5  
 Wt: 15.5/17#  
 Grade: K-55  
 ID: 4.892  
 Depth 7698  
 cap cf/ft: 0.1305  
 Csg/Csg 0.2769  
 Ann, cf/ft  
 TOC: Circ  
 Surf

DV Tool 3795'

DV Tool 5785'

Perfs: 7280-7394'

7415'  
 7700'

9-26-2022: Top off. Cut off WH. Install P&A marker. Top off with 16 sx.

9-26-2022: Plug 8: Surface casing shoe to surface: Mix and pump balanced plug of 55 sx from 418' to surface.

9-23-2022: Plug 7: Nacimiento: Mix and pump balanced plug of 18 sx from 2061' to 1911'.

9-23-2022: Plug 6: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Mix and spot balanced plug of 68 sx from 3104' to 2526'.

9-23-2022: Plug 5: Chacra: Mix and pump balanced plug of 18 sx from 3920' to 3770'.

9-23-2022: Plug 4: Mesa Verde: Mix and pump balanced plug of 18 sx from 4712' to 4562'.

9-23-2022: Plug 3: Mancos: Mix and pump balanced plug of 18 sx from 5390' to 5240'.

9-23-2022: Plug 2: Gallup: Mix and pump balanced plug of 18 sx from 6246' to 6095'.

9-23-2022: Plug 1: Dakota perms: (CR at 7251'.) Mix and pump 25 sx through CR. Sting out and place 18 sx on top of CR.

9-22-2022: Set CR at 7251', PT casing, good test.

All Cement used was Class G mixed at 15.9 ppg, yield 1.15 cuft/sx  
 Regulatory representative: Bill Diers, BLM and Monica Kuehling, NMOCD via phone  
 GPS Coordinates: Lat; 36.23385 N, Long; 107.11973 W

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 151682

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 151682
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Record casing string pressures daily	11/7/2022