

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30-045-38206	⁵ Pool Name Nageezi Unit; Mancos (Oil)		⁶ Pool Code 98080
⁷ Property Code 325268	⁸ Property Name Nageezi Unit		⁹ Well Number 307H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
B	02	23N	09W	2	38’	North	1476’	East	San Juan

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	27	24N	09W		2263’	South	1924’	West	San Juan
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 09/28/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP 6500 Townbridge Drive, El Paso, TX 79905	O
151618	Enterprise Field Services, LLC Post Office Box 4503, Houston, TX 77001	G

IV. Well Completion Data

²¹ Spud Date 01/27/22	²² Ready Date 08/28/22	²³ TD 14,895’ MD 5,076’ TVD	²⁴ PBTD 14,874’ MD 5,076’ TVD	²⁵ Perforations 5,447’-14,818’ MD 4,970’- 5,062’ TVD Frac Sleeve @ 14,852’	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25	9.625” 36# J55	356’	109		
8.75	7” 26# J55	5,293’	577		
6.125	4.5” 11.6# P110	TOL: 5,002’ BOL: 14,890’	860		
	2.875” 6.5# L80 Tubing	5,238’			

V. Well Test Data

³¹ Date New Oil 09/20/22	³² Gas Delivery Date 09/28/22	³³ Test Date 09/22/22	³⁴ Test Length 24	³⁵ Tbg. Pressure 445	³⁶ Csg. Pressure 1180
³⁷ Choke Size 48/64	³⁸ Oil 26	³⁹ Water 762	⁴⁰ Gas 1089		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>	OIL CONSERVATION DIVISION Approved by: <i>PATRICIA MARTINEZ</i>
Printed name: Shaw-Marie Ford	Title: <i>PETROLEUM SPECIALIST</i>
Title: Regulatory Specialist	Approval Date: <i>11/10/2022</i>
E-mail Address: sford@djrlc.com	
Date: 10/17/22	Phone: 505-716-3297

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-8178 Fax: (505) 334-8170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-38206	² Pool Code 98080	³ Pool Name NAGEEZI UNIT MANCOS OIL POOL
⁴ Property Code 325268	⁵ Property Name NAGEEZI UNIT	⁶ Well Number 307H
⁷ GRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6982'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	2	23N	9W	2	38'	NORTH	1476'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	27	24N	9W		2263'	SOUTH	1924'	WEST	SAN JUAN


¹² Dedicated Acres PENETRATED SPACING UNIT:
SEC 35: SW/SE, NW/SE, SE/SW, NE/SW, NW/SW, SE/NW,
SW/NW & NW/NW (320 AC.); SEC 34: SE/NE, NE/NE &
NW/NE (120 AC.); SEC 27: SE/SE, SW/SE, NW/SE,
SE/SW & NE/SW (200 AC.) = 640 ACRES TOTAL

¹³ Joint or Infill¹⁴ Consolidation Code¹⁵ Order No.

R-13856 R-13856A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 06/07/22
Signature Date

Shaw-Marie Ford

Printed Name

sford@djrlc.com

E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MARCH 25, 2022

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393



DJR

Nageezi Unit

B02 2309

307H

End of Well Report



www.scientificdrilling.com








Company Name: DJR Operating
Project: Nageezi Unit
Site: B02 2309
Well: 307H
Wellbore: Original Drilling



WELL DETAILS: 307H

GL 6982 & RKB 26' @ 7008ft (H&P 443) 6982				5
+N/-S	+E/-W	Northing	Longitude	
0	0	1915134.47	-107.75483900	
		Easting	Latitude	



Design: Original Drilling (307H/Original Drilling)
Created By: Janie Collins Date: 10:13, March 07 2022

PROJECT DETAILS: Nageezi Unit
Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Western Zone
System Datum: Mean Sea Level
Local North: True



DJR Operating

Nageezi Unit

B02 2309

307H - Slot 5

Original Drilling

Design: Original Drilling

Standard Survey Report

07 March, 2022



www.scientificdrilling.com



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 307H - Slot 5
Project:	Nageezi Unit	TVD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Site:	B02 2309	MD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Well:	307H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Nageezi Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site		B02 2309			
Site Position:		Northing:	1,915,079.49 usft	Latitude:	36.26310801
From:	Map	Easting:	2,746,207.76 usft	Longitude:	-107.75492101
Position Uncertainty:	0 ft	Slot Radius:	13.20 in	Grid Convergence:	0.05 °

Well	307H - Slot 5					
Well Position	+N/-S	0 ft	Northing:	1,915,134.47 usft	Latitude:	36.26325899
	+E/-W	0 ft	Easting:	2,746,231.89 usft	Longitude:	-107.75483901
Position Uncertainty		0 ft	Wellhead Elevation:	ft	Ground Level:	6982 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	2/16/2022	8.60	62.73	49,190.70000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0	316.95	

Survey Program	Date	3/1/2022			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
454	4282	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
4376	5250	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
5364	14,895	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
454	0.17	143.86	454	-1	0	-1	0.04	0.04	0.00	
544	3.29	12.84	544	2	1	1	3.78	3.47	-145.58	
636	3.47	1.47	636	7	2	4	0.75	0.20	-12.36	
727	3.74	1.13	727	13	2	8	0.30	0.30	-0.37	
818	3.58	6.77	817	19	2	12	0.43	-0.18	6.20	
908	3.59	4.92	907	24	3	16	0.13	0.01	-2.06	
998	4.00	4.01	997	30	3	20	0.46	0.46	-1.01	
1090	3.97	0.22	1089	37	4	24	0.29	-0.03	-4.12	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 307H - Slot 5
Project:	Nageezi Unit	TVD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Site:	B02 2309	MD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Well:	307H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1180	3.79	10.67	1179	43	4	28	0.81	-0.20	11.61	
1271	3.83	16.20	1269	49	5	32	0.41	0.04	6.08	
1361	3.56	26.65	1359	54	8	34	0.80	-0.30	11.61	
1453	2.96	0.08	1451	59	9	37	1.75	-0.65	-28.88	
1545	2.97	346.36	1543	64	8	41	0.77	0.01	-14.91	
1635	5.83	341.88	1633	70	6	47	3.20	3.18	-4.98	
1726	6.97	334.75	1723	80	3	56	1.52	1.25	-7.84	
1816	6.72	330.99	1812	89	-2	67	0.57	-0.28	-4.18	
1908	5.11	351.94	1904	98	-6	75	2.90	-1.75	22.77	
2003	4.44	358.77	1999	106	-6	82	0.92	-0.71	7.19	
2098	5.16	359.16	2093	114	-6	87	0.76	0.76	0.41	
2193	5.25	350.50	2188	122	-7	94	0.83	0.09	-9.12	
2287	4.27	343.39	2282	130	-9	101	1.21	-1.04	-7.56	
2382	4.93	359.27	2376	137	-10	107	1.50	0.69	16.72	
2478	4.61	355.08	2472	145	-10	113	0.49	-0.33	-4.36	
2573	5.97	14.76	2567	154	-9	119	2.37	1.43	20.72	
2668	6.41	11.05	2661	164	-7	125	0.63	0.46	-3.91	
2763	6.48	12.65	2755	174	-5	131	0.20	0.07	1.68	
2858	5.98	16.41	2850	184	-2	136	0.68	-0.53	3.96	
2953	4.17	18.06	2945	192	0	140	1.91	-1.91	1.74	
3048	3.67	11.06	3039	199	2	144	0.73	-0.53	-7.37	
3142	3.42	8.83	3133	204	3	147	0.30	-0.27	-2.37	
3237	3.31	10.53	3228	210	4	151	0.16	-0.12	1.79	
3332	3.27	4.44	3323	215	4	154	0.37	-0.04	-6.41	
3427	2.73	2.71	3418	220	5	158	0.58	-0.57	-1.82	
3522	2.85	5.15	3513	225	5	161	0.18	0.13	2.57	
3617	2.75	356.49	3607	229	5	164	0.46	-0.11	-9.12	
3712	2.41	359.17	3702	234	5	167	0.38	-0.36	2.82	
3807	2.51	354.41	3797	238	5	170	0.24	0.11	-5.01	
3902	2.26	354.69	3892	242	4	174	0.26	-0.26	0.29	
3997	3.41	3.91	3987	246	4	177	1.30	1.21	9.71	
4092	3.10	1.17	4082	252	5	181	0.37	-0.33	-2.88	
4186	3.31	356.19	4176	257	5	185	0.37	0.22	-5.30	
4282	2.96	356.09	4272	262	4	189	0.36	-0.36	-0.10	
4376	4.99	321.29	4365	268	1	195	3.26	2.16	-37.02	
4457	10.53	320.95	4446	276	-5	206	6.84	6.84	-0.42	
4552	22.96	322.45	4536	298	-22	233	13.09	13.08	1.58	
4647	32.58	318.42	4620	332	-51	277	10.31	10.13	-4.24	
4742	43.97	321.14	4695	377	-88	336	12.12	11.99	2.86	
4836	50.57	320.13	4759	430	-132	404	7.07	7.02	-1.07	
4931	54.49	317.30	4816	487	-182	480	4.76	4.13	-2.98	
5026	62.38	316.36	4866	546	-237	561	8.35	8.31	-0.99	
5121	62.60	316.96	4910	607	-295	645	0.61	0.23	0.63	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 307H - Slot 5
Project:	Nageezi Unit	TVD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Site:	B02 2309	MD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Well:	307H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
5216	75.15	317.78	4944	672	-355	733	13.23	13.21	0.86	
5250	79.78	318.19	4951	697	-377	767	13.67	13.62	1.21	
5364	83.71	316.83	4968	780	-453	879	3.64	3.45	-1.19	
5459	90.77	317.76	4972	849	-518	974	7.50	7.43	0.98	
5553	90.20	318.31	4972	919	-581	1068	0.84	-0.61	0.59	
5647	90.34	317.94	4971	989	-643	1162	0.42	0.15	-0.39	
5741	90.27	317.81	4971	1059	-706	1256	0.16	-0.07	-0.14	
5835	90.47	317.92	4970	1129	-769	1350	0.24	0.21	0.12	
5929	88.96	315.21	4971	1197	-834	1444	3.30	-1.61	-2.88	
6023	89.09	314.82	4972	1264	-900	1538	0.44	0.14	-0.41	
6118	87.88	313.93	4975	1330	-968	1633	1.58	-1.27	-0.94	
6212	89.90	316.12	4976	1396	-1035	1727	3.17	2.15	2.33	
6307	89.56	317.16	4977	1465	-1100	1822	1.15	-0.36	1.09	
6401	89.50	316.94	4978	1534	-1164	1916	0.24	-0.06	-0.23	
6495	90.10	316.52	4978	1603	-1228	2010	0.78	0.64	-0.45	
6590	89.23	315.55	4979	1671	-1294	2105	1.37	-0.92	-1.02	
6684	88.49	314.82	4980	1738	-1361	2199	1.11	-0.79	-0.78	
6779	88.86	314.53	4983	1805	-1428	2294	0.49	0.39	-0.31	
6873	88.29	313.36	4985	1870	-1496	2387	1.38	-0.61	-1.24	
6967	88.32	312.84	4988	1934	-1564	2481	0.55	0.03	-0.55	
7060	89.66	313.47	4989	1998	-1632	2574	1.59	1.44	0.68	
7154	90.54	312.49	4989	2062	-1701	2668	1.40	0.94	-1.04	
7248	90.10	314.64	4989	2126	-1769	2762	2.33	-0.47	2.29	
7342	89.40	312.77	4989	2191	-1837	2855	2.12	-0.74	-1.99	
7436	89.90	313.14	4990	2255	-1906	2949	0.66	0.53	0.39	
7530	89.09	314.19	4991	2320	-1974	3043	1.41	-0.86	1.12	
7624	87.85	314.18	4993	2386	-2041	3137	1.32	-1.32	-0.01	
7717	87.72	312.70	4997	2450	-2109	3230	1.60	-0.14	-1.59	
7811	89.80	315.50	4999	2515	-2176	3324	3.71	2.21	2.98	
7905	89.33	315.59	4999	2582	-2242	3417	0.51	-0.50	0.10	
8000	87.81	316.74	5002	2651	-2308	3512	2.01	-1.60	1.21	
8093	86.95	318.39	5006	2719	-2371	3605	2.00	-0.92	1.77	
8187	88.72	318.16	5010	2789	-2433	3699	1.90	1.88	-0.24	
8281	92.32	317.28	5009	2859	-2496	3793	3.94	3.83	-0.94	
8376	91.88	316.87	5005	2928	-2561	3888	0.63	-0.46	-0.43	
8470	89.43	316.96	5004	2997	-2625	3982	2.61	-2.61	0.10	
8564	88.25	315.04	5006	3065	-2690	4076	2.40	-1.26	-2.04	
8659	90.23	315.99	5007	3132	-2757	4171	2.31	2.08	1.00	
8752	90.64	315.30	5007	3199	-2822	4264	0.86	0.44	-0.74	
8845	91.14	314.73	5005	3265	-2888	4357	0.82	0.54	-0.61	
8939	91.85	316.41	5003	3332	-2954	4451	1.94	0.76	1.79	
9033	89.70	316.93	5001	3400	-3018	4545	2.35	-2.29	0.55	
9128	87.41	317.90	5004	3470	-3082	4640	2.62	-2.41	1.02	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 307H - Slot 5
Project:	Nageezi Unit	TVD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Site:	B02 2309	MD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Well:	307H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9222	87.14	317.78	5008	3540	-3145	4734	0.31	-0.29	-0.13
9317	90.30	317.18	5010	3610	-3209	4829	3.39	3.33	-0.63
9410	90.47	316.30	5010	3677	-3273	4922	0.96	0.18	-0.95
9504	90.54	318.77	5009	3747	-3337	5016	2.63	0.07	2.63
9598	90.24	318.02	5008	3817	-3399	5110	0.86	-0.32	-0.80
9693	88.76	317.09	5009	3887	-3463	5205	1.84	-1.56	-0.98
9787	90.50	318.41	5010	3957	-3526	5299	2.32	1.85	1.40
9882	88.36	316.26	5011	4027	-3591	5394	3.19	-2.25	-2.26
9977	87.99	314.91	5014	4094	-3657	5488	1.47	-0.39	-1.42
10,071	88.15	314.40	5017	4160	-3724	5582	0.57	0.17	-0.54
10,162	89.23	315.09	5019	4224	-3789	5673	1.41	1.19	0.76
10,253	89.26	313.63	5020	4288	-3854	5764	1.60	0.03	-1.60
10,343	88.99	312.91	5022	4350	-3919	5854	0.85	-0.30	-0.80
10,434	90.07	313.20	5022	4412	-3986	5945	1.23	1.19	0.32
10,525	89.13	310.83	5023	4473	-4053	6035	2.80	-1.03	-2.60
10,615	89.73	311.75	5024	4532	-4121	6125	1.22	0.67	1.02
10,706	89.93	312.47	5024	4593	-4188	6216	0.82	0.22	0.79
10,797	89.90	311.82	5024	4654	-4256	6306	0.72	-0.03	-0.71
10,888	91.01	313.40	5024	4716	-4323	6397	2.12	1.22	1.74
10,979	91.88	316.04	5021	4780	-4388	6488	3.05	0.96	2.90
11,070	90.24	315.42	5020	4845	-4451	6579	1.93	-1.80	-0.68
11,161	90.64	314.51	5019	4909	-4515	6670	1.09	0.44	-1.00
11,251	89.40	314.34	5019	4972	-4580	6760	1.39	-1.38	-0.19
11,342	90.10	314.78	5019	5036	-4645	6851	0.91	0.77	0.48
11,432	89.06	316.10	5020	5100	-4708	6941	1.87	-1.16	1.47
11,524	90.30	317.63	5020	5167	-4771	7033	2.14	1.35	1.66
11,615	90.23	317.05	5020	5234	-4832	7124	0.64	-0.08	-0.64
11,705	88.12	314.61	5021	5299	-4895	7214	3.58	-2.34	-2.71
11,797	88.05	316.15	5024	5364	-4959	7306	1.67	-0.08	1.67
11,888	89.70	316.89	5026	5430	-5022	7396	1.99	1.81	0.81
11,979	90.47	315.90	5026	5496	-5085	7487	1.38	0.85	-1.09
12,070	90.40	314.78	5025	5561	-5149	7578	1.23	-0.08	-1.23
12,160	90.03	316.23	5025	5625	-5212	7668	1.66	-0.41	1.61
12,251	91.64	316.61	5024	5691	-5275	7759	1.82	1.77	0.42
12,341	89.76	317.79	5023	5757	-5336	7849	2.47	-2.09	1.31
12,433	88.32	318.54	5024	5826	-5397	7941	1.76	-1.57	0.82
12,524	88.22	318.00	5027	5893	-5458	8032	0.60	-0.11	-0.59
12,614	88.52	317.80	5029	5960	-5518	8122	0.40	0.33	-0.22
12,704	88.73	317.30	5032	6027	-5579	8212	0.60	0.23	-0.56
12,795	89.33	317.28	5033	6093	-5640	8303	0.66	0.66	-0.02
12,885	90.00	318.71	5034	6160	-5701	8393	1.75	0.74	1.59
12,976	87.85	319.04	5035	6229	-5760	8484	2.39	-2.36	0.36
13,067	88.25	318.99	5038	6298	-5820	8575	0.44	0.44	-0.05
13,158	88.15	318.22	5041	6366	-5880	8666	0.85	-0.11	-0.85



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 307H - Slot 5
Project:	Nageezi Unit	TVD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Site:	B02 2309	MD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Well:	307H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
13,248	87.45	317.47	5045	6432	-5941	8756	1.14	-0.78	-0.83	
13,338	88.56	317.15	5048	6499	-6002	8846	1.28	1.23	-0.36	
13,429	89.40	317.59	5049	6565	-6063	8937	1.04	0.92	0.48	
13,521	90.57	317.48	5049	6633	-6125	9029	1.28	1.27	-0.12	
13,611	89.03	316.11	5050	6699	-6187	9119	2.29	-1.71	-1.52	
13,702	90.13	316.48	5050	6765	-6250	9210	1.28	1.21	0.41	
13,792	88.82	314.76	5051	6829	-6313	9300	2.40	-1.46	-1.91	
13,882	89.29	314.68	5053	6892	-6377	9390	0.53	0.52	-0.09	
13,973	89.40	314.17	5054	6956	-6442	9481	0.57	0.12	-0.56	
14,065	90.44	314.22	5054	7020	-6508	9572	1.13	1.13	0.05	
14,157	90.84	314.25	5053	7084	-6574	9664	0.44	0.43	0.03	
14,247	90.44	314.00	5052	7147	-6638	9754	0.52	-0.44	-0.28	
14,347	89.43	313.23	5052	7216	-6711	9854	1.27	-1.01	-0.77	
14,438	88.76	312.86	5053	7278	-6777	9945	0.84	-0.74	-0.41	
14,527	87.75	311.74	5056	7338	-6843	10,033	1.69	-1.13	-1.26	
14,618	87.21	311.07	5060	7398	-6911	10,124	0.95	-0.59	-0.74	
14,709	87.08	310.93	5065	7458	-6980	10,214	0.21	-0.14	-0.15	
14,800	86.51	310.50	5070	7517	-7048	10,305	0.78	-0.63	-0.47	
14,845	86.17	310.21	5073	7546	-7083	10,349	0.99	-0.76	-0.64	
14,895	86.17	310.21	5076	7578	-7121	10,399	0.00	0.00	0.00	

Design Targets										
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
307H 85° Casing - actual wellpath misses target center by 24ft at 5184ft MD (4935 TVD, 649 N, -334 E) - Point	0.00	0.00	4955	637	-336	1,915,770.90	2,745,895.13	36.26500806	-107.75597962	
307H Heel Rev 1 - actual wellpath misses target center by 14ft at 5403ft MD (4971 TVD, 808 N, -480 E) - Circle (radius 50)	0.00	0.00	4970	798	-490	1,915,932.42	2,745,740.97	36.26545210	-107.75650210	
307H Toe Rev 1 - actual wellpath misses target center by 35ft at 14845ft MD (5073 TVD, 7546 N, -7083 E) - Circle (radius 100)	0.00	0.00	5058	7577	-7079	1,922,706.09	2,739,146.62	36.28407210	-107.77885860	



Scientific Drilling
Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 307H - Slot 5
Project:	Nageezi Unit	TVD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Site:	B02 2309	MD Reference:	GL 6982' & RKB 26' @ 7008ft (H&P 443)
Well:	307H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Design Annotations

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
454	454	-1	0	First Surface MWD Survey
4282	4272	262	4	Last Surface MWD Survey
4376	4365	268	1	First Curve MWD Survey
5250	4951	697	-377	Last Curve MWD Survey
5364	4968	780	-453	First Lateral MWD Survey
14,845	5073	7546	-7083	Last Lateral MWD Survey
14,895	5076	7578	-7121	Projection to TD

Checked By: _____ Approved By: _____ Date: _____

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Energy
Well Name & No.	Nageezi B02 2309 307H
County & State	San Juan, NM
SDI Job No.	OP.032829
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 454 feet to a measured depth of 14,895 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

7-Mar-22

Date

Janie Collins
Contract Well Planner
Scientific Drilling International

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 02 / NWNE / 36.263259 / -107.754839	County or Parish/State: SAN JUAN / NM
Well Number: 307H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM12374	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538206	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2690563

Type of Submission: Subsequent Report

Type of Action: Hydraulic Fracturing

Date Sundry Submitted: 09/02/2022

Time Sundry Submitted: 09:20

Date Operation Actually Began: 08/07/2022

Actual Procedure: Completion Sundry 8/7/22: PT 4.5" x 7" casing: 2k (10min). Bleed down 7" to 1k, pressure up 4.5" to 7k (15min). 7" held at 1900. Pressure up to 7500 (15min), 7" held at 2k. NU 10k lower master. PT void & seals 5k. Install 2-way check PT L400 H9600 (10min). All tests good & recorded on chart. 8/8/22 to 8/13/22: Perf, Plug & Frac 47 stages: 3 spf, .35" diameter from 5447' – 14818' MD (4970' – 5062' TVD). As pumped: 59783 bbls of fluid, 8720290 lbs of proppant, 86863237 scf of N2. Total of 1645 open holes. RD frac & WL. WSI&S8/26/22: MIRU AWS 812. NU BOPE. Full function PT L400 H5000 (30min). All tests good & recorded on chart. TIH. Drill out plugs. TOH. 8/28/22: Change over to tubing tools. PT L500 H2500 (15min), test good & recorded on chart. RIH with production string. Land 159 jts of 2.875" 6.5# L80 STC tubing. EOT: 5238'. Five GLVs set at 1693' – 2415' – 3071' – 3694' – 4350'. TOH. 8/29/22: ND BOPE. NU production tree & PT L400 H5000 (30min). Test good & recorded on chart. Turn well over to production. Rig AWS released on 8/29/22.

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 02 / NWNE / 36.263259 / -107.754839	County or Parish/State: SAN JUAN / NM
Well Number: 307H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM12374	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538206	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: SEP 02, 2022 09:20 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 09/19/2022
Signature: Kenneth Rennick	



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

10/03/2022

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 307H	US Well Number 3004538206
SHL Lot 2 Sec 2 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM12374
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name	Well Pad Name NAGEEZI UNIT	Well Pad Number 305H, 306H, 307H, 622H	ID 10400055341

Section 1 - General

Well Completion Report Id:	Submission Date: 09-30-2022	
BLM Office: Farmington Field Office	User: SHAW-MARIE FORD	Title: Regulatory Specialist
Federal/Indian: FEDERAL	Lease Number: NMNM12374	Lease Acres:
Agreement in place?: YES	Federal or Indian Agreement:	
Agreement Number:	Agreement Name:	
Keep this Well Completion Report confidential?:		
APD Operator: DJR OPERATING LLC		

Section 2 - Well

Field/Pool or Exploratory:	Pool Name: NAGEEZI UNIT HZ OIL	Field Name: NAGEEZI UNIT HZ OIL
Well Type: OIL WELL		
Spud Date: 01-27-2022		
Date Total Measured Depth Reached: 02-23-2022		
Drill & Abandon or Ready To Produce: READY TO		
Well Class: HORIZONTAL		

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
OJO ALAMAO	SANDSTONE		0	875	877	USEABLE WATER	
KIRTLAND	SHALE		-964	964	964	NONE	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 307H	US Well Number 3004538206
SHL Lot 2 Sec 2 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM12374
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name	Well Pad Name NAGEEZI UNIT	Well Pad Number 305H, 306H, 307H, 622H	ID 10400055341

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
FRUITLAND	COAL		-1276	1276	1276	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		-1618	1618	1618	USEABLE WATER	
LEWIS	SHALE		-1713	1713	1713	NONE	
CHACRA	SANDSTONE		-2402	2402	2402	NONE	
MENEFEE	COAL, SANDSTONE		-3114	3114	3114	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		-4088	4088	4088	NONE	
MANCOS	SHALE		-4256	4256	4256	NONE	
MANCOS	SILTSTONE		-4580	4580	4580	NATURAL GAS, OIL	
GALLUP	SILTSTONE		-5078	5078	5078	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5120	5120	5120	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5145	5145	5517	NATURAL GAS, OIL	

Completion and Completed

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 307H	US Well Number 3004538206
SHL Lot 2 Sec 2 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM12374
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name	Well Pad Name NAGEEZI UNIT	Well Pad Number 305H, 306H, 307H, 622H	ID 10400055341

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM132981A	NMNM12374	NEW		POW	08-28-2022	09-20-2022	GALLUP	5447	14818	Y	.35	1645	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Total Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	59783	8720290	Chemical Disclosure uploaded to FracFocus on 08/16/22

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			GAS LIFT		SOLD	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 307H	US Well Number 3004538206
SHL Lot 2 Sec 2 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM12374
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name	Well Pad Name NAGEEZI UNIT	Well Pad Number 305H, 306H, 307H, 622H	ID 10400055341

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	09/22/2022	24	26	1089	762	41884	48/64	445		1180

Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.263259	-107.754839	6982	STATE	STATE			38	FNL	1476	FEL	23N	9W	2	Lot 2
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.263259	-107.754839	6626	FEDERAL	NMNM12374			38	FNL	1476	FEL	23N	9W	2	Lot 2
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.277865	-107.771543	1906	FEDERAL	NMNM12374			1	FSL	1057	FEL	24N	9W	27	SESE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.274877	-107.767759	1906	INDIAN	N0G14021897			1088	FNL	1	FEL	24N	9W	34	NENE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.265401	-107.756377	2012	FEDERAL	NMNM12374			745	FSL	1906	FEL	24N	9W	35	SWSE

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 307H	US Well Number 3004538206
SHL Lot 2 Sec 2 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM12374
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name	Well Pad Name NAGEEZI UNIT	Well Pad Number 305H, 306H, 307H, 622H	ID 10400055341

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.270552	-107.762624	1906	INDIAN	NOG14011830				2654	FNL	1429	FWL	24N	9W	35	SWNW
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.283986	-107.778871	1758	FEDERAL	NMNM12374				2230	FSL	1962	FWL	24N	9W	27	NESW
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.284075	-107.779	1906	FEDERAL	NMNM12374	5076	14890		2263	FSL	1924	FWL	24N	9W	27	NESW

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	12.25	0	356	9.625	36	K-55		ST&C		

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 307H	US Well Number 3004538206
SHL Lot 2 Sec 2 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM12374
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name	Well Pad Name NAGEEZI UNIT	Well Pad Number 305H, 306H, 307H, 622H	ID 10400055341

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	INTERMEDIATE	8.75	0	5293	7.0	26	K-55		LT&C		
00	LINER	6.125	5002	14890	4.5	11.6	P-110		BUTT		

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		C	109	1.61	0					31.3
00	INTERMEDIATE		G	473	2.34	0	G	104	1.47	4264	224.4
00	LINER		G	860	1.52	5002					232.8

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		5238	5023	6	L-80		ST&C	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 307H	US Well Number 3004538206
SHL Lot 2 Sec 2 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM12374
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name	Well Pad Name NAGEEZI UNIT	Well Pad Number 305H, 306H, 307H, 622H	ID 10400055341

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: DJR OPERATING LLC**Signed By:** SHAW-MARIE FORD**Title:** Regulatory Specialist**Signed on:** 09/30/2022**Street Address:** 1 Road 3263**City:** Aztec**State:** NM**Zip:** 87410**Phone:** (505)632-3476**Email address:** sford@djrlc.com**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Extension:****Email address:****Attachments**

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 307H	US Well Number 3004538206
SHL Lot 2 Sec 2 23N 9W	County SAN JUAN	State NM	Lease Number(s) NMNM12374
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name	Well Pad Name NAGEEZI UNIT	Well Pad Number 305H, 306H, 307H, 622H	ID 10400055341


307H_Certified_DD_Survey_20220930120801.pdf

307H_As_Drilled_Plat_WBD_20220930120840.pdf

NAGEEZI UNIT 307H
 API: 30-045-38206
 SHL: NWN B-02-23N-09W
 38' FNL x 1476' FEL

Page 23 of 25
 Elevation: 6982' GL
 Spud Date: 01/27/2022
 Completed Date: 08/28/2022

FORMATION	MD	TVD
Ojo Alamo	877'	875'
Kirtland	964'	964'
Fruitland	1276'	1276'
Pictured Cliffs	1618'	1618'
Lewis	1713'	1713'
Chacra	2402'	2402'
Menefee	3114'	3114'
Point Lookout	4088'	4088'
Mancos	4256'	4256'
KOP~	4428'	4417'
Gallup	5078'	5078'
Target	5517'	5145'



(NAD83) LAT. LONG.
 SHL: 36.263259 -107.754839
 FTP: 36.265401 -107.756377
 LTP: 36.283986 -107.778871
 BHL: 36.284075 -107.779000

BHL: NESW K-27-24N-09W
 2263' FSL x 1924' FWL

14,895' TD
 5,076' TVD
 14,874' PBTD
 14,852' FracSleeve

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151138

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 151138
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151138

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 151138
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	11/10/2022