Received by OCD: 11/10/2022 10:04:27 AM

Office Office	State of New	Mexico		Form C-103
District I - (575) 393-6161	Energy, Minerals and	Natural Resources	F	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283			WELL API NO. 30-005-62299	
811 S. First St., Artesia, NM 88210	OIL CONSERVAT		5. Indicate Type of	Lease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St.		STATE 🗸	FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NI	M 87505	6. State Oil & Gas l	Lease No.
87505				
SUNDRY NOT	TICES AND REPORTS ON WE	ELLS	7. Lease Name or U	Init Agreement Name
(DO NOT USE THIS FORM FOR PROPODIFFERENT RESERVOIR. USE "APPL	DSALS TO DRILL OR TO DEEPEN O ICATION FOR PERMIT" (FORM C-1	R PLUG BACK TO A	Sandbur ADC S	tota COM
PROPOSALS.)		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	8. Well Number	tate COM
Type of Well: Oil Well Name of Operator	Gas Well Other			001
Solis Partners, LLC			9. OGRID Number 330238	
3. Address of Operator	and the		10. Pool name or W	ildcat
4501 Santa Rosa Drive, M	lidland, TX 79707		Pecos Slope; A	ВО
4. Well Location	660 feet from the Sou	4h 000	2)A/ 1
omi zettei	icct from the	1386		
Section 23	Township 05S	Range 25E	NMPM (County Chaves
	11. Elevation (Show whether 3669' GR	DR, RKB, RT, GR, etc.,		
12. Check	Appropriate Box to Indicat	e Nature of Notice.	Report or Other D	ata
		•		
PERFORM REMEDIAL WORK	NTENTION TO:		SEQUENT REPO	H. H. Hi
TEMPORARILY ABANDON	PLUG AND ABANDON CHANGE PLANS	REMEDIAL WORK		LTERING CASING ☐ AND A ☑
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT		AND A
DOWNHOLE COMMINGLE	Name to the control of the control o			
CLOSED-LOOP SYSTEM	<u> </u>	PARTIES 2.7		
OTHER:	aleted aperations (Classic state	OTHER:	1	
of starting any proposed w	oleted operations. (Clearly state ork). SEE RULE 19.15.7.14 N	MAC. For Multiple Cor	n give pertinent dates,	including estimated date
proposed completion or rec	completion.	varies i of ividilipie con	inpletions. Attach wer	loore diagram of
	See attached Pro	cedure and Wellbo	ore Diagram	
Well plugged 7/2	<mark>1/22</mark>			ging of well bore only. Liability under ending Location cleanup & receipt o
			<mark>C-103Q (Subseque</mark>	nt Report of Well Plugging) which
			may be found at O www.emnrd.state.	CD Web Page, OCD Permitting @
			www.emmu.state.]
Spud Date:	Rig Release	Date:		
		L		J
I hereby certify that the information	above is true and complete to the	e best of my knowledge	and belief.	
(- H ()	No.			
SIGNATURE FOR	TITLE OF	perations Engineer	DATE	11/10/2022
Type or print name Scott Parson	19			
For State Use Only	E-mail add	_{ress:} arsons@solispartn	PHON	
To State Use Only	Scott.pa	ar sor is we so iis partii	CISIIC.CUIII	817-996-9270
APPROVED BY:	TITLE_	Staff Man	eager DATE	11/16/22
Conditions of Approval (if any):		$-\omega$	0	

Sandbur ADC State COM #1 30-005-62299

07/14/2022: MIRU, ND wellhead, NU BOP. LD tbg, packer. 07/15/2022: RIH CIBP, set CIBP at 3,700', tag CIBP at 3,700'.

07/18/2022: Spotted 25 sx class "c" cmt on top of CIBP, WOC, tagged cmt

at 3,380'. Spotted 25 sx class "c" at 3,020', WOC overnight.

07/19/2022: Tagged cmt at 2,660'. Perf at 2,610', squeezed 40 sx class "c"

cmt, WOC. Tagged cmt at 2,304'. Perf at 1,690', squeezed 80

sx class "c" cmt, WOC overnight.

07/20/2022: Tagged cmt at 1,482'. Perf at 950', squeezed 25 sx class "c"

cmt, WOC. Tagged cmt at 831'. Perf at 656', squeezed 25 sx

class "c" cmt, WOC overnight.

07/21/2022: Tagged cmt at 295'. Perf at 200', circulated 20 sx class "c" cmt


to surface. L/D all equipment, RDMO.

Will file subsequent report when site reclamation is completed.

Solis Pa	rtners, LLC	15 Dece	llbore Diagram ember 2021 to P&A)
		Elevation: 3,669.8'	GL
		Date Spud: 11/25/	
		Date TD'd: 12/3/8	
		Date Completed: 1/14/86	
	8-5/8", 24#, J-55,	Zone	<u>Frac</u>
	ST&C Casing @ 900'	Abo (3,750-759')	30,000 gals gelled KCl water w/ 60,000# 20/40 sand
			completions & Workovers
		<u>Date</u>	
		<u> </u>	·
	TOC @ 2,640' (CBL)		
			1
		Current Status:	
		Last Well Test:	
0. ★ C			
	2-3/8" J-55 EUE 8rd Tubii	ng	
	Guiberson UNI-VI Packer @	3,685' w/ SN	
	Abo Perfs: 3,750'-3,759'		
	PBTD @ 4,235'		Sandbur ADC State #1 Sec 23M-5S-25E
<u> </u>	4-1/2", 9.5#, J-55, ST&C, Ca	sing @ 4,300'	Chaves County, NM Updated: 15 December 2021 SP

Solis Partners, LLC Sandbur ADC State #1 30-005-62299 Chaves County, NM

Subsequent Report of: Plug & Abandon



Circ 20 sx Class "C" cmt to surface Perf @ 200'

Tagged TOC @ 295' Sq 25 sx Class "C" cmt Perf @ 656'

Tagged TOC @ 831'

900' 8-5/8" 24# J-55 Cmt'd with 500 sks to surface Hole Size: 12-1/2" Sq 25 sx Class "C" Perf @ 950'

	Casing		Tubing
Size	8-5/8"	4-1/2"	2-3/8"
10/	0.4	0.5	47.
Weight	24ppf	9.5 ppf	4.7 ppf
Grade	J-55	J-55	J-55
Grade	0-00	3-33	0-00
Thread			
Depth	900'	4,300'	3,685'
CMT'D/W	500sks	500sks	
Hala Cir.	40.4/0"	7 7/0"	
Hole Size	12-1/2"	7-7/8"	
Packer	4 4/0"	2 502	
Packer	4-1/2"	3,583'	

Tagged TOC @ 1,482" Sq 80 sx Class "C" cmt Perf @ 1,690'

Tagged TOC @ 2,304' Sq 40 sx Class "C" cmt Perf @ 2,610'

Tagged TOC @ 2,660' Spotted 25 sx Class "C" cmt @ 3,020

Tagged TOC @ 3,380'
Spotted 25 sx Class "C" cmt on CIBP CIBP @ 3,700'

Abo Perforations 3,750'-3,759'

4-1/2" 9.5ppf @ 4,300' cmt'd/w 500sks Hole size 7-7/8" TD:4,300'

Operator	Solis Partners, LLC	
Well	1	
Field	Pecos Slope, Abo	
Date	July 25, 2022	
		SP

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 157675

CONDITIONS

Operator:	OGRID:
Solis Partners, L.L.C.	330238
P.O. Box 5790	Action Number:
Midland, TX 79704	157675
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/16/2022