

Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Revised July 18, 2013

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		WELL API NO. <b>30-015-41627</b>
2. Name of Operator <b>WPX ENERGY PERMIAN, LLC</b>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
3. Address of Operator <b>333 W. Sheridan Avenue, Oklahoma City, OK 73102</b>		6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>P</u> : 990 feet from the <u>South</u> line and <u>990</u> feet from the <u>East</u> line Section <u>35</u> Township <u>22S</u> Range <u>27E</u> NMPM Eddy County, NM		7. Lease Name or Unit Agreement Name <b>CARLSBAD FEE</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3085' GL</b>		8. Well Number <b>1</b>
		9. OGRID Number <b>246289</b>
		10. Pool name or Wildcat <b>CASS DRAW; BONE SPRINGS</b>

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

## 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10/12/22 MIRU, WH had 200 psi csg and 30 psi tbg. Flare out both psi in 1 minute. NU BOP.  
 10/13/22 WH had 500 psi tbg, 250 psi csg. Flared down to 250 psi, Recovered 5 bbls oil. SDON.  
 10/14/22 WH had 1500 psi tbg, 1000 psi csg. Flare gas for 5-hrs recovered 50 bbls oil & water. Psi down to 300, Pump 70 bbls kill fluid down. SDOWE.  
 10/17/22 Pump 40 bbls 10# brine. POOH total 207 jts 2 7/8 tbg & RBP. SDON.  
 10/18/22 Flare off all psi. RIH w/ tbg to 7053' latch on to RBP. POOH tbg and RBP. RIH w/ 4 3/4 bit and 5 1/2 scraper to 1440'. SDON.  
 10/19/22 Cont RIH to 8200', stacked out worked thru then stacked out again. Picked up 8 jts. Made 10'. Decide to POOH run Bull Dog Bailer.  
 10/20/22 PU new BHA. RIH tag up at 8478' worked thru to 8936'. SDON.  
 10/21/22 MIRU WL RIH w/ 4.68 GR/JB to 8957'. POOH LD tool. RIH w/ 5 1/2 CIBP set @ 8900'. Dump bailed 35' cmt on CIBP. RD SDON.  
 10/24/22 Flared out 300# psi. SD for high wind.  
 10/25/22 MIRU WL RIH w/ 4.68 GR/JB to 8850' tag TOC. POOH LD tool. RIH w/ 5 1/2 CIBP set @ 6775'. Test tbg to 5k. Tag CIBP at 6775'. SDON.  
 10/26/22 MIRU WL to run CBL. Run CBL from 6775' to surface. TIH tbg. SDON.  
 10/27/22 Spot 25 sxs CL C cmt on CIBP. PUH spot 50 sxs CLC cmt from 5750'-5250'. WOC. RIH tag TOC @ 5256'. SDON.  
 10/31/22 RIH WL Perf @ 2250'. Spot 25 sxs CL C cmt from 2250'-2150'. WOC. RIH tag TOC @ 2132'. OCD said to perf @ 2130', RIH perf @ 2130'. Unable to pump into perfs. Spot 25 sxs CL C cmt @ 2130'-2020'. WOC. SDON.  
 11/1/22 RIH tag TOC @ 1900'. good tag. RIH spot 25 sxs CL C cmt from 910'-670'. RIH to 475' pump 50 sxs CL C cmt from 475' to surface.  
 11/3/22 Cut off casing 3' BGL, Set dryhole marker.

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Production Technologist

DATE

11-10-22

Type or print name Jeff Young E-mail address: Jeff.Young@dmv.com PHONE: 405-228-2480

For State Use Only

APPROVED BY:

TITLE

Staff Manager

DATE

11/16/22

Conditions of Approval (if any):

**WPX ENERGY PERMIAN, LLC**

Well Name: CARLSBAD FEE 1			Field: Carlsbad North		
Location: 990 FSL 990 FEL		SEC 35-T22S-R27E	County: Eddy		State: New Mexico
Elevation: 3085' GL			Spud Date: 12/7/2013		Compl Date: 1/27/2014
API#: 30-015-41627	Prepared by: Jeff Young		Date: 11/10/22	Rev:	

## FINAL WELLBORE

17-1/2" Hole  
**13-3/8", 48# @ 418'**  
Cmt'd w/470 sx to surface

12-1/4" Hole  
**8-5/8", 32# @ 2035'**  
Cmt'd w/1125 sx to surface

**TOC @ 3154' (Calculated)**

**Perforations: (Bone Spring)**  
6811'-6972'

7489'-7624'

8951'-9232'

7 7/8" Hole  
5-1/2", 17# @ 9347'  
 Cmt'd w/1350 sx to 3154' (calculated)

347' TVD

1. Pump 50 sx Cl C from 475' to surface.
2. Cut WH off 3' BGL, Set dry hole marker.

1. Spot 25 sx Cl C from 910'-670'.

1. Per BLM Perf @ 2130'
2. Perf @ 2130'. Unable to pump into perfs.
3. Spot 25 sx Cl C from 2130'-2020'. WOC.
4. Tag TOC @ 1900'

1. Perf @ 2250'
2. Pump 25 sx Cl C from 2250'-2150'. WOC.

1. Spot 50  $\mu$ l C from 5750'-5250'. WOC & Tag
2. Tag TOC @ 5256'

1. Set CIBP @ 6775'. Tag. Circ 10# salt gel. Leak test.
2. Spot 25 sx Cl C from 6775'-6525'.

1. Set CIBP @ 8900'. Tag. Circ 10# salt gel. Leak test.
2. DB 35' sx Cl H from 8900'-8865'.
3. Tag TOC @ 8850'

### RBP @ Unknown depth

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 157637

CONDITIONS

Operator: WPX Energy Permian, LLC Devon Energy - Regulatory Oklahoma City, OK 73102	OGRID: 246289
	Action Number: 157637
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/16/2022