

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30-045-38209	⁵ Pool Name Nageezi Unit; Mancos (Oil)		⁶ Pool Code 98080
⁷ Property Code 325268	⁸ Property Name Nageezi Unit		⁹ Well Number 313H

II. ¹⁰ Surface Location

Ul or lot no. G	Section 35	Township 24N	Range 09W	Lot Idn	Feet from the 2303'	North/South Line North	Feet from the 2268'	East/West line East	County San Juan
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	------------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. I	Section 01	Township 23N	Range 09W	Lot Idn	Feet from the 1976'	North/South line South	Feet from the 405'	East/West line East	County San Juan
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date 09/28/22		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP 6500 Townbridge Drive, El Paso, TX 79905	O
151618	Enterprise Field Services, LLC Post Office Box 4503, Houston, TX 77001	G

IV. Well Completion Data

²¹ Spud Date 02/25/22	²² Ready Date 09/18/22	²³ TD 15,210' MD 5,189' TVD	²⁴ PBTD 15,193' MD 5,189' TVD	²⁵ Perforations 6,039'-15,138' MD 5,197'- 5,316' TVD Frac Sleeve @ 15,171'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
12.25		9.625" 36# J55		362'	109
8.75		7" 26# J55		5,740'	622
6.125		4.5" 11.6# P110		TOL: 5,469' BOL: 15,207'	1088
		2.875" 6.5# L80 Tubing		5698'	

V. Well Test Data

³¹ Date New Oil 09/19/22	³² Gas Delivery Date 09/28/22	³³ Test Date 09/21/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 297	³⁶ Csg. Pressure 859
³⁷ Choke Size 48/64	³⁸ Oil 924	³⁹ Water 160	⁴⁰ Gas 853		⁴¹ Test Method F
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>			OIL CONSERVATION DIVISION		
Printed name: Shaw-Marie Ford			Approved by: <i>PATRICIA MARTINEZ</i>		
Title: Regulatory Specialist			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address: sford@djrlc.com			Approval Date: <i>11/16/2022</i>		
Date: 11/15/22		Phone: 505-716-3297			

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-38209	² Pool Code 98080	³ Pool Name NAGEEZI UNIT MANCOS OIL POOL
⁴ Property Code 325268	⁵ Property Name NAGEEZI UNIT	⁶ Well Number 313H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6899'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	35	24N	9W		2303'	NORTH	2268'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	1	23N	9W		1976'	SOUTH	405'	EAST	SAN JUAN


¹² Dedicated Acres PENETRATED SPACING UNIT;
SEC 35: SW/NE, SE/NE & NE/SE (120 AC.); SEC
36: NW/SW, SW/SW & SE/SW (120 AC.); SEC 1:
NW/NW, NE/NW, SE/NW, NW/NE, SW/NE, SE/NE,
NW/SE & NE/SE (321.86 AC.) = 561.86 ACRES

¹³ Joint or Infill¹⁴ Consolidation Code¹⁵ Order No.

R-13856 R-13856A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 10/18/22
Signature Date

Shaw-Marie Ford
Printed Name


sford@djrlc.com
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

APRIL 25, 2022

Date of Survey
Signature and Seal of Professional Surveyor:



Certificate Number 11393

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Operating
Well Name & No.	Nageezi G35 2409 313H
County & State	Ssn Juan, NM
SDI Job No.	OP.033213
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 451 feet to a measured depth of 15,210 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

20-Apr-22

Date

Janie Collins

Colorado District Well Planner
Scientific Drilling International



DJR

Nageezi Unit

G35 2409

313H

End of Well Report



www.scientificdrilling.com






Company Name: DJR Operating
 Project: Nageezi Unit
 Site: G35 2409
 Well: 313H
 Wellbore: Original Drilling



WELL DETAILS: 313H

GL 6899' & RKB 26' @ 6925ft (H&P 443) 6899		North	East	Lat	Long	
+N/-S	+E/-W	North	East	Latitude	Longitude	
0	0	1918162.49	2745394.06	36.27157901	-107.75767301	7





DJR Operating

Nageezi Unit

G35 2409

313H - Slot 7

Original Drilling

Design: Original Drilling

Standard Survey Report

20 April, 2022



www.scientificdrilling.com



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 313H - Slot 7
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	313H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Nageezi Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site	G35 2409		
Site Position:		Northing:	1,918,072.88 usft
From:	Lat/Long	Easting:	2,745,314.54 usft
Position Uncertainty:	0 ft	Slot Radius:	13.20 in
		Latitude:	36.27133300
		Longitude:	-107.75794300
		Grid Convergence:	0.04 °

Well	313H - Slot 7		
Well Position	+N/-S	0 ft	Northing:
	+E/-W	0 ft	Easting:
Position Uncertainty	0 ft	Wellhead Elevation:	ft
		Latitude:	36.27157901
		Longitude:	-107.75767301
		Ground Level:	6899 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	4/11/2022	8.60	62.73	49,184.40000000

Design	Original Drilling			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth:
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0	0	0	131.01

Survey Program	Date	4/20/2022		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description
451	4743	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM
4838	5700	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM
5838	15,210	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
451	0.39	340.06	451	1	-1	-1	0.09	0.09	0.00	
542	1.72	4.65	542	3	-1	-2	1.51	1.46	27.02	
634	4.11	3.68	634	8	0	-5	2.60	2.60	-1.05	
725	6.33	12.13	724	16	1	-10	2.58	2.44	9.29	
816	7.80	9.01	815	27	3	-15	1.67	1.62	-3.43	
908	9.13	4.79	906	40	5	-23	1.59	1.45	-4.59	
999	10.98	5.78	995	56	6	-32	2.04	2.03	1.09	
1091	13.69	6.40	1085	76	8	-43	2.95	2.95	0.67	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 313H - Slot 7
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	313H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1182	15.36	0.53	1173	98	10	-57	2.44	1.84	-6.45
1272	15.79	357.90	1260	123	9	-74	0.92	0.48	-2.92
1364	14.70	358.12	1349	147	8	-90	1.19	-1.18	0.24
1455	14.56	358.10	1437	170	8	-106	0.15	-0.15	-0.02
1544	15.19	359.41	1523	193	7	-121	0.80	0.71	1.47
1636	13.52	356.89	1612	215	6	-137	1.94	-1.82	-2.74
1726	15.69	359.48	1699	238	6	-152	2.52	2.41	2.88
1817	14.63	356.57	1787	262	5	-168	1.43	-1.16	-3.20
1910	13.35	358.49	1877	284	4	-184	1.46	-1.38	2.06
2004	13.41	2.33	1969	306	4	-198	0.95	0.06	4.09
2099	14.96	5.61	2061	329	6	-212	1.84	1.63	3.45
2194	14.82	3.09	2153	354	8	-226	0.70	-0.15	-2.65
2289	16.14	5.31	2244	379	9	-241	1.52	1.39	2.34
2384	15.07	4.18	2336	404	12	-257	1.17	-1.13	-1.19
2479	14.67	2.79	2427	429	13	-271	0.56	-0.42	-1.46
2574	14.13	1.13	2519	452	14	-286	0.72	-0.57	-1.75
2668	15.29	358.88	2610	476	14	-302	1.38	1.23	-2.39
2763	13.92	357.23	2702	500	13	-318	1.51	-1.44	-1.74
2858	15.29	1.53	2794	524	13	-334	1.84	1.44	4.53
2953	14.80	0.20	2886	549	13	-350	0.63	-0.52	-1.40
3049	13.32	358.35	2979	572	13	-366	1.61	-1.54	-1.93
3144	12.79	4.25	3072	593	13	-379	1.51	-0.56	6.21
3239	11.74	2.77	3164	614	15	-392	1.15	-1.11	-1.56
3333	13.27	5.71	3256	634	16	-404	1.76	1.63	3.13
3428	13.16	4.88	3349	655	18	-416	0.23	-0.12	-0.87
3523	12.72	4.30	3441	677	20	-429	0.48	-0.46	-0.61
3618	13.61	6.45	3534	698	22	-442	1.07	0.94	2.26
3713	14.83	8.55	3626	721	25	-454	1.39	1.28	2.21
3808	14.82	8.77	3718	745	29	-467	0.06	-0.01	0.23
3903	13.88	6.45	3810	769	32	-480	1.16	-0.99	-2.44
3998	13.05	5.59	3902	791	34	-493	0.90	-0.87	-0.91
4093	13.06	9.16	3995	812	37	-505	0.85	0.01	3.76
4188	12.87	3.59	4087	833	39	-517	1.33	-0.20	-5.86
4283	13.83	0.30	4180	855	40	-531	1.29	1.01	-3.46
4378	14.31	2.06	4272	878	40	-546	0.68	0.51	1.85
4473	11.78	1.12	4364	900	41	-559	2.67	-2.66	-0.99
4568	11.26	2.59	4457	919	42	-571	0.63	-0.55	1.55
4663	9.60	3.04	4551	936	43	-582	1.75	-1.75	0.47
4743	7.56	359.76	4630	948	43	-589	2.62	-2.55	-4.10
4838	8.32	112.48	4724	951	49	-587	13.91	0.80	118.65
4933	20.82	121.01	4816	940	70	-564	13.32	13.16	8.98
5028	28.92	117.81	4902	920	105	-525	8.64	8.53	-3.37
5123	37.01	121.29	4982	895	150	-474	8.74	8.52	3.66



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 313H - Slot 7
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	313H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
5218	44.83	125.59	5054	860	202	-413	8.75	8.23	4.53	
5313	46.95	124.05	5120	822	258	-345	2.52	2.23	-1.62	
5407	55.27	123.54	5179	781	318	-272	8.86	8.85	-0.54	
5502	62.69	126.19	5228	734	385	-191	8.17	7.81	2.79	
5597	69.04	124.88	5267	684	456	-105	6.80	6.68	-1.38	
5692	80.04	128.19	5292	630	529	-14	12.05	11.58	3.48	
5700	80.69	129.67	5293	625	535	-6	19.97	8.13	18.50	
5838	86.18	134.66	5309	533	637	131	5.36	3.98	3.62	
5932	87.86	133.80	5314	467	704	225	2.01	1.79	-0.91	
6025	89.60	135.00	5316	402	770	317	2.27	1.87	1.29	
6119	91.07	136.28	5315	335	836	411	2.07	1.56	1.36	
6213	91.01	136.71	5314	267	901	505	0.46	-0.06	0.46	
6308	90.94	136.41	5312	198	966	599	0.32	-0.07	-0.32	
6401	90.77	136.21	5311	130	1030	692	0.28	-0.18	-0.22	
6496	91.27	135.84	5309	62	1096	786	0.65	0.53	-0.39	
6590	91.21	136.46	5307	-6	1161	880	0.66	-0.06	0.66	
6684	91.21	136.06	5305	-74	1226	974	0.43	0.00	-0.43	
6779	90.94	136.27	5303	-142	1292	1068	0.36	-0.28	0.22	
6873	90.81	135.67	5302	-210	1357	1162	0.65	-0.14	-0.64	
6968	91.45	136.59	5300	-278	1423	1256	1.18	0.67	0.97	
7063	90.60	137.09	5298	-347	1488	1351	1.04	-0.89	0.53	
7157	90.40	137.10	5297	-416	1552	1444	0.21	-0.21	0.01	
7251	90.57	137.62	5297	-485	1616	1538	0.58	0.18	0.55	
7345	90.87	137.51	5295	-555	1679	1631	0.34	0.32	-0.12	
7439	90.61	137.46	5294	-624	1743	1725	0.28	-0.28	-0.05	
7533	91.54	137.21	5292	-693	1807	1818	1.02	0.99	-0.27	
7628	91.34	137.41	5290	-763	1871	1912	0.30	-0.21	0.21	
7722	91.74	137.28	5288	-832	1935	2006	0.45	0.43	-0.14	
7815	90.81	136.36	5285	-900	1998	2098	1.41	-1.00	-0.99	
7910	90.13	135.22	5285	-968	2064	2193	1.40	-0.72	-1.20	
8004	90.57	135.71	5284	-1035	2130	2287	0.70	0.47	0.52	
8099	90.64	134.61	5283	-1102	2197	2381	1.16	0.07	-1.16	
8193	90.30	136.32	5282	-1169	2263	2475	1.85	-0.36	1.82	
8287	90.47	137.00	5282	-1238	2328	2569	0.75	0.18	0.72	
8382	90.84	135.97	5281	-1307	2393	2663	1.15	0.39	-1.08	
8477	90.54	136.96	5279	-1375	2459	2758	1.09	-0.32	1.04	
8570	90.57	136.21	5279	-1443	2523	2850	0.81	0.03	-0.81	
8665	90.87	135.53	5277	-1511	2589	2945	0.78	0.32	-0.72	
8759	90.20	137.22	5276	-1579	2654	3039	1.93	-0.71	1.80	
8854	90.30	137.29	5276	-1649	2718	3133	0.13	0.11	0.07	
8948	91.61	138.19	5275	-1719	2781	3226	1.69	1.39	0.96	
9042	89.90	140.14	5273	-1790	2843	3319	2.76	-1.82	2.07	
9136	89.80	139.26	5274	-1861	2903	3412	0.94	-0.11	-0.94	



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 313H - Slot 7
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	313H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9231	90.27	139.41	5273	-1933	2965	3506	0.52	0.49	0.16
9325	91.07	139.58	5272	-2005	3026	3599	0.87	0.85	0.18
9419	90.03	139.60	5271	-2076	3087	3692	1.11	-1.11	0.02
9514	90.44	139.29	5271	-2149	3149	3786	0.54	0.43	-0.33
9608	90.81	139.63	5270	-2220	3210	3879	0.53	0.39	0.36
9703	88.66	137.35	5270	-2291	3273	3973	3.30	-2.26	-2.40
9797	87.98	137.50	5273	-2360	3337	4067	0.74	-0.72	0.16
9892	87.82	136.36	5277	-2430	3402	4161	1.21	-0.17	-1.20
9987	88.33	135.17	5280	-2498	3468	4256	1.36	0.54	-1.25
10,077	89.70	134.66	5281	-2561	3532	4346	1.62	1.52	-0.57
10,169	89.33	134.17	5282	-2626	3597	4437	0.67	-0.40	-0.53
10,259	89.83	132.94	5283	-2688	3662	4527	1.48	0.56	-1.37
10,350	89.93	133.49	5283	-2750	3729	4618	0.61	0.11	0.60
10,441	90.37	132.37	5283	-2812	3795	4709	1.32	0.48	-1.23
10,531	91.24	132.71	5282	-2873	3862	4799	1.04	0.97	0.38
10,621	92.11	132.80	5279	-2934	3928	4889	0.97	0.97	0.10
10,711	92.05	132.79	5276	-2995	3994	4979	0.07	-0.07	-0.01
10,803	91.31	134.52	5273	-3058	4060	5071	2.04	-0.80	1.88
10,893	90.20	132.68	5272	-3121	4125	5161	2.39	-1.23	-2.04
10,984	91.44	134.21	5270	-3183	4192	5252	2.16	1.36	1.68
11,075	91.85	136.91	5268	-3248	4255	5342	3.00	0.45	2.97
11,165	91.34	136.15	5265	-3313	4317	5432	1.02	-0.57	-0.84
11,257	91.11	136.09	5263	-3380	4381	5523	0.26	-0.25	-0.07
11,347	90.54	134.82	5262	-3444	4444	5613	1.55	-0.63	-1.41
11,438	91.65	136.13	5260	-3509	4508	5704	1.89	1.22	1.44
11,529	91.78	135.81	5258	-3574	4571	5794	0.38	0.14	-0.35
11,620	89.77	133.93	5256	-3638	4635	5885	3.02	-2.21	-2.07
11,764	91.61	135.67	5255	-3740	4738	6029	1.76	1.28	1.21
11,802	91.17	135.86	5254	-3767	4764	6067	1.26	-1.16	0.50
11,892	92.25	136.91	5251	-3832	4826	6156	1.67	1.20	1.17
11,982	89.80	135.21	5249	-3897	4889	6246	3.31	-2.72	-1.89
12,073	91.21	135.22	5249	-3961	4953	6337	1.55	1.55	0.01
12,163	91.58	137.67	5246	-4027	5015	6426	2.75	0.41	2.72
12,253	89.97	136.08	5245	-4092	5076	6516	2.51	-1.79	-1.77
12,344	89.26	136.86	5246	-4158	5139	6606	1.16	-0.78	0.86
12,433	89.80	137.64	5247	-4224	5199	6695	1.07	0.61	0.88
12,524	89.60	137.68	5247	-4291	5261	6785	0.22	-0.22	0.04
12,615	88.82	136.19	5248	-4357	5323	6876	1.85	-0.86	-1.64
12,703	90.13	135.75	5249	-4421	5384	6963	1.57	1.49	-0.50
12,793	91.38	137.35	5248	-4486	5446	7053	2.26	1.39	1.78
12,884	92.28	136.80	5245	-4553	5508	7143	1.16	0.99	-0.60
12,974	93.45	136.24	5241	-4618	5570	7233	1.44	1.30	-0.62
13,065	92.69	136.81	5236	-4684	5632	7323	1.04	-0.84	0.63
13,156	92.35	137.96	5232	-4751	5694	7414	1.32	-0.37	1.26



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 313H - Slot 7
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	313H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
13,246	91.44	138.02	5229	-4817	5754	7503	1.01	-1.01	0.07	
13,337	92.35	137.75	5226	-4885	5815	7593	1.04	1.00	-0.30	
13,428	90.84	137.22	5223	-4952	5876	7684	1.76	-1.66	-0.58	
13,518	91.75	136.84	5221	-5018	5938	7773	1.10	1.01	-0.42	
13,608	90.97	137.21	5219	-5084	5999	7863	0.96	-0.87	0.41	
13,698	90.30	136.78	5218	-5149	6060	7952	0.88	-0.74	-0.48	
13,789	91.41	136.13	5217	-5215	6123	8043	1.41	1.22	-0.71	
13,880	90.67	136.50	5215	-5281	6186	8133	0.91	-0.81	0.41	
13,972	89.80	136.71	5215	-5348	6249	8225	0.97	-0.95	0.23	
14,062	91.07	136.61	5214	-5413	6311	8314	1.42	1.41	-0.11	
14,153	89.80	136.39	5213	-5479	6373	8405	1.42	-1.40	-0.24	
14,244	91.08	136.38	5213	-5545	6436	8496	1.41	1.41	-0.01	
14,334	89.53	136.72	5212	-5611	6498	8585	1.76	-1.72	0.38	
14,425	90.84	136.63	5212	-5677	6561	8676	1.44	1.44	-0.10	
14,516	89.56	136.57	5211	-5743	6623	8766	1.41	-1.41	-0.07	
14,607	90.30	135.77	5212	-5809	6686	8857	1.20	0.81	-0.88	
14,698	91.08	135.41	5210	-5874	6750	8948	0.94	0.86	-0.40	
14,792	92.28	135.14	5208	-5940	6816	9041	1.31	1.28	-0.29	
14,886	93.15	135.13	5203	-6007	6882	9135	0.93	0.93	-0.01	
14,981	91.14	135.21	5200	-6074	6949	9230	2.12	-2.12	0.08	
15,075	92.35	134.87	5197	-6141	7015	9323	1.34	1.29	-0.36	
15,162	93.59	135.14	5192	-6202	7077	9410	1.46	1.43	0.31	
15,210	93.59	135.14	5189	-6236	7111	9458	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
313H Toe Rev 1	0.00	0.00	5233	-6188	7117	1,911,980.13	2,752,515.48	36.25457790	-107.73353540	
- actual wellpath misses target center by 59ft at 15162ft MD (5192 TVD, -6202 N, 7077 E)										
- Circle (radius 100)										
313H Lat Target	0.00	0.00	5255	-4548	5530	1,913,618.40	2,750,927.79	36.25908271	-107.73891501	
- actual wellpath misses target center by 22ft at 12896ft MD (5245 TVD, -4561 N, 5516 E)										
- Circle (radius 75)										
313H 85° Casing	0.00	0.00	5306	702	459	1,918,865.23	2,745,853.00	36.27350848	-107.75611416	
- actual wellpath misses target center by 43ft at 5600ft MD (5268 TVD, 682 N, 458 E)										
- Point										
313H Heel Rev 1	0.00	0.00	5321	540	629	1,918,702.58	2,746,023.11	36.27306130	-107.75553750	
- actual wellpath misses target center by 13ft at 5829ft MD (5308 TVD, 539 N, 631 E)										
- Circle (radius 50)										



Scientific Drilling
Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 313H - Slot 7
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	313H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Design Annotations

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
451	451	1	-1	First Surface MWD Survey
4743	4630	948	43	Last Surface MWD Survey
4838	4724	951	49	First Curve MWD Survey
5700	5293	625	535	Last Curve MWD Survey
5838	5309	533	637	First Lateral MWD Survey
15,162	5192	-6202	7077	Last Lateral MWD Survey
15,210	5189	-6236	7111	Projection to TD

Checked By: _____ Approved By: _____ Date: _____

Well Name: NAGEEZI UNIT	Well Location: T24N / R9W / SEC 35 / SWNE / 36.271497 / -107.757763	County or Parish/State: SAN JUAN / NM
Well Number: 313H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NOG14031919	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538209	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2695248

Type of Submission: Subsequent Report

Date Sundry Submitted: 09/28/2022

Date Operation Actually Began: 08/16/2022

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 10:25

Actual Procedure: 8/16/22: PT 4.5" x 7" casing 2k (10min). Pressure up to 7500 (15min). 7" held at 1700. NU 10k PT void & seals 5k. Install 2-way check PT L400 H9600 (10min). All tests good & recorded on chart. 8/28 to 9/3/22: Perf, Plug & Frac 31 stages: 3 spf, .35" diameter from 6039' to 15138' MD (5204' – 5316' TVD). Total of 1085 open holes. As pumped: 56,391 bbls of fluid. 9,489,560 lbs of proppant. 87,164,461 scf of N2. RD frac, N2 & WL. 9/15/22: MIRU AWS 812. NU BOPE. Full function PT L400 H5000 (30min), all tests good & recorded on chart. TIH. Drill out plugs. TOH. 9/18/22: Change over to tubing tools. PT L500 H2500 (15min) test good & recorded on chart. RIH with production string. Land 174 jts of 2.875" 6.5# L80 STC tubing. EOT: 5698'. Five GLVs set at 1946' – 2632' – 3318' – 4036' – 4722'. TOH. ND BOPE. NU production tree & PT L400 H5000 (30min) test good & recorded on chart. Turn well over to production. Rig AWS 812 released on 09/19/22.

Well Name: NAGEEZI UNIT	Well Location: T24N / R9W / SEC 35 / SWNE / 36.271497 / -107.757763	County or Parish/State: SAN JUAN / NM
Well Number: 313H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: N0G14031919	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538209	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: SEP 28, 2022 10:25 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 09/30/2022
Signature: Kenneth Rennick	



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

10/20/2022

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 313H	US Well Number 3004538209
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056182

Section 1 - General

Well Completion Report Id:	Submission Date: 10-11-2022	
BLM Office: Farmington Field Office	User: SHAW-MARIE FORD	Title: Regulatory Specialist
Federal/Indian: INDIAN	Lease Number: NOG14031919	Lease Acres:
Agreement in place?: YES	Federal or Indian Agreement:	
Agreement Number:	Agreement Name:	
Keep this Well Completion Report confidential?:		
APD Operator: DJR OPERATING LLC		

Section 2 - Well

Field/Pool or Exploratory:	Pool Name: Nageezi Unit; Mancos	Field Name: BASIN MANCOS
Well Type: OIL WELL		
Spud Date: 02-25-2022		
Date Total Measured Depth Reached: 04-15-2022		
Drill & Abandon or Ready To Produce: READY TO		
Well Class: HORIZONTAL		

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
OJO ALAMAO	SANDSTONE		0	854	856	USEABLE WATER	
KIRTLAND	SHALE		-938	938	942	NONE	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 313H	US Well Number 3004538209
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056182

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
FRUITLAND	COAL		-1250	1250	1262	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		-1592	1592	1613	USEABLE WATER	
LEWIS	SHALE		-1687	1687	1711	NONE	
CHACRA	SANDSTONE		-2376	2376	2418	NONE	
MENEFEE	COAL, SANDSTONE		-3088	3088	3150	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		-4062	4062	4150	NONE	
MANCOS	SHALE		-4230	4230	4323	NONE	
MANCOS	SILTSTONE		-4554	4554	4655	NATURAL GAS, OIL	
GALLUP	SILTSTONE		-5052	5052	5187	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5094	5094	5241	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5213	5213	5425	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5314	5314	5798	NATURAL GAS, OIL	

Completion and Completed

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 313H	US Well Number 3004538209
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056182

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM132981A	NOG14031919	NEW		POW	09-18-2022	09-19-2022	GALLUP	6039	15138	Y	.35	1085	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Total Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	56391	9489560	Chemical Disclosure uploaded to FracFocus on 09/07/22

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			GAS LIFT		SOLD	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 313H	US Well Number 3004538209
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056182

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	09/21/2022	24	924	853	160	923	48/64	297		859

Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

Wellbore Code	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.271497	-107.757763	6899	INDIAN	NOG14031919				2303	FNL	2268	FEL	24N	9W	35	SWNE
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.271497	-107.757763	6537	INDIAN	NOG14031919				2303	FNL	2268	FEL	24N	9W	35	SWNE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.263448	-107.744335	1710	FEDERAL	NMNM8005				1	FNL	1625	FWL	23N	9W	1	Lot 3
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.268391	-107.750002	1710	STATE	STATE				1816	FSL	1	FWL	24N	9W	36	NWSW
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.273042	-107.755513	1695	INDIAN	NOG14031919				1738	FNL	1606	FEL	24N	9W	35	SWNE

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 313H	US Well Number 3004538209
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056182

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.270548	-107.75255	1710	FEDERAL	NMNM 12374				2608	FSL	732	FEL	24N	9W	35	NENE
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.254539	-107.73367	1710	FEDERAL	NMNM 8005				2011	FSL	439	FEL	23N	9W	1	NESE
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.254446	-107.73356	1710	FEDERAL	NMNM 8005				1976	FSL	405	FEL	23N	9W	1	NESE

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	12.25	0	362	9.625	36	J-55		ST&C		

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 313H	US Well Number 3004538209
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056182

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	INTERMEDIATE	8.75	0	5740	7.0	26	J-55		LT&C		
00	LINER	6.125	5469	15207	4.5	11.6	P-110		BUTT		

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		I-II	109	1.61	0					31.3
00	INTERMEDIATE		G	480	2.34	0	G	142	1.51	4381	238.2
00	LINER		G	1088	1.52	5469					294.5

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		5698	5491	6	L-80		ST&C	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 313H	US Well Number 3004538209
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056182

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: DJR OPERATING LLC

Signed By: SHAW-MARIE FORD

Title: Regulatory Specialist

Signed on: 10/18/2022

Street Address: 1 Road 3263

City: Aztec

State: NM

Zip: 87410

Phone: (505)632-3476

Email address: sford@djrlc.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Extension:

Email address:

Attachments

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 313H	US Well Number 3004538209
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056182


313H_Certified_DD_EOWR_20221011145709.pdf

313H_AsDrilled_Plat_WBD_20221018121922.pdf

NAGEEZI UNIT 313H
 API: 30-045-38209
 SHL: SWNE G-35-24N-09W
 2303' FNL x 2268' FEL

Page 23 of 25
 Elevation: 6899' GL
 Spud Date: 02/25/2022
 Completed Date: 09/18/2022

FORMATION	MD	TVD
Ojo Alamo	856'	854'
Kirtland	942'	938'
Fruitland	1262'	1250'
Pictured Cliffs	1613'	1592'
Lewis	1711'	1687'
Chacra	2418'	2376'
Menefee	3150'	3088'
Point Lookout	4150'	4062'
Mancos	4323'	4230'
KOP~	4770'	4656'
Gallup	5187'	5052'
Target	5798'	5314'



Perf:	31 Stages	Frac:	31 Stages
Depth:	6039' - 15138' MD	56,391	bbls of fluid
	5204' - 5316' TVD	9,489,560	lbs of proppant
		87,164,461	scf of N2
Total of 1085 Open Holes			

(NAD83)	LAT.	LONG.
SHL:	36.271497	-107.757763
FTP:	36.273042	-107.755513
LTP:	36.254539	-107.733670
BHL:	36.254446	-107.733556

BHL: NENE I-01-23N-09W
 1976' FSL x 405' FEL

15,210'	TD
5,189'	TVD
15,193'	PBTD
15,171'	FracSleeve

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 158984

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 158984
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 158984

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 158984
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	11/16/2022