

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		WELL API NO. 30-015-22205 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> 6. State Oil & Gas Lease No.
2. Name of Operator EARTHSTONE ENERGY, LLC		7. Lease Name or Unit Agreement Name PARR
3. Address of Operator 1400 WOODLOCH FOREST DR., SUITE 300, THE WOODLANDS, TX 77380		8. Well Number 001
4. Well Location Unit Letter P : 990 feet from the SOUTH line and 990 feet from the EAST line Section 15 Township 23S Range 26E NMPM EDDY County		9. OGRID Number 372137
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,321' – GR		10. Pool name or Wildcat YARROW; DELAWARE

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

EARTHSTONE ENERGY, LLC RESPECTFULLY REQUEST TO TEMPORARILY ABANDON THE PARR #001 IN ORDER TO EVALUATE THE FUTURE ECONOMIC POTENTIAL OF SAID WELLBORE.

PROCEDURE DESCRIPTION: POOH LAYING DOWN RODS X TUBING; SET 5-1/2" CIBP @ +/-2,650' X DUMP BAIL 35' CMT. ON TOP OF CIBP; MIT WILL BE CONDUCTED UPON COMPLETION OF T/A.

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

Last Reported Production 6/1/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE: AGENT

DATE: 11/10/2022

Type or print name: DAVID A. EYLER


E-mail address: DEYLER@MILAGRO-RES.COM PHONE: 432.687.3033

For State Use OnlyAPPROVED BY: Staff Manager TITLE: Staff Manager DATE: 11/16/22

Conditions of Approval (if any):

WELLBORE SCHEMATIC

WELL NAME: Parr # 1			FIELD: Yarrow Delaware			
LOCATION: Section 15, T23S, R27E			COUNTY: EDDY			STATE: NM
ELEVATION: GL= 3293' KB= 3302'			SPUD DATE: 7/19/77		COMP DATE: 8/9/77	
API#: 30-015-22205		PREPARED BY: C. Palmer			DATE: 5/21/02	
TUBULARS	DEPTH	SIZE	WEIGHT	GRADE	THREAD	HOLE SIZE
CASING:	0' - 611'	8 5/8"	24	K-55	ST&C	12 1/4'
CASING:	0' - 3,010'	5 1/2"	14	K-55	ST&C	7 7/8"
CASING:						
TUBING:	0' - 2726'	2 3/8"				



CURRENT

PROPOSED

8 5/8" csg set @ 611' & cmt'd w/350 sxs (circ to surf)

Tubing String Detail:

31 MA 2 7/8, 65, J-55 4 jts 2 7/8", 6.5, J-55 tbg
 1 perf sub 2 7/8, 65, J-55 1 5-1/2x 2-7/8" TAC
 1 SN 2 7/8" std 83 jts 2 7/8, 6.6, J-55, E&E, 8rd
 KB correction

5 1/2 csg set @ 3010' & cmt'd w/1075 sxs (circ to surf)

Sqz Perfs @ 1926'-32' w/100 sxs C cmt.

Sqz Delaware Perfs: 2566'-92' w/150 sxs C cmt.
 Perf @ 2706'-26' w/2 SPF (41 shots)

Cmt Ret @ 2893'

TD @ 3011'

DAE 11/10/22

WELLBORE SCHEMATIC

WELL NAME: Parr # 1			FIELD: Yarrow Delaware			
LOCATION: Section 15, T23S, R27E			COUNTY: EDDY			STATE: NM
ELEVATION: GL= 3293' KB= 3302'			SPUD DATE: 7/19/77		COMP DATE: 8/9/77	
API#: 30-015-22205		PREPARED BY: C. Palmer			DATE: 5/21/02	
TUBULARS	DEPTH	SIZE	WEIGHT	GRADE	THREAD	HOLE SIZE
CASING:	0' - 611'	8 5/8"	24	K-55	ST&C	12 1/4"
CASING:	0' - 3,010'	5 1/2"	14	K-55	ST&C	7 7/8"
CASING:						
TUBING:	0' - 2726'	2 3/8"				

CURRENT

☒ PROPOSED

8 5/8" csg set @ 611' & cmt'd w/350 sxs (circ to surf)

Tubing String Detail:

31 MA 2 7/8, 65, J-55 4 jts 2 7/8", 6.5, J-55 tbg
 1 perf sub 2 7/8, 65, J-55 1 5-1/2x 2-7/8" TAC
 1 SN 2 7/8" std 83 jts 2 7/8, 6.6, J-55, E&E, 8rd
 KB correction

5 1/2 csg set @ 3010' & cmt'd w/1075 sxs (circ to surf)

Sqz Perfs @ 1926'-32' w/100 sxs C cmt.

Dump BAIL (35') CLASS "C" cmt.

Sqz Delaware Perfs: 2566'-92' w/150 sxs C cmt.

Perf @ 2706'-26' w/2 SPF (41 shots)

SET 5-1/2" CDRP @ +/- 2,650'
 Cmt Ret @ 2893'

TD @ 3011"

DAE 11/10/22

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 159092

CONDITIONS

Operator: Earthstone Operating, LLC 1400 Woodloch Forest; Ste 300 The Woodlands, TX 77380	OGRID: 331165
	Action Number: 159092
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/16/2022