

Well Name: JICARILLA APACHE	Well Location: T23N / R4W / SEC 5 / SWSE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 7	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003908112	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2705106

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 11/30/2022	Time Sundry Submitted: 12:59
Date Operation Actually Began: 11/23/2022	

Actual Procedure: The subject well was Plugged & Abandoned on 11/23/2022 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOWR_BLM_20221130125920.pdf

Well Name: JICARILLA APACHE	Well Location: T23N / R4W / SEC 5 / SWSE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 7	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003908112	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD	Signed on: NOV 30, 2022 12:59 PM
Name: DJR OPERATING LLC	
Title: Regulatory Technician	
Street Address: 1 ROAD 3263	
City: AZTEC	State: NM
Phone: (505) 634-6722	
Email address: MCOLLARD@DJRLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 11/30/2022
Signature: Kenneth Rennick	

DJR Operating, LLC
P&A End of Well Report
Jicarilla Apache #007
API # 30-039-08112
SW/SE Unit O. Sec 5, T23N, R4W
Rio Arriba County, NM
Spud Date: 10-19-1966
Plug Date: 11-23-2022

11-18-2022:

MIRU rig and equipment. Well had 2 7/8" tubing set with packer rather than 1 1/4" tubing. Made arrangements to handle 2 7/8" tubing.

11-21-2022:

ND WH, NU BOP. Unset packer. Pull 2 7/8" tubing.

P&A Plug 1: Pictured Cliffs perforations: Set CR at 2650'. PT casing, did not test. Mix and pump plug of 10 sx through CR. TOOH.

RIH, run CBL from 2650' to surface. TOC 2180'.

P&A Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: TIH to 2650'. Mix and spot balanced plug of 46 sx from 2650'. WOC.

11-22-2022:

TIH, tagged Plug 2 at 2100'. PT casing, did not test.

Pull up to 1798'. Approval from BLM and NMOCD to spot cement inside/outside of bad casing at Nacimiento.

P&A Plug 3: Mix and spot balanced plug of 25 sx from 1798'. WOC. Tagged Plug 3 at 1513'. TOOH.

RIH, perforate holes at 151'. POOH.

Establish circulation down casing and out BH.

P&A Plug 4: Surface casing shoe to surface: Mix and pump plug of 50 sx down casing and out BH. Good cement returns at surface.

11-23-2022:

Cut off WH; TOC in casing at 70' and at surface in annulus. Install P&A marker. Top off with 21 sx.

Release Rig.

All cement used was Type II/V mixed at 15.0 ppg, yield 1.29 cuft/sx

Regulatory representative: Wanda Weatherford, BLM and Monica Kuehling NMOCD via phone.

GPS Coordinates: Lat; 36.2472711 N, Long; 107.2766246 W

DJR Operating, LLC
P&A Marker
Jicarilla Apache #007
API # 30-039-08112
SW/SE Unit O. Sec 5, T23N, R4W
Rio Arriba County, NM
Spud Date: 10-19-1966
Plug Date: 11-23-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

End of Well Report
DJR Operating, LLC
Jicarilla Apache 7
API # 30-039-08112
SW/SE, Unit O, Sec 5, T23N, R4W
Rio Arriba County, NM

GL 7063'
 KB 7075'
 Spud Date 10/19/1966

SURF CSG

Hole size 9.875"
 Csg Size: 7.625"
 Wt: 26.75#
 Grade: N/A
 ID: 6.969"
 Depth 101'
 cap cf/ft: 0.2648
 TOC: N/A

FORMATION TOPS


San Jose	Surf
Nacimiento (Est.)	1747'
Ojo Alamo	2183'
Kirtland	2330'
Fruitland	2562'
Pictured Cliffs	2675'

PROD CSG

Hole size 6.75"
 Csg Size: 4.5"
 Wt: 9.5"
 Grade: N/A
 ID: 4.090"
 Depth 2750'
 cap cf/ft: 0.0912
 Csg/Csg Ann, cf/ft: 0.1544
 Csg/OH Ann, cf/ft: 0.1381
 TOC: 2323' (calc)

Perfs 2670-2730'

TD/PBTD 2751'



11-23-2022: Plug 5: Top off: Cut off WH, TOC in casing at 70', at surface in annulus. Install P&A marker. Top off with 21 sx.

11-22-2022: Plug 4: Surface casing shoe to surface: Perf holes at 151'. Establish rate down casing and out BH. Mix and pump plug of 50 sx down casing and out BH, good cement returns at surface.

11-22-2022: Plug 3: Nacimiento: Mix and pump of 25 sx inside and outside bad casing. WOC. Tagged Plug 3 at 1513'.

11-22-2022: PT casing, did not test.

11-21-2022: Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Mix and pump balanced plug of 46 sx from 2650'. WOC. 11-22-2022: Tagged Plug 2 at 2100'.

11-21-2022: Run CBL from 2650' to surface: TOC 2180'.

11-21-2022: Plug 1: Pictured Cliffs perforations: Set CR at 2650', PT casing, did not test. mix and pump plug of 10 sx through CR.

11-21-2022: Pull and LD 61 jts 2 7/8" tubing and packer:

All cement used was Type II/V mixed at 15.0 ppg, yield 1.29 cuft/sx
 Regulatory representative: Wanda Weatherford, BLM and Monica Kuehling. NMOCD via phone
 GPS Coordinates: Lat 36.2472711 N, Long; 107.2766246 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 163811

COMMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 163811
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
mkuehling	well plugged 11/23/22	12/6/2022
mkuehling	well pressures not recorded each day	12/6/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 163811

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 163811
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	12/6/2022