

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30-045-38210	⁵ Pool Name Nageezi Unit; Mancos (Oil)		⁶ Pool Code 98080
⁷ Property Code 325268	⁸ Property Name Nageezi Unit		⁹ Well Number 632H

II. ¹⁰ Surface Location

Ul or lot no. G	Section 35	Township 24N	Range 09W	Lot Idn	Feet from the 2318'	North/South Line North	Feet from the 2282'	East/West line East	County San Juan
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	------------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. B	Section 27	Township 24N	Range 09W	Lot Idn	Feet from the 994'	North/South line North	Feet from the 2360'	East/West line East	County San Juan
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date 09/28/22		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP	O
	6500 Townbridge Drive, El Paso, TX 79905	
151618	Enterprise Field Services, LLC	G
	Post Office Box 4503, Houston, TX 77001	

IV. Well Completion Data

²¹ Spud Date 02/23/22	²² Ready Date 09/15/22	²³ TD 13,332' MD 5,388' TVD	²⁴ PBTD 13,315' MD 5,388' TVD	²⁵ Perforations 5,925'-13,258' MD 5,333'- 5,388' TVD Frac Sleeve @ 13,292'	²⁶ DHC, MC	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
12.25		9.625" 36# J55		364'		109
8.75		7" 26# J55		5,661'		612
6.125		4.5" 11.6# P110		TOL: 5,360' BOL: 13,327'		974
		2.875" 6.5# L80 Tubing		5620'		

V. Well Test Data

³¹ Date New Oil 09/16/22	³² Gas Delivery Date 09/28/22	³³ Test Date 09/18/22	³⁴ Test Length 24	³⁵ Tbg. Pressure 333	³⁶ Csg. Pressure 945
³⁷ Choke Size 48/64	³⁸ Oil 735 896	³⁹ Water 362	⁴⁰ Gas 659		⁴¹ Test Method F
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>			OIL CONSERVATION DIVISION		
Printed name: Shaw-Marie Ford			Approved by: <i>PATRICIA MARTINEZ</i>		
Title: Regulatory Specialist			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address: sford@djrlc.com			Approval Date: <i>12/6/2022</i>		
Date: 11/23/22		Phone: 505-716-3297			

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-38210	² Pool Code 98080	³ Pool Name NAGEEZI UNIT MANCOS OIL POOL
⁴ Property Code 325268	⁵ Property Name NAGEEZI UNIT	⁶ Well Number 632H
⁷ GRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6899'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	35	24N	9W		2318'	NORTH	2282'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	27	24N	9W		994'	NORTH	2360'	EAST	SAN JUAN


¹² Dedicated Acres PENETRATED SPACING UNIT;
SEC 35: NW/NE, SW/NE, SE/NW, NE/NW & NW/NW
(200 AC.); SEC 26: SE/SW, SW/SW & NW/SW (120
AC.); SEC 27: NE/SE, SE/NE, SW/NE & NW/NE (160
AC.) = 480 ACRES

¹³ Joint or Infill¹⁴ Consolidation Code¹⁵ Order No.

R-13856 R-13856A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 08/04/22

Signature

Date

Shaw-Marie Ford

Printed Name

sford@djrlc.com

E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

APRIL 28, 2022

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Operating
Well Name & No.	Nageezi G35 2409 632H
County & State	Ssn Juan, NM
SDI Job No.	OP.033305
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 451 feet to a measured depth of 13,332 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

20-Apr-22

Date

Janie Collins

Colorado District Well Planner
Scientific Drilling International



DJR

Nageezi Unit

G35 2409

632H

End of Well Report



www.scientificdrilling.com





Company Name: DJR Operating
 Project: Nageezi Unit
 Site: G35 2409
 Well: 632H
 Wellbore: Original Drilling





WELL DETAILS: 632H

GL 6899' & RKB 26' @ 6925ft (H&P 443) 6899

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
0	0	1918147.55	2745380.81	36.27153799	-107.75771800

6



Design: Original Drilling (632H/Original Drilling)

Created By: Janie Collins Date: 12:05, April 20 2022

PROJECT DETAILS: Nageezi Unit

Geodetic System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone: New Mexico Western Zone

System Datum: Mean Sea Level
 Local North: True



DJR Operating

Nageezi Unit

G35 2409

632H - Slot 6

Original Drilling

Design: Original Drilling

Standard Survey Report

20 April, 2022



www.scientificdrilling.com





Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 632H - Slot 6
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	632H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Nageezi Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site		G35 2409			
Site Position:		Northing:	1,918,072.88 usft	Latitude:	36.27133300
From:	Lat/Long	Easting:	2,745,314.54 usft	Longitude:	-107.75794300
Position Uncertainty:	0 ft	Slot Radius:	13.20 in	Grid Convergence:	0.04 °

Well	632H - Slot 6					
Well Position	+N/-S	0 ft	Northing:	1,918,147.55 usft	Latitude:	36.27153799
	+E/-W	0 ft	Easting:	2,745,380.81 usft	Longitude:	-107.75771800
Position Uncertainty		0 ft	Wellhead Elevation:	ft	Ground Level:	6899 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	4/5/2022	8.60	62.73	49,186.00000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0		319.06

Survey Program	Date	4/20/2022			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
451	4568	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
4663	5621	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
5744	13,332	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
451	0.38	250.03	451	-1	-1	1	0.08	0.08	0.00	
542	1.11	27.10	542	0	-1	1	1.55	0.80	150.63	
634	3.00	22.48	634	3	0	2	2.06	2.05	-5.02	
725	5.11	16.35	725	9	2	6	2.36	2.32	-6.74	
816	7.56	17.61	815	19	5	11	2.70	2.69	1.38	
908	7.64	21.21	906	30	9	17	0.52	0.09	3.91	
999	8.05	18.29	996	42	13	23	0.63	0.45	-3.21	
1091	8.41	19.13	1088	55	18	30	0.41	0.39	0.91	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 632H - Slot 6
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	632H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1182	8.45	18.41	1178	67	22	36	0.12	0.04	-0.79	
1272	8.45	19.60	1267	80	26	43	0.19	0.00	1.32	
1364	7.95	18.50	1358	92	30	50	0.57	-0.54	-1.20	
1455	7.19	20.35	1448	103	34	56	0.88	-0.84	2.03	
1544	7.81	14.96	1536	114	38	62	1.05	0.70	-6.06	
1636	7.14	15.27	1627	126	41	68	0.73	-0.73	0.34	
1726	6.82	15.06	1717	137	44	74	0.36	-0.36	-0.23	
1817	5.95	14.83	1807	146	46	80	0.96	-0.96	-0.25	
1910	6.63	19.00	1899	156	49	85	0.88	0.73	4.48	
2004	8.01	17.46	1993	167	53	92	1.48	1.47	-1.64	
2099	8.22	16.00	2087	180	57	99	0.31	0.22	-1.54	
2194	7.08	14.56	2181	192	60	106	1.22	-1.20	-1.52	
2289	7.73	12.94	2275	204	63	113	0.72	0.68	-1.71	
2384	6.91	14.10	2369	216	66	120	0.88	-0.86	1.22	
2479	8.39	13.34	2464	228	69	127	1.56	1.56	-0.80	
2574	8.45	11.98	2557	242	72	136	0.22	0.06	-1.43	
2668	8.58	11.35	2650	256	75	144	0.17	0.14	-0.67	
2763	8.39	12.84	2744	269	78	152	0.31	-0.20	1.57	
2858	8.18	12.19	2838	283	81	161	0.24	-0.22	-0.68	
2953	7.00	12.49	2933	295	84	168	1.24	-1.24	0.32	
3049	5.48	14.75	3028	305	86	174	1.60	-1.58	2.35	
3144	6.76	13.19	3122	315	88	180	1.36	1.35	-1.64	
3239	6.01	13.41	3217	325	91	186	0.79	-0.79	0.23	
3333	7.40	16.89	3310	336	94	192	1.54	1.48	3.70	
3428	6.30	13.63	3405	347	97	199	1.23	-1.16	-3.43	
3523	7.46	15.08	3499	358	100	205	1.23	1.22	1.53	
3618	7.29	15.04	3593	369	103	212	0.18	-0.18	-0.04	
3713	6.95	10.26	3687	381	105	219	0.72	-0.36	-5.03	
3808	5.95	9.62	3782	391	107	225	1.06	-1.05	-0.67	
3903	6.14	14.86	3876	401	109	231	0.61	0.20	5.52	
3998	7.12	17.72	3971	412	112	237	1.09	1.03	3.01	
4093	6.83	17.90	4065	423	116	243	0.31	-0.31	0.19	
4188	8.14	21.89	4159	434	120	249	1.48	1.38	4.20	
4283	7.87	20.45	4253	447	125	256	0.35	-0.28	-1.52	
4378	7.14	20.77	4347	458	129	261	0.77	-0.77	0.34	
4473	5.29	23.83	4442	468	133	266	1.98	-1.95	3.22	
4568	4.40	30.17	4536	475	137	269	1.09	-0.94	6.67	
4663	4.85	7.27	4631	482	139	273	1.99	0.47	-24.11	
4727	6.54	1.40	4695	488	140	278	2.79	2.64	-9.17	
4743	6.84	0.75	4711	490	140	279	1.93	1.88	-4.06	
4838	9.18	352.99	4805	503	139	289	2.71	2.46	-8.17	
4870	15.01	347.66	4836	510	138	295	18.53	18.22	-16.66	
4933	23.94	347.10	4895	531	133	314	14.18	14.17	-0.89	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 632H - Slot 6
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	632H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4996	32.14	341.69	4951	559	125	340	13.62	13.02	-8.59
5028	36.52	338.66	4977	576	119	357	14.69	13.69	-9.47
5060	39.74	337.35	5003	594	111	376	10.37	10.06	-4.09
5092	42.42	333.28	5027	613	102	396	11.83	8.38	-12.72
5123	44.24	328.50	5049	632	92	417	12.10	5.87	-15.42
5155	48.48	326.64	5071	651	80	440	13.90	13.25	-5.81
5187	48.48	324.55	5093	671	66	464	4.89	0.00	-6.53
5218	47.45	324.56	5113	690	53	487	3.32	-3.32	0.03
5250	50.51	323.72	5134	710	39	511	9.77	9.56	-2.63
5313	56.58	322.84	5172	750	8	561	9.70	9.63	-1.40
5408	62.06	318.24	5220	813	-44	643	7.11	5.77	-4.84
5440	63.42	316.78	5235	834	-63	671	5.87	4.25	-4.56
5503	66.65	316.29	5261	876	-102	728	5.18	5.13	-0.78
5535	70.69	314.42	5273	897	-123	758	13.75	12.63	-5.84
5566	73.03	314.08	5283	917	-144	787	7.62	7.55	-1.10
5598	76.41	314.81	5291	939	-166	818	10.79	10.56	2.28
5621	78.98	314.86	5296	955	-182	841	11.18	11.17	0.22
5744	82.48	317.48	5316	1042	-266	962	3.54	2.85	2.13
5839	84.52	316.24	5327	1111	-331	1056	2.51	2.15	-1.31
5932	86.88	316.68	5334	1178	-395	1149	2.58	2.54	0.47
6026	89.46	316.51	5337	1247	-459	1243	2.75	2.74	-0.18
6120	89.23	316.67	5338	1315	-524	1336	0.30	-0.24	0.17
6214	89.90	316.80	5338	1383	-588	1430	0.73	0.71	0.14
6308	89.09	315.74	5339	1451	-653	1524	1.42	-0.86	-1.13
6402	90.37	316.76	5340	1519	-718	1618	1.74	1.36	1.09
6497	89.30	315.55	5340	1588	-784	1713	1.70	-1.13	-1.27
6591	90.20	315.22	5340	1655	-850	1807	1.02	0.96	-0.35
6685	89.26	314.35	5341	1721	-917	1901	1.36	-1.00	-0.93
6780	89.40	314.30	5342	1787	-985	1995	0.16	0.15	-0.05
6874	89.60	315.08	5343	1853	-1051	2089	0.86	0.21	0.83
6969	89.26	314.65	5344	1920	-1119	2184	0.58	-0.36	-0.45
7064	89.87	314.58	5344	1987	-1186	2278	0.65	0.64	-0.07
7158	90.20	315.12	5344	2053	-1253	2372	0.67	0.35	0.57
7252	90.74	316.72	5344	2121	-1318	2466	1.80	0.57	1.70
7346	90.34	316.89	5343	2189	-1383	2560	0.46	-0.43	0.18
7440	90.54	316.69	5342	2258	-1447	2654	0.30	0.21	-0.21
7534	90.40	316.22	5341	2326	-1512	2748	0.52	-0.15	-0.50
7628	89.03	315.07	5342	2393	-1578	2842	1.90	-1.46	-1.22
7722	89.03	316.17	5343	2460	-1643	2935	1.17	0.00	1.17
7816	88.93	317.82	5345	2529	-1707	3029	1.76	-0.11	1.76
7910	89.09	317.73	5347	2599	-1771	3123	0.20	0.17	-0.10
8005	88.25	316.71	5349	2668	-1835	3218	1.39	-0.88	-1.07
8099	88.02	316.74	5352	2737	-1900	3312	0.25	-0.24	0.03



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 632H - Slot 6
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	632H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8194	89.26	318.36	5354	2807	-1964	3407	2.15	1.31	1.71
8288	89.16	319.58	5355	2878	-2025	3501	1.30	-0.11	1.30
8383	91.14	323.32	5355	2952	-2085	3596	4.45	2.08	3.94
8477	90.77	325.59	5354	3029	-2139	3689	2.45	-0.39	2.41
8571	90.54	325.42	5352	3106	-2192	3783	0.30	-0.24	-0.18
8665	90.03	327.20	5352	3184	-2245	3876	1.97	-0.54	1.89
8759	88.29	328.01	5353	3264	-2295	3969	2.04	-1.85	0.86
8854	87.95	327.78	5356	3344	-2345	4063	0.43	-0.36	-0.24
8948	88.12	329.09	5360	3424	-2395	4156	1.40	0.18	1.39
9043	87.65	328.98	5363	3505	-2443	4249	0.51	-0.49	-0.12
9137	87.85	327.42	5367	3585	-2493	4342	1.67	0.21	-1.66
9231	89.63	326.46	5369	3664	-2544	4435	2.15	1.89	-1.02
9326	90.00	326.56	5369	3743	-2597	4529	0.40	0.39	0.11
9420	90.91	327.78	5369	3822	-2647	4622	1.62	0.97	1.30
9514	90.91	325.54	5367	3901	-2699	4715	2.38	0.00	-2.38
9609	89.73	326.41	5366	3980	-2752	4810	1.54	-1.24	0.92
9704	89.46	325.93	5367	4058	-2805	4904	0.58	-0.28	-0.51
9798	89.19	325.23	5368	4136	-2858	4997	0.80	-0.29	-0.74
9892	89.53	325.33	5369	4213	-2912	5091	0.38	0.36	0.11
9987	89.06	325.28	5370	4291	-2966	5185	0.50	-0.49	-0.05
10,078	88.35	324.32	5373	4366	-3018	5276	1.31	-0.78	-1.05
10,169	90.34	324.20	5374	4440	-3072	5366	2.19	2.19	-0.13
10,259	89.77	323.04	5373	4512	-3125	5456	1.44	-0.63	-1.29
10,350	90.00	322.60	5374	4584	-3180	5547	0.55	0.25	-0.48
10,441	89.76	322.06	5374	4656	-3235	5638	0.65	-0.26	-0.59
10,531	89.50	320.73	5374	4727	-3292	5728	1.51	-0.29	-1.48
10,620	90.34	318.28	5375	4795	-3349	5817	2.91	0.94	-2.75
10,711	90.77	318.71	5374	4863	-3410	5908	0.67	0.47	0.47
10,802	88.73	317.02	5374	4930	-3471	5998	2.91	-2.24	-1.86
10,893	87.78	315.90	5377	4996	-3533	6089	1.61	-1.04	-1.23
10,984	88.63	314.98	5380	5061	-3597	6180	1.38	0.93	-1.01
11,075	87.79	314.04	5383	5125	-3662	6271	1.38	-0.92	-1.03
11,165	89.16	315.33	5385	5188	-3726	6360	2.09	1.52	1.43
11,257	88.86	314.79	5387	5253	-3791	6452	0.67	-0.33	-0.59
11,347	89.83	312.86	5388	5315	-3856	6542	2.40	1.08	-2.14
11,438	90.44	313.76	5387	5378	-3922	6632	1.19	0.67	0.99
11,529	90.97	311.18	5386	5439	-3989	6723	2.89	0.58	-2.84
11,620	90.20	310.57	5385	5499	-4058	6813	1.08	-0.85	-0.67
11,712	89.56	309.80	5385	5558	-4128	6904	1.09	-0.70	-0.84
11,802	88.79	309.17	5387	5615	-4198	6992	1.11	-0.86	-0.70
11,892	90.13	310.77	5388	5673	-4267	7081	2.32	1.49	1.78
11,982	90.47	309.99	5387	5731	-4335	7170	0.95	0.38	-0.87
12,073	89.60	309.68	5387	5790	-4405	7260	1.01	-0.96	-0.34
12,163	90.77	310.88	5387	5848	-4474	7349	1.86	1.30	1.33



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well 632H - Slot 6
Project:	Nageezi Unit	TVD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Site:	G35 2409	MD Reference:	GL 6899' & RKB 26' @ 6925ft (H&P 443)
Well:	632H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
12,253	90.30	310.37	5386	5906	-4542	7438	0.77	-0.52	-0.57	
12,343	90.07	310.47	5386	5965	-4611	7527	0.28	-0.26	0.11	
12,433	89.03	309.74	5386	6023	-4680	7616	1.41	-1.16	-0.81	
12,524	90.60	311.16	5387	6082	-4749	7706	2.33	1.73	1.56	
12,615	88.15	309.23	5388	6141	-4818	7796	3.43	-2.69	-2.12	
12,705	91.14	310.61	5388	6198	-4887	7885	3.66	3.32	1.53	
12,795	90.10	309.68	5387	6256	-4956	7974	1.55	-1.16	-1.03	
12,886	89.90	309.73	5387	6314	-5026	8063	0.23	-0.22	0.05	
12,976	89.97	308.74	5387	6371	-5096	8152	1.10	0.08	-1.10	
13,067	90.13	309.33	5387	6429	-5167	8242	0.67	0.18	0.65	
13,158	90.40	309.55	5387	6487	-5237	8331	0.38	0.30	0.24	
13,248	89.26	309.02	5387	6544	-5306	8420	1.40	-1.27	-0.59	
13,283	89.50	309.16	5388	6566	-5334	8455	0.79	0.69	0.40	
13,332	89.50	309.16	5388	6596	-5372	8503	0.00	0.00	0.00	

Design Targets										
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
632H 85° Casing - actual wellpath misses target center by 43ft at 5578ft MD (5286 TVD, 925 N, -152 E) - Point	0.00	0.00	5311	896	-172	1,919,043.30	2,745,208.23	36.27399905	-107.75830112	
632H Heel Rev 1 - actual wellpath misses target center by 29ft at 5798ft MD (5322 TVD, 1082 N, -303 E) - Circle (radius 50)	0.00	0.00	5326	1062	-323	1,919,209.09	2,745,056.71	36.27445480	-107.75881470	
632H Toe Rev 1 - actual wellpath misses target center by 1955ft at 13332ft MD (5388 TVD, 6596 N, -5372 E) - Circle (radius 100)	0.00	0.00	5400	7886	-6842	1,926,028.21	2,738,533.10	36.29319910	-107.78093420	

Design Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates			
		+N/-S (ft)	+E/-W (ft)	Comment	
451	451	-1	-1	First Surface MWD Survey	
4568	4536	475	137	Last Surface MWD Survey	
4663	4631	482	139	First Curve MWD Survey	
5621	5296	955	-182	Last Curve MWD Survey	
5744	5316	1042	-266	First Lateral MWD Survey	
13,283	5388	6566	-5334	Last Lateral MWD Survey	
13,332	5388	6596	-5372	Projection to TD	

Checked By: _____ Approved By: _____ Date: _____

Well Name: NAGEEZI UNIT	Well Location: T24N / R9W / SEC 35 / SWNE / 36.271456 / -107.757808	County or Parish/State: SAN JUAN / NM
Well Number: 632H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NOG14031919	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538210	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2695258

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 09/28/2022	Time Sundry Submitted: 10:42
Date Operation Actually Began: 08/16/2022	

Actual Procedure: 8/16/22: PT 4.5" x 7" casing 2k (10min). Pressure up to 7500 (15min). 7" held at 1700. NU 10k PT void & seals 5k. Install 2-way check PT L400 H9600 (10min). All tests good & recorded on chart. 8/24 to 8/27/22: Perf, Plug & Frac 25 stages: 3 spf, .35" diameter from 5926' to 13258' MD (5333' – 5388' TVD). Total of 875 open holes. As pumped: 43449 bbls of fluid. 7712260 lbs of proppant. 71739229 scf of N2. RD frac, N2 & WL. 9/12/22: MIRU AWS 812. NU BOPE. Full function PT L400 H5000 (30min) test good & recorded on chart. TIH Drill out plugs. TOH. 9/15/22: Change of to tubing tools. PT L500 H2500 (15min) test good & recorded on chart. RIH with production string. Land 172 jts of 2.875" 6.5# L80 STC tubing. EOT: 5620'. Five GLVs set at 1908' – 2593' – 3279' – 3964' – 4616'. TOH. ND BOPE. NU production tree & PT L500 H5000 (30min) test good & recorded on chart. Turn well over to production. Rig AWS released on 09/16/22.

Well Name: NAGEEZI UNIT	Well Location: T24N / R9W / SEC 35 / SWNE / 36.271456 / -107.757808	County or Parish/State: SAN JUAN / NM
Well Number: 632H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: N0G14031919	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538210	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: SEP 28, 2022 10:42 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 09/30/2022
Signature: Kenneth Rennick	



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

10/18/2022

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 632H	US Well Number 3004538210
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056221

Section 1 - General

Well Completion Report Id:	Submission Date: 10-13-2022	
BLM Office: Farmington Field Office	User: SHAW-MARIE FORD	Title: Regulatory Specialist
Federal/Indian: INDIAN	Lease Number: NOG14031919	Lease Acres:
Agreement in place?: YES	Federal or Indian Agreement:	
Agreement Number:	Agreement Name:	
Keep this Well Completion Report confidential?:		
APD Operator: DJR OPERATING LLC		

Section 2 - Well

Field/Pool or Exploratory:	Pool Name: Nageezi Unit; Mancos	Field Name: BASIN MANCOS
Well Type: OIL WELL		
Spud Date: 02-23-2022		
Date Total Measured Depth Reached: 04-10-2022		
Drill & Abandon or Ready To Produce: READY TO		
Well Class: HORIZONTAL		

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
OJO ALAMAO	SANDSTONE		0	859	861	USEABLE WATER	
KIRTLAND	SHALE		-943	943	946	NONE	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 632H	US Well Number 3004538210
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056221

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
FRUITLAND	COAL		-1255	1255	1261	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		-1597	1597	1606	USEABLE WATER	
LEWIS	SHALE		-1692	1692	1702	NONE	
CHACRA	SANDSTONE		-2381	2381	2397	NONE	
MENEFEE	COAL, SANDSTONE		-3093	3093	3116	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		-4067	4067	4099	NONE	
MANCOS	SHALE		-4235	4235	4269	NONE	
MANCOS	SILTSTONE		-4559	4559	4596	NATURAL GAS, OIL	
GALLUP	SILTSTONE		-5057	5057	5123	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5099	5099	5176	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5218	5218	5359	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5319	5319	5719	NATURAL GAS, OIL	

Completion and Completed

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 632H	US Well Number 3004538210
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056221

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM132981A	NOG14031919	NEW		POW	09-15-2022	09-16-2022	GALLUP	5926	13258	Y	.35	875	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Total Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	43449	7712260	Chemical Disclosure uploaded to FracFocus on 09/07/22

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			GAS LIFT		SOLD	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 632H	US Well Number 3004538210
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056221

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	09/18/2022	24	735	659	362	896	48/64	333		945

Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.271456	-107.757808	6899	INDIAN	NOG14031919			2318	FNL	2282	FEL	24N	9W	35	SWNE
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.271456	-107.757808	6535	INDIAN	NOG14031919			2318	FNL	2282	FEL	24N	9W	35	SWNE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.283534	-107.76794	1511	FEDERAL	NMNM12374			2065	FSL	1	FEL	24N	9W	27	NESE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.285104	-107.769519	1511	INDIAN	NOG14031915			2647	FNL	467	FEL	24N	9W	27	SENE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.277843	-107.762767	1511	INDIAN	NOG14011834			1	FSL	1530	FWL	24N	9W	26	SESW

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 632H	US Well Number 3004538210
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056221

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.274401	-107.758621	1566	INDIAN	NOG14031919				1247	FNL	2522	FEL	24N	9W	35	NWNE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.274666	-107.758931	1511	INDIAN	NOG14011830				1152	FNL	2594	FWL	24N	9W	35	NENW
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.289573	-107.775816	1511	INDIAN	NOG14031915				1025	FNL	2322	FEL	24N	9W	27	NWNE
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.289658	-107.775945	1511	INDIAN	NOG14031915				994	FNL	2360	FEL	24N	9W	27	NWNE

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
---------------	--------------------	-----------	------------------------	---------------------------	-------------	------------	--------------	-----------------------------	-------	-------------	--------------------

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 632H	US Well Number 3004538210
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056221

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	12.25	0	364	9.625	36	J-55		ST&C		
00	INTERMEDIATE	8.75	0	5661	7.0	26	J-55		LT&C		
00	LINER	6.125	5360	13327	4.5	11.6	P-110		BUTT		

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		I-II	109	1.61	0					31.3
00	INTERMEDIATE		G	472	2.34	0	G	140	1.51	4269	234.4
00	LINER		G	974	1.52	5360					263.7

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		5620	5381	6	L-80		ST&C	

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 632H	US Well Number 3004538210
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056221

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.


Name: DJR OPERATING LLC**Signed By:** SHAW-MARIE FORD**Title:** Regulatory Specialist**Signed on:** 10/13/2022**Street Address:** 1 Road 3263**City:** Aztec**State:** NM**Zip:** 87410**Phone:** (505)632-3476**Email address:** sford@djrlc.com**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Extension:****Email address:****Attachments**

Operator Name DJR OPERATING LLC	Well Name NAGEEZI UNIT	Well Number 632H	US Well Number 3004538210
SHL SWNE Sec 35 24N 9W	County SAN JUAN	State NM	Lease Number(s) NOG14031919
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM132981A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name NAGEEZI UNIT	Well Pad Number 308H, 309H, 310H, 313H, 632H	ID 10400056221

632H_Certified_DD_EOWR_20221013091522.pdf

632H_As_Drilled_Plat_WBD_20221013091541.pdf

FORMATION	MD	TVD
Ojo Alamo	861'	859'
Kirtland	946'	943'
Fruitland	1261'	1255'
Pictured Cliffs	1606'	1597'
Lewis	1702'	1692'
Chacra	2397'	2381'
Menefee	3116'	3093'
Point Lookout	4099'	4067'
Mancos	4269'	4235'
KOP~	4826'	4793'
Gallup	5123'	5057'
Target	5719'	5319'



Perf:	25 Stages	Frac:	25 Stages
Depth:	5926' - 13258' MD	43,449	bbls of fluid
	5333' - 5388' TVD	7,712,260	lbs of proppant
		71,739,229	scf of N2
Total of 875 Open Holes			

(NAD83)	LAT.	LONG.
SHL:	36.271456	-107.757808
FTP:	36.274401	-107.758621
LTP:	36.289573	-107.775816
BHL:	36.289658	-107.775945

BHL: NWNE B-27-24N-09W
 994' FNL x 2360' FEL

13,332'	TD
5,388'	TVD
13,315'	PBTD
13,292'	FracSleeve

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 161157

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 161157
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 161157

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 161157
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/6/2022