

Form 3160-5
(August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM9016

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE – Other instructions on page 2.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
EXTEX OPERATING COMPANY

3a. Address
5065 WESTHEIMER ROAD, SUITE 625

3b. Phone No. (include area code)
713-953-0824

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 31 T 17S R 32E SWNE 2310 FNL 2210 FEL

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.
FOX FEDERAL 07

9. API Well No.
30-025-36455-00-S1

10. Field and Pool or Exploratory Area
MALJAMAR

11. Country or Parish, State
LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | | |
|--|---|---|---|---|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Final Abandonment Notice | <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete | <input checked="" type="checkbox"/> Other _____ |
| | <input type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input checked="" type="checkbox"/> Temporarily Abandon | PERFORM MIT |
| | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input type="checkbox"/> Water Disposal | |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Extex is requesting a TA extension by performing an MIT in order to properly valuate this well which was recently purchased by Legacy Reserves Operating LP

Accepted for Record Only SUBJECT TO LIKE APPROVAL BY BLM NMOCD 12/6/22 X7

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)
BRYCE MUELLER

Title PRODUCTION ENGINEER

Signature _____ Date 06/13/2022

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____ Title _____ Date _____

Office _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Extex Operating Company

5065 Westheimer, Suite 625
Houston, TX 77056
713.953.0824

June 20, 2022

MIT Work Plan


1. Notify OCD Minimum 24 Hours before MIT is to be performed
2. RU to well with pump & pressure recorder
3. Pressure up well to minimum 500 PSI
4. Monitor & Record Pressure for minimum of 30 Minutes.
5. RD & Secure Well

Wellbore Schematic

Printed: 6/15/2022

Page 1

| | | | | |
|-----------------------|--|-------------------|-------------------------|----------|
| FOX FED # 7 | Co. Well ID: 300488.07 | | API # 3002536455 | |
| FOX FED #7, 6/15/2022 | 2310 FNL & 2210 FEL | GL Elev: 3,866.00 | KOP: | |
| | Section 31, Township 17S, Range 32E | | EOC: | |
| | County, State: LEA, NM | | Fill Depth: | |
| | Aux ID: AUX00989 | | PBTD: | |
| | 'KB' correction: ; All Depths Corr To: | | TD: | 5,021.00 |
| | | | BOP: | |



Surface Casing **Date Ran:** 12/9/2003

| Description | # | Diameter | Weight | Grade | Length | Top At | Btm At |
|-------------|---|----------|--------|-------|--------|--------|--------|
| Casing | | 13.3750 | 48.00 | H40 | 795.00 | 0.00 | 795.00 |

Intermediate Casing **Date Ran:** 12/9/2003

| Description | # | Diameter | Weight | Grade | Length | Top At | Btm At |
|-------------|---|----------|--------|-------|----------|--------|----------|
| Casing | | 9.6250 | 47.00 | N80 | 2,253.00 | 0.00 | 2,253.00 |

Production Casing **Date Ran:** 12/9/2003

| Description | # | Diameter | Weight | Grade | Length | Top At | Btm At |
|-------------|---|----------|--------|-------|----------|--------|----------|
| Casing | | 5.5000 | 17.00 | J55 | 5,003.00 | 0.00 | 5,003.00 |

Cement

| Top At | Btm At | I D | O D | TOC Per | # - Type | # Sx | Class | Wt. |
|----------|----------|--------|--------|---------|----------|------|-------|-----|
| 0.00 | 795.00 | 13.375 | 17.500 | Circ | | | | |
| 795.00 | 2,253.00 | 9.625 | 12.250 | Circ | | | | |
| 2,253.00 | 5,003.00 | 5.500 | 7.875 | Circ | 1 - All | 700 | | |
| | | | | | 2 - All | 850 | | |
| | | | | | 3 - All | 1040 | | |

Zone and Perfs

GRAYBURG Perforations

| Top | Bottom | Formation | Status | Opened | Closed | # / Ft | Ttl # |
|----------|----------|------------|--------|--------|--------|--------|-------|
| 4,101.50 | 4,183.00 | SAN ANDRES | A | | | | |

Wellbore Plugs and Junk


| Top | Bottom | Type | Diameter | Solid | Date |
|----------|----------|--------|----------|-------|-----------|
| 4,016.00 | 4,051.00 | Cement | 5.500 | Yes | 7/15/2020 |
| 4,051.00 | 4,053.00 | CIBP | 5.500 | Yes | 7/15/2020 |

Wellbore Schematic

Printed: 6/15/2022

Page 1

| | | | | |
|-----------------------|--|-------------------|-------------------------|----------|
| FOX FED # 7 | Co. Well ID: 300488.07 | | API # 3002536455 | |
| FOX FED #7, 6/15/2022 | 2310 FNL & 2210 FEL | GL Elev: 3,866.00 | KOP: | |
| | Section 31, Township 17S, Range 32E | | EOC: | |
| | County, State: LEA, NM | | Fill Depth: | |
| | Aux ID: AUX00989 | | PBTD: | |
| | 'KB' correction: ; All Depths Corr To: | | TD: | 5,021.00 |
| | | | BOP: | |



Surface Casing **Date Ran:** 12/9/2003

| Description | # | Diameter | Weight | Grade | Length | Top At | Btm At |
|-------------|---|----------|--------|-------|--------|--------|--------|
| Casing | | 13.3750 | 48.00 | H40 | 795.00 | 0.00 | 795.00 |

Intermediate Casing **Date Ran:** 12/9/2003

| Description | # | Diameter | Weight | Grade | Length | Top At | Btm At |
|-------------|---|----------|--------|-------|----------|--------|----------|
| Casing | | 9.6250 | 47.00 | N80 | 2,253.00 | 0.00 | 2,253.00 |

Production Casing **Date Ran:** 12/9/2003

| Description | # | Diameter | Weight | Grade | Length | Top At | Btm At |
|-------------|---|----------|--------|-------|----------|--------|----------|
| Casing | | 5.5000 | 17.00 | J55 | 5,003.00 | 0.00 | 5,003.00 |

Cement

| Top At | Btm At | I D | O D | TOC Per | # - Type | # Sx | Class | Wt. |
|----------|----------|--------|--------|---------|----------|------|-------|-----|
| 0.00 | 795.00 | 13.375 | 17.500 | Circ | | | | |
| 795.00 | 2,253.00 | 9.625 | 12.250 | Circ | | | | |
| 2,253.00 | 5,003.00 | 5.500 | 7.875 | Circ | 1 - All | 700 | | |
| | | | | | 2 - All | 850 | | |
| | | | | | 3 - All | 1040 | | |

Zone and Perfs

GRAYBURG Perforations

| Top | Bottom | Formation | Status | Opened | Closed | # / Ft | Ttl # |
|----------|----------|------------|--------|--------|--------|--------|-------|
| 4,101.50 | 4,183.00 | SAN ANDRES | A | | | | |

Wellbore Plugs and Junk

| Top | Bottom | Type | Diameter | Solid | Date |
|----------|----------|--------|----------|-------|-----------|
| 4,016.00 | 4,051.00 | Cement | 5.500 | Yes | 7/15/2020 |
| 4,051.00 | 4,053.00 | CIBP | 5.500 | Yes | 7/15/2020 |

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 118825

CONDITIONS

| | |
|--|--|
| Operator: Extex Operating Company 1616 S. Voss Road Houston, TX 77057 | OGRID: 330423 |
| | Action Number: 118825 |
| | Action Type: [C-103] NOI Temporary Abandonment (C-103I) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|------------------------|----------------|
| kfortner | Like approval from BLM | 12/6/2022 |