

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EARTHSTONE OPERATING, LLC 1400 WOODLOCH FOREST DR., SUITE 300 THE WOODLAND, TX 77380		² OGRID Number 331165	
		³ Reason for Filing Code/ Effective Date RT-11/01/2022	
⁴ API Number 30 - 025-50266	⁵ Pool Name GEM; BONE SPRING, EAST		⁶ Pool Code 27230
⁷ Property Code 332648	⁸ Property Name STETSON 13-24 2BS FED COM		⁹ Well Number 11H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	12	19S	33E		73	SOUTH	1350	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	24	19S	33E		103	SOUTH	437	EAST	LEA
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372603	3BEAR FIELD SERVICES, LLC	G/W
174238	ENTERPRISE CRUDE OIL LLC	O

IV. Well Completion Data

²¹ Spud Date 06/23/2022	²² Ready Date 11/01/2022	²³ TD 20,346'MD/9956'TVD	²⁴ PBDT 20,310'MD/9957'TVD	²⁵ Perforations 9,973' - 20,300'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17.5"		13.375", 54.5#, J-55		1657'	1145
12.25"		9.625", 40# HCL 80 9.625", 40# J-55		5701'	1375
7.875"		5.5", 20# VAR HC P-110		20,331'	2265

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Printed name: JENNIFER ELROD Title: SR. REGULATORY ANALYST E-mail Address: JELROD@EARTHSTONEENERGY.COM Date: 11/20/2022			OIL CONSERVATION DIVISION		
			Approved by: <i>PATRICIA MARTINEZ</i>		
			Title: <i>PETROLEUM SPECIALIST</i>		
			Approval Date: <i>12/12/2022</i>		
			<i>RT EXPIRES 2/1/2023</i>		
Phone: 940-452-6214					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-50266	² Pool Code 27230	³ Pool Name GEM; BONE SPRING, EAST
⁴ Property Code 27230	⁵ Property Name STETSON 13-24 2BS FED COM	⁶ Well Number 11H
⁷ OGRID No. 331165	⁸ Operator Name EARTHSTONE OPERATING, LLC	⁹ Elevation 3722.0

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	12	19 S	33 E		73	SOUTH	1350	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	24	19 S	33 E		103	SOUTH	437	EAST	LEA

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	STETSON 13-24 2BS FED COM 11H EL. = 3722.0 GEODETIC COORDINATES NAD 27 NMSP EAST SURFACE LOCATION N. = 607308.86 E. = 721999.86 LAT. = 32.6675188°N LONG. = 103.6119253°W KICK OFF POINT 446' FSL, 494' FEL NAD 27 NMSP EAST N. = 607684.28 E. = 722853.72 LAT. = 32.6685347°N LONG. = 103.6091425°W FIRST TAKE POINT 101' FNL, 494' FEL NAD 27 NMSP EAST N. = 607137.38 E. = 722967.62 LAT. = 32.6670293°N LONG. = 103.6087845°W LAST TAKE POINT 149' FSL, 383' FEL NAD 27 NMSP EAST N. = 596827.36 E. = 722961.15 LAT. = 32.6386915°N LONG. = 103.6090340°W BOTTOM OF HOLE NAD 27 NMSP EAST N. = 596781.42 E. = 722961.11 LAT. = 32.6385652°N LONG. = 103.6090352°W CORNER COORDINATES TABLE NAD 27 NMSP EAST <table border="1"> <tr><td>A - N. = 612517.65</td><td>E. = 723325.09</td></tr> <tr><td>B - N. = 612511.24</td><td>E. = 720695.06</td></tr> <tr><td>C - N. = 607232.29</td><td>E. = 720719.73</td></tr> <tr><td>D - N. = 601949.66</td><td>E. = 720738.64</td></tr> <tr><td>E - N. = 596668.99</td><td>E. = 720751.84</td></tr> <tr><td>F - N. = 596680.48</td><td>E. = 723397.95</td></tr> <tr><td>G - N. = 599320.14</td><td>E. = 723387.71</td></tr> <tr><td>H - N. = 601960.29</td><td>E. = 723373.29</td></tr> <tr><td>I - N. = 604597.70</td><td>E. = 723360.66</td></tr> <tr><td>J - N. = 607239.56</td><td>E. = 723349.93</td></tr> <tr><td>K - N. = 609879.02</td><td>E. = 723337.53</td></tr> </table> CORNER COORDINATES TABLE NAD 83 NMSP EAST <table border="1"> <tr><td>A - N. = 612581.31</td><td>E. = 764504.78</td></tr> <tr><td>B - N. = 612574.87</td><td>E. = 761874.71</td></tr> <tr><td>C - N. = 607295.76</td><td>E. = 761899.53</td></tr> <tr><td>D - N. = 602012.98</td><td>E. = 761918.59</td></tr> <tr><td>E - N. = 596732.15</td><td>E. = 761931.94</td></tr> <tr><td>F - N. = 596743.67</td><td>E. = 764578.08</td></tr> <tr><td>G - N. = 599383.40</td><td>E. = 764567.76</td></tr> <tr><td>H - N. = 602023.63</td><td>E. = 764563.27</td></tr> <tr><td>I - N. = 604661.12</td><td>E. = 764540.57</td></tr> <tr><td>J - N. = 607303.06</td><td>E. = 764529.76</td></tr> <tr><td>K - N. = 609942.60</td><td>E. = 764517.28</td></tr> </table>	A - N. = 612517.65	E. = 723325.09	B - N. = 612511.24	E. = 720695.06	C - N. = 607232.29	E. = 720719.73	D - N. = 601949.66	E. = 720738.64	E - N. = 596668.99	E. = 720751.84	F - N. = 596680.48	E. = 723397.95	G - N. = 599320.14	E. = 723387.71	H - N. = 601960.29	E. = 723373.29	I - N. = 604597.70	E. = 723360.66	J - N. = 607239.56	E. = 723349.93	K - N. = 609879.02	E. = 723337.53	A - N. = 612581.31	E. = 764504.78	B - N. = 612574.87	E. = 761874.71	C - N. = 607295.76	E. = 761899.53	D - N. = 602012.98	E. = 761918.59	E - N. = 596732.15	E. = 761931.94	F - N. = 596743.67	E. = 764578.08	G - N. = 599383.40	E. = 764567.76	H - N. = 602023.63	E. = 764563.27	I - N. = 604661.12	E. = 764540.57	J - N. = 607303.06	E. = 764529.76	K - N. = 609942.60	E. = 764517.28	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Jennifer Elrod</i> 11/20/2022 Signature Date JENNIFER ELROD Printed Name JELROD@EARTHSTONEENERGY.COM E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. NOVEMBER 15, 2022 Date of Survey <i>[Signature]</i> Signature and Seal of Professional Surveyor Certificate Number: 12797 JAMES J. JARAMILLO, PLS 12797 SURVEY NO. 5671A
	A - N. = 612517.65	E. = 723325.09																																												
	B - N. = 612511.24	E. = 720695.06																																												
	C - N. = 607232.29	E. = 720719.73																																												
D - N. = 601949.66	E. = 720738.64																																													
E - N. = 596668.99	E. = 720751.84																																													
F - N. = 596680.48	E. = 723397.95																																													
G - N. = 599320.14	E. = 723387.71																																													
H - N. = 601960.29	E. = 723373.29																																													
I - N. = 604597.70	E. = 723360.66																																													
J - N. = 607239.56	E. = 723349.93																																													
K - N. = 609879.02	E. = 723337.53																																													
A - N. = 612581.31	E. = 764504.78																																													
B - N. = 612574.87	E. = 761874.71																																													
C - N. = 607295.76	E. = 761899.53																																													
D - N. = 602012.98	E. = 761918.59																																													
E - N. = 596732.15	E. = 761931.94																																													
F - N. = 596743.67	E. = 764578.08																																													
G - N. = 599383.40	E. = 764567.76																																													
H - N. = 602023.63	E. = 764563.27																																													
I - N. = 604661.12	E. = 764540.57																																													
J - N. = 607303.06	E. = 764529.76																																													
K - N. = 609942.60	E. = 764517.28																																													

Intent ☐ As Drilled ☒

API # 30-025-50266		
Operator Name: EARTHSTONE OPERATING, LLC	Property Name: STETSON 13-24 2BS FED COM	Well Number 11H

Kick Off Point (KOP)

UL P	Section 12	Township 19S	Range 33E	Lot	Feet 446	From N/S SOUTH	Feet 494	From E/W EAST	County LEA
Latitude 32.6686573					Longitude 103.6096382				NAD 83

First Take Point (FTP)

UL A	Section 13	Township 19S	Range 33E	Lot	Feet 101	From N/S NORTH	Feet 383	From E/W EAST	County LEA
Latitude 32.6671520					Longitude 103.6092801				NAD 83

Last Take Point (LTP)

UL P	Section 24	Township 19S	Range 33E	Lot	Feet 149	From N/S SOUTH	Feet 436	From E/W EAST	County LEA
Latitude 32.6388142					Longitude 103.6095286				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☐ NO

Is this well an infill well?

☐ YES

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-45499		
Operator Name: EARTHSTONE OPERATING, LLC	Property Name: STETSON 13-24 1BS FED COM	Well Number 6H

KZ 06/29/2018

Survey Report

Company:	Earthstone Operating, LLC	Local Co-ordinate Reference:	Well 2BS FED COM 11H
Project:	Lea County, NM (NAD 83)	TVD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Site:	Stetson 13-24 Pad	MD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Well:	2BS FED COM 11H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Stetson 13-24 Pad				
Site Position:		Northing:	607,372.35 usft	Latitude:	32° 40' 3.51 N
From:	Map	Easting:	763,179.66 usft	Longitude:	103° 36' 44.72 W
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.39 °

Well	2BS FED COM 11H					
Well Position	+N/-S	0.00 usft	Northing:	607,372.35 usft	Latitude:	32° 40' 3.51 N
	+E/-W	0.00 usft	Easting:	763,179.66 usft	Longitude:	103° 36' 44.72 W
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,722.00 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM_FILE	7/1/2022	6.37	60.52	47,827.40000000

Design	OH				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	179.74	

Survey Program	Date	8/27/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
65.00	1,639.00	Survey #1 (OH)	OWSG_Rev2_MWD+HRGM	OWSG MWD + HRGM	
1,681.00	20,292.00	Survey #2 (OH)	OWSG_Rev2_MWD+HRGM	OWSG MWD + HRGM	
20,346.00	20,346.00	Survey #3 (OH)	Project	Projection	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL (Stetson 11H)										
65.00	0.44	86.10	65.00	0.02	0.25	-0.02	0.68	0.68	0.00	
188.00	1.49	93.69	187.98	-0.05	2.32	0.06	0.86	0.85	6.17	
218.00	1.76	91.76	217.97	-0.09	3.17	0.11	0.92	0.90	-6.43	
272.00	0.88	83.15	271.95	-0.07	4.41	0.09	1.67	-1.63	-15.94	
358.00	0.97	55.20	357.94	0.43	5.66	-0.40	0.53	0.10	-32.50	

Survey Report

Company:	Earthstone Operating, LLC	Local Co-ordinate Reference:	Well 2BS FED COM 11H
Project:	Lea County, NM (NAD 83)	TVD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Site:	Stetson 13-24 Pad	MD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Well:	2BS FED COM 11H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
433.00	0.79	61.80	432.93	1.03	6.64	-1.00	0.28	-0.24	8.80	
520.00	0.62	86.14	519.93	1.35	7.64	-1.31	0.39	-0.20	27.98	
607.00	0.53	135.18	606.92	1.09	8.39	-1.06	0.56	-0.10	56.37	
694.00	0.44	160.67	693.92	0.49	8.78	-0.45	0.27	-0.10	29.30	
781.00	0.18	206.37	780.92	0.05	8.83	-0.01	0.39	-0.30	52.53	
871.00	0.09	160.32	870.92	-0.14	8.79	0.18	0.15	-0.10	-51.17	
958.00	0.18	286.88	957.92	-0.16	8.69	0.20	0.28	0.10	145.47	
1,048.00	0.35	182.82	1,047.92	-0.40	8.54	0.44	0.48	0.19	-115.62	
1,133.00	0.35	234.67	1,132.92	-0.81	8.31	0.84	0.36	0.00	61.00	
1,218.00	0.26	262.92	1,217.92	-0.98	7.91	1.02	0.20	-0.11	33.24	
1,305.00	0.26	171.39	1,304.91	-1.20	7.74	1.23	0.43	0.00	-105.21	
1,393.00	0.18	52.74	1,392.91	-1.31	7.88	1.35	0.43	-0.09	-134.83	
1,482.00	0.09	259.46	1,481.91	-1.24	7.93	1.28	0.30	-0.10	-172.22	
1,570.00	0.18	2.46	1,569.91	-1.12	7.86	1.15	0.25	0.10	117.05	
1,639.00	0.18	317.64	1,638.91	-0.93	7.79	0.96	0.20	0.00	-64.96	
1,681.00	0.09	131.05	1,680.91	-0.90	7.78	0.94	0.64	-0.21	412.88	
1,774.00	0.79	88.60	1,773.91	-0.93	8.47	0.97	0.78	0.75	-45.65	
1,867.00	4.75	75.77	1,866.78	0.03	12.85	0.03	4.28	4.26	-13.80	
1,960.00	7.47	70.15	1,959.25	3.03	22.27	-2.93	2.99	2.92	-6.04	
2,053.00	7.95	73.74	2,051.41	6.88	34.13	-6.73	0.73	0.52	3.86	
2,147.00	8.13	77.96	2,144.48	10.09	46.87	-9.88	0.66	0.19	4.49	
2,240.00	7.43	73.66	2,236.63	13.15	59.07	-12.89	0.98	-0.75	-4.62	
2,334.00	7.08	63.11	2,329.88	17.48	70.07	-17.17	1.46	-0.37	-11.22	
2,428.00	7.43	60.65	2,423.13	23.08	80.53	-22.72	0.50	0.37	-2.62	
2,522.00	7.38	64.52	2,516.34	28.66	91.28	-28.24	0.53	-0.05	4.12	
2,617.00	7.29	65.39	2,610.57	33.79	102.27	-33.33	0.15	-0.09	0.92	
2,710.00	7.51	67.86	2,702.79	38.54	113.26	-38.03	0.42	0.24	2.66	
2,803.00	7.69	71.28	2,794.98	42.83	124.79	-42.26	0.52	0.19	3.68	
2,896.00	7.77	74.62	2,887.13	46.49	136.74	-45.87	0.49	0.09	3.59	
2,988.00	8.13	77.96	2,978.25	49.50	149.10	-48.82	0.64	0.39	3.63	
3,082.00	8.04	79.11	3,071.31	52.13	162.06	-51.39	0.20	-0.10	1.22	
3,175.00	7.91	81.39	3,163.41	54.31	174.77	-53.52	0.37	-0.14	2.45	
3,268.00	6.99	80.16	3,255.63	56.24	186.67	-55.39	1.00	-0.99	-1.32	
3,361.00	6.46	77.17	3,347.99	58.37	197.35	-57.47	0.68	-0.57	-3.22	
3,454.00	6.27	77.79	3,440.41	60.60	207.41	-59.66	0.22	-0.20	0.67	
3,547.00	6.10	80.51	3,532.87	62.49	217.25	-61.51	0.36	-0.18	2.92	
3,640.00	6.24	81.74	3,625.33	64.03	227.13	-63.00	0.21	0.15	1.32	
3,734.00	6.68	79.19	3,718.74	65.79	237.55	-64.71	0.56	0.47	-2.71	
3,827.00	6.94	78.14	3,811.08	67.96	248.36	-66.83	0.31	0.28	-1.13	
3,920.00	7.12	79.92	3,903.38	70.13	259.54	-68.95	0.30	0.19	1.91	
4,013.00	7.87	70.93	3,995.59	73.22	271.23	-71.98	1.49	0.81	-9.67	
4,107.00	9.01	59.86	4,088.58	79.01	283.68	-77.73	2.11	1.21	-11.78	

Survey Report

Company:	Earthstone Operating, LLC	Local Co-ordinate Reference:	Well 2BS FED COM 11H
Project:	Lea County, NM (NAD 83)	TVD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Site:	Stetson 13-24 Pad	MD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Well:	2BS FED COM 11H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
4,200.00	9.62	56.96	4,180.35	86.91	296.49	-85.56	0.83	0.66	-3.12	
4,293.00	9.98	64.08	4,272.00	94.67	310.25	-93.26	1.36	0.39	7.66	
4,386.00	9.54	67.94	4,363.65	101.08	324.64	-99.61	0.85	-0.47	4.15	
4,479.00	8.35	61.26	4,455.52	107.23	337.71	-105.69	1.70	-1.28	-7.18	
4,573.00	7.82	48.87	4,548.59	114.72	348.51	-113.13	1.93	-0.56	-13.18	
4,666.00	9.49	44.56	4,640.53	124.34	358.66	-122.71	1.93	1.80	-4.63	
4,759.00	11.25	44.39	4,732.01	136.29	370.38	-134.60	1.89	1.89	-0.18	
4,852.00	9.89	49.31	4,823.43	147.98	382.79	-146.24	1.75	-1.46	5.29	
4,946.00	9.01	57.22	4,916.16	157.23	395.10	-155.43	1.67	-0.94	8.41	
5,039.00	7.65	69.44	5,008.18	163.34	407.02	-161.49	2.39	-1.46	13.14	
5,132.00	5.41	79.02	5,100.58	166.35	417.12	-164.46	2.67	-2.41	10.30	
5,218.00	5.80	76.12	5,186.17	168.17	425.32	-166.24	0.56	0.45	-3.37	
5,311.00	5.98	75.59	5,278.67	170.50	434.57	-168.53	0.20	0.19	-0.57	
5,405.00	6.24	76.64	5,372.14	172.90	444.28	-170.88	0.30	0.28	1.12	
5,499.00	7.21	71.19	5,465.49	175.98	454.84	-173.92	1.23	1.03	-5.80	
5,593.00	7.39	69.61	5,558.73	179.99	466.09	-177.87	0.29	0.19	-1.68	
5,646.00	6.77	68.21	5,611.33	182.34	472.18	-180.19	1.21	-1.17	-2.64	
5,729.00	6.86	67.15	5,693.74	186.08	481.29	-183.89	0.19	0.11	-1.28	
5,823.00	4.92	58.36	5,787.24	190.37	489.90	-188.15	2.27	-2.06	-9.35	
5,917.00	4.57	53.79	5,880.92	194.70	496.35	-192.45	0.55	-0.37	-4.86	
6,012.00	4.57	51.86	5,975.62	199.27	502.38	-196.99	0.16	0.00	-2.03	
6,106.00	4.48	55.73	6,069.33	203.65	508.36	-201.34	0.34	-0.10	4.12	
6,200.00	4.31	54.14	6,163.05	207.79	514.26	-205.45	0.22	-0.18	-1.69	
6,294.00	5.72	58.71	6,256.69	212.29	521.12	-209.92	1.56	1.50	4.86	
6,389.00	5.80	62.05	6,351.21	217.00	529.41	-214.60	0.36	0.08	3.52	
6,483.00	6.07	59.59	6,444.70	221.74	537.89	-219.30	0.39	0.29	-2.62	
6,577.00	7.30	53.09	6,538.06	227.84	546.95	-225.36	1.53	1.31	-6.91	
6,671.00	6.60	52.74	6,631.37	234.70	556.03	-232.18	0.75	-0.74	-0.37	
6,765.00	6.33	50.80	6,724.78	241.25	564.34	-238.68	0.37	-0.29	-2.06	
6,859.00	6.51	57.31	6,818.19	247.40	572.84	-244.80	0.80	0.19	6.93	
6,952.00	7.03	58.71	6,910.54	253.20	582.14	-250.56	0.59	0.56	1.51	
7,046.00	6.51	56.43	7,003.88	259.14	591.50	-256.45	0.62	-0.55	-2.43	
7,140.00	6.95	57.48	7,097.23	265.14	600.74	-262.41	0.49	0.47	1.12	
7,233.00	8.88	64.34	7,189.35	271.28	611.95	-268.50	2.31	2.08	7.38	
7,327.00	9.94	65.92	7,282.08	277.73	625.90	-274.88	1.16	1.13	1.68	
7,420.00	9.15	65.22	7,373.79	284.10	639.94	-281.20	0.86	-0.85	-0.75	
7,514.00	9.41	62.41	7,466.56	290.79	653.54	-287.83	0.56	0.28	-2.99	
7,608.00	8.27	60.82	7,559.44	297.65	666.25	-294.62	1.24	-1.21	-1.69	
7,702.00	7.47	61.18	7,652.56	303.89	677.51	-300.81	0.85	-0.85	0.38	
7,796.00	9.06	63.28	7,745.58	310.16	689.47	-307.03	1.72	1.69	2.23	
7,892.00	8.88	64.34	7,840.41	316.77	702.90	-313.58	0.25	-0.19	1.10	
7,987.00	8.00	65.92	7,934.38	322.64	715.55	-319.39	0.96	-0.93	1.66	

Survey Report

Company:	Earthstone Operating, LLC	Local Co-ordinate Reference:	Well 2BS FED COM 11H
Project:	Lea County, NM (NAD 83)	TVD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Site:	Stetson 13-24 Pad	MD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Well:	2BS FED COM 11H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
8,079.00	8.62	64.52	8,025.41	328.22	727.62	-324.92	0.71	0.67	-1.52	
8,173.00	7.56	62.76	8,118.47	334.08	739.47	-330.72	1.16	-1.13	-1.87	
8,267.00	8.09	64.69	8,211.60	339.74	750.95	-336.33	0.63	0.56	2.05	
8,360.00	8.97	72.07	8,303.57	344.77	763.76	-341.30	1.51	0.95	7.94	
8,454.00	8.88	77.17	8,396.43	348.64	777.81	-345.11	0.85	-0.10	5.43	
8,547.00	7.91	80.51	8,488.44	351.29	791.12	-347.69	1.17	-1.04	3.59	
8,641.00	8.71	68.21	8,581.46	355.00	804.11	-351.34	2.07	0.85	-13.09	
8,735.00	7.74	64.16	8,674.49	360.40	816.42	-356.69	1.20	-1.03	-4.31	
8,828.00	8.53	67.86	8,766.55	365.73	828.44	-361.96	1.02	0.85	3.98	
8,922.00	7.83	68.38	8,859.60	370.71	840.85	-366.89	0.75	-0.74	0.55	
8,988.00	7.03	70.84	8,925.04	373.69	848.85	-369.84	1.30	-1.21	3.73	
9,035.00	6.51	71.90	8,971.71	375.47	854.10	-371.59	1.14	-1.11	2.26	
9,130.00	13.28	133.60	9,065.46	369.59	867.16	-365.66	12.28	7.13	64.95	
9,176.00	19.61	132.54	9,109.56	360.72	876.69	-356.74	13.78	13.76	-2.30	
9,223.00	24.62	129.03	9,153.09	349.22	890.11	-345.18	11.02	10.66	-7.47	
9,270.00	29.90	140.63	9,194.88	333.98	905.17	-329.86	15.89	11.23	24.68	
9,317.00	36.14	151.35	9,234.31	312.72	919.27	-308.54	18.14	13.28	22.81	
9,364.00	40.98	161.02	9,271.08	285.94	930.95	-281.71	16.42	10.30	20.57	
9,411.00	43.44	170.86	9,305.93	255.38	938.53	-251.11	14.99	5.23	20.94	
9,458.00	42.74	171.39	9,340.25	223.65	943.49	-219.37	1.68	-1.49	1.13	
9,504.00	41.94	170.69	9,374.25	193.05	948.31	-188.74	2.02	-1.74	-1.52	
9,550.00	41.24	171.57	9,408.66	162.88	953.02	-158.55	1.98	-1.52	1.91	
9,598.00	42.91	179.83	9,444.31	130.86	955.39	-126.53	12.04	3.48	17.21	
9,645.00	42.38	178.77	9,478.88	99.03	955.78	-94.69	1.90	-1.13	-2.26	
9,693.00	45.99	175.08	9,513.31	65.64	957.61	-61.29	9.23	7.52	-7.69	
9,739.00	50.56	174.03	9,543.91	31.47	960.88	-27.11	10.08	9.93	-2.28	
9,786.00	54.61	175.78	9,572.47	-5.70	964.17	10.08	9.11	8.62	3.72	
9,833.00	59.79	177.02	9,597.92	-45.12	966.64	49.50	11.24	11.02	2.64	
9,880.00	61.11	178.07	9,621.10	-85.96	968.39	90.36	3.42	2.81	2.23	
9,926.00	67.36	180.35	9,641.08	-127.36	968.94	131.76	14.30	13.59	4.96	
9,973.00	73.42	182.46	9,656.85	-171.60	967.84	175.99	13.57	12.89	4.49	
9,981.20	73.99	182.46	9,659.15	-179.46	967.50	183.85	6.91	6.91	0.00	
FTP (Stetson 11H)										
10,019.00	76.60	182.46	9,668.75	-215.99	965.93	220.37	6.91	6.91	0.00	
10,065.00	81.78	182.99	9,677.37	-261.10	963.78	265.47	11.32	11.26	1.15	
10,112.00	83.54	182.46	9,683.38	-307.66	961.57	312.02	3.91	3.74	-1.13	
10,206.00	86.70	179.83	9,691.37	-401.28	959.70	405.63	4.37	3.36	-2.80	
10,300.00	86.61	179.65	9,696.86	-495.12	960.13	499.47	0.21	-0.10	-0.19	
10,394.00	86.09	179.30	9,702.84	-588.93	960.99	593.28	0.67	-0.55	-0.37	
10,488.00	85.47	178.77	9,709.76	-682.66	962.57	687.02	0.87	-0.66	-0.56	
10,582.00	85.91	177.89	9,716.83	-776.35	965.30	780.72	1.04	0.47	-0.94	
10,676.00	89.60	179.83	9,720.51	-870.24	967.16	874.62	4.43	3.93	2.06	

Survey Report

Company:	Earthstone Operating, LLC	Local Co-ordinate Reference:	Well 2BS FED COM 11H
Project:	Lea County, NM (NAD 83)	TVD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Site:	Stetson 13-24 Pad	MD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Well:	2BS FED COM 11H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
10,769.00	91.28	181.23	9,719.79	-963.23	966.30	967.60	2.35	1.81	1.51	
10,863.00	88.55	181.94	9,719.93	-1,057.18	963.70	1,061.55	3.00	-2.90	0.76	
10,957.00	90.92	184.93	9,720.37	-1,151.00	958.07	1,155.33	4.06	2.52	3.18	
11,052.00	87.14	182.29	9,721.98	-1,245.77	952.09	1,250.08	4.85	-3.98	-2.78	
11,146.00	86.61	182.29	9,727.10	-1,339.55	948.34	1,343.84	0.56	-0.56	0.00	
11,240.00	86.88	181.94	9,732.44	-1,433.34	944.88	1,437.61	0.47	0.29	-0.37	
11,334.00	88.11	181.76	9,736.55	-1,527.20	941.85	1,531.45	1.32	1.31	-0.19	
11,429.00	88.90	181.94	9,739.02	-1,622.11	938.78	1,626.36	0.85	0.83	0.19	
11,523.00	89.25	182.99	9,740.54	-1,716.01	934.74	1,720.24	1.18	0.37	1.12	
11,617.00	89.08	182.99	9,741.91	-1,809.88	929.84	1,814.08	0.18	-0.18	0.00	
11,712.00	86.79	180.00	9,745.34	-1,904.76	927.36	1,908.95	3.96	-2.41	-3.15	
11,806.00	86.61	180.35	9,750.75	-1,998.61	927.07	2,002.79	0.42	-0.19	0.37	
11,901.00	88.55	181.06	9,754.76	-2,093.51	925.90	2,097.69	2.17	2.04	0.75	
11,994.00	90.66	178.07	9,755.40	-2,186.49	926.61	2,190.67	3.93	2.27	-3.22	
12,088.00	91.63	178.60	9,753.52	-2,280.43	929.34	2,284.62	1.18	1.03	0.56	
12,182.00	88.29	176.66	9,753.59	-2,374.33	933.23	2,378.54	4.11	-3.55	-2.06	
12,276.00	88.11	176.49	9,756.54	-2,468.12	938.84	2,472.35	0.26	-0.19	-0.18	
12,371.00	87.76	176.66	9,759.96	-2,562.89	944.51	2,567.15	0.41	-0.37	0.18	
12,465.00	88.72	176.84	9,762.85	-2,656.69	949.84	2,660.97	1.04	1.02	0.19	
12,560.00	87.23	177.89	9,766.21	-2,751.53	954.20	2,755.83	1.92	-1.57	1.11	
12,653.00	87.14	177.72	9,770.77	-2,844.35	957.76	2,848.66	0.21	-0.10	-0.18	
12,747.00	87.49	177.72	9,775.18	-2,938.17	961.50	2,942.50	0.37	0.37	0.00	
12,840.00	87.93	177.37	9,778.89	-3,031.01	965.48	3,035.36	0.60	0.47	-0.38	
12,934.00	87.49	177.37	9,782.65	-3,124.83	969.79	3,129.20	0.47	-0.47	0.00	
13,028.00	89.16	178.95	9,785.40	-3,218.74	972.80	3,223.12	2.45	1.78	1.68	
13,122.00	89.87	179.83	9,786.19	-3,312.73	973.80	3,317.11	1.20	0.76	0.94	
13,215.00	87.14	178.77	9,788.62	-3,405.68	974.94	3,410.07	3.15	-2.94	-1.14	
13,309.00	89.60	179.60	9,791.29	-3,499.62	976.27	3,504.02	2.76	2.62	0.88	
13,404.00	91.01	178.77	9,790.79	-3,594.61	977.63	3,599.01	1.72	1.48	-0.87	
13,498.00	89.87	177.72	9,790.06	-3,688.56	980.50	3,692.97	1.65	-1.21	-1.12	
13,592.00	90.31	177.72	9,789.92	-3,782.49	984.24	3,786.91	0.47	0.47	0.00	
13,686.00	91.19	177.89	9,788.69	-3,876.41	987.84	3,880.85	0.95	0.94	0.18	
13,780.00	91.28	180.00	9,786.66	-3,970.36	989.57	3,974.81	2.25	0.10	2.24	
13,884.00	88.20	176.35	9,787.13	-4,074.28	992.88	4,078.74	4.59	-2.96	-3.51	
13,978.00	87.49	177.23	9,790.67	-4,168.06	998.14	4,172.55	1.20	-0.76	0.94	
14,073.00	86.09	179.51	9,795.99	-4,262.87	1,000.84	4,267.37	2.81	-1.47	2.40	
14,167.00	86.26	179.69	9,802.26	-4,356.66	1,001.50	4,361.16	0.26	0.18	0.19	
14,261.00	86.35	180.21	9,808.32	-4,450.46	1,001.58	4,454.96	0.56	0.10	0.55	
14,355.00	86.70	179.86	9,814.01	-4,544.29	1,001.52	4,548.79	0.53	0.37	-0.37	
14,449.00	86.79	179.86	9,819.35	-4,638.14	1,001.75	4,642.63	0.10	0.10	0.00	
14,544.00	87.67	181.27	9,823.94	-4,733.02	1,000.82	4,737.51	1.75	0.93	1.48	
14,638.00	87.76	181.44	9,827.69	-4,826.92	998.60	4,831.40	0.20	0.10	0.18	

Survey Report

Company:	Earthstone Operating, LLC	Local Co-ordinate Reference:	Well 2BS FED COM 11H
Project:	Lea County, NM (NAD 83)	TVD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Site:	Stetson 13-24 Pad	MD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Well:	2BS FED COM 11H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
14,733.00	87.85	181.09	9,831.33	-4,921.82	996.50	4,926.29	0.38	0.09	-0.37	
14,827.00	88.64	181.80	9,834.21	-5,015.75	994.13	5,020.21	1.13	0.84	0.76	
14,921.00	89.16	180.92	9,836.01	-5,109.70	991.90	5,114.15	1.09	0.55	-0.94	
15,015.00	89.52	181.27	9,837.09	-5,203.68	990.10	5,208.12	0.53	0.38	0.37	
15,110.00	90.04	181.09	9,837.46	-5,298.66	988.15	5,303.09	0.58	0.55	-0.19	
15,203.00	90.66	180.74	9,836.89	-5,391.64	986.66	5,396.07	0.77	0.67	-0.38	
15,298.00	91.45	180.57	9,835.14	-5,486.62	985.58	5,491.04	0.85	0.83	-0.18	
15,392.00	88.46	181.62	9,835.22	-5,580.59	983.78	5,585.00	3.37	-3.18	1.12	
15,486.00	89.34	182.15	9,837.02	-5,674.52	980.69	5,678.91	1.09	0.94	0.56	
15,580.00	89.87	181.09	9,837.67	-5,768.48	978.03	5,772.86	1.26	0.56	-1.13	
15,674.00	90.31	181.27	9,837.52	-5,862.46	976.10	5,866.83	0.51	0.47	0.19	
15,769.00	86.35	181.09	9,840.29	-5,957.38	974.14	5,961.74	4.17	-4.17	-0.19	
15,863.00	86.53	180.92	9,846.13	-6,051.18	972.49	6,055.54	0.26	0.19	-0.18	
15,957.00	86.88	180.57	9,851.53	-6,145.02	971.27	6,149.37	0.53	0.37	-0.37	
16,050.00	86.97	181.01	9,856.52	-6,237.88	969.99	6,242.22	0.48	0.10	0.47	
16,144.00	86.88	180.04	9,861.56	-6,331.74	969.13	6,336.07	1.03	-0.10	-1.03	
16,239.00	87.58	180.57	9,866.15	-6,426.62	968.63	6,430.95	0.92	0.74	0.56	
16,333.00	89.78	180.21	9,868.32	-6,520.59	967.99	6,524.92	2.37	2.34	-0.38	
16,426.00	90.48	180.74	9,868.10	-6,613.59	967.22	6,617.91	0.94	0.75	0.57	
16,520.00	91.28	179.86	9,866.66	-6,707.57	966.73	6,711.89	1.27	0.85	-0.94	
16,614.00	88.90	178.46	9,866.51	-6,801.55	968.10	6,805.88	2.94	-2.53	-1.49	
16,708.00	89.43	178.46	9,867.88	-6,895.51	970.63	6,899.84	0.56	0.56	0.00	
16,801.00	86.44	178.81	9,871.23	-6,988.41	972.84	6,992.75	3.24	-3.22	0.38	
16,896.00	86.17	178.63	9,877.36	-7,083.19	974.96	7,087.54	0.34	-0.28	-0.19	
16,990.00	86.17	178.10	9,883.64	-7,176.94	977.64	7,181.30	0.56	0.00	-0.56	
17,085.00	85.56	177.58	9,890.49	-7,271.63	981.21	7,276.00	0.84	-0.64	-0.55	
17,180.00	85.91	177.23	9,897.55	-7,366.27	985.50	7,370.66	0.52	0.37	-0.37	
17,274.00	86.70	177.05	9,903.61	-7,459.95	990.18	7,464.37	0.86	0.84	-0.19	
17,368.00	87.93	177.93	9,908.01	-7,553.76	994.29	7,558.19	1.61	1.31	0.94	
17,462.00	88.90	177.40	9,910.61	-7,647.64	998.12	7,652.09	1.18	1.03	-0.56	
17,557.00	90.13	177.75	9,911.42	-7,742.55	1,002.14	7,747.02	1.35	1.29	0.37	
17,651.00	90.48	178.63	9,910.92	-7,836.50	1,005.11	7,840.98	1.01	0.37	0.94	
17,744.00	89.08	180.39	9,911.27	-7,929.49	1,005.90	7,933.98	2.42	-1.51	1.89	
17,839.00	89.25	180.39	9,912.66	-8,024.48	1,005.26	8,028.96	0.18	0.18	0.00	
17,933.00	91.36	180.21	9,912.16	-8,118.47	1,004.76	8,122.95	2.25	2.24	-0.19	
18,028.00	88.81	180.74	9,912.02	-8,213.46	1,003.98	8,217.93	2.74	-2.68	0.56	
18,122.00	88.11	180.39	9,914.54	-8,307.42	1,003.05	8,311.89	0.83	-0.74	-0.37	
18,215.00	88.20	180.04	9,917.54	-8,400.37	1,002.70	8,404.84	0.39	0.10	-0.38	
18,309.00	89.52	180.04	9,919.41	-8,494.35	1,002.63	8,498.81	1.40	1.40	0.00	
18,404.00	89.96	181.62	9,919.84	-8,589.34	1,001.26	8,593.79	1.73	0.46	1.66	
18,499.00	89.25	181.09	9,920.49	-8,684.31	999.01	8,688.75	0.93	-0.75	-0.56	
18,593.00	90.57	181.09	9,920.64	-8,778.29	997.22	8,782.72	1.40	1.40	0.00	

Survey Report

Company:	Earthstone Operating, LLC	Local Co-ordinate Reference:	Well 2BS FED COM 11H
Project:	Lea County, NM (NAD 83)	TVD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Site:	Stetson 13-24 Pad	MD Reference:	GE 3722' + KB 27.5' @ 3749.50usft (Scan Patriot)
Well:	2BS FED COM 11H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	LEAM Multi_User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
18,688.00	88.29	181.44	9,921.59	-8,873.25	995.13	8,877.68	2.43	-2.40	0.37	
18,783.00	87.85	180.92	9,924.78	-8,968.18	993.17	8,972.59	0.72	-0.46	-0.55	
18,878.00	88.11	181.27	9,928.13	-9,063.10	991.36	9,067.51	0.46	0.27	0.37	
18,972.00	87.49	182.15	9,931.74	-9,156.99	988.55	9,161.38	1.14	-0.66	0.94	
19,067.00	88.20	182.85	9,935.31	-9,251.83	984.41	9,256.20	1.05	0.75	0.74	
19,162.00	88.90	182.68	9,937.72	-9,346.69	979.83	9,351.04	0.76	0.74	-0.18	
19,256.00	89.60	181.80	9,938.95	-9,440.61	976.16	9,444.94	1.20	0.74	-0.94	
19,351.00	90.31	181.44	9,939.02	-9,535.57	973.47	9,539.89	0.84	0.75	-0.38	
19,445.00	87.67	181.27	9,940.68	-9,629.52	971.25	9,633.83	2.81	-2.81	-0.18	
19,540.00	87.14	181.27	9,944.98	-9,724.40	969.15	9,728.70	0.56	-0.56	0.00	
19,634.00	88.55	181.62	9,948.52	-9,818.30	966.78	9,822.59	1.55	1.50	0.37	
19,727.00	89.96	181.09	9,949.72	-9,911.26	964.58	9,915.54	1.62	1.52	-0.57	
19,821.00	86.79	180.57	9,952.39	-10,005.20	963.22	10,009.47	3.42	-3.37	-0.55	
19,916.00	87.67	180.57	9,956.98	-10,100.09	962.27	10,104.35	0.93	0.93	0.00	
20,009.00	88.46	180.04	9,960.12	-10,193.03	961.78	10,197.29	1.02	0.85	-0.57	
20,103.00	89.25	180.04	9,962.00	-10,287.01	961.71	10,291.27	0.84	0.84	0.00	
20,196.00	91.19	180.21	9,961.64	-10,380.01	961.51	10,384.26	2.09	2.09	0.18	
20,292.00	92.33	180.04	9,958.69	-10,475.96	961.30	10,480.21	1.20	1.19	-0.18	
20,345.57	92.33	180.04	9,956.52	-10,529.49	961.26	10,533.74	0.00	0.00	0.00	
LTP/PBHL (Stetson 11H)										
20,346.00	92.33	180.04	9,956.50	-10,529.92	961.26	10,534.17	0.00	0.00	0.00	

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 165955

ACKNOWLEDGMENTS

Operator: Earthstone Operating, LLC 1400 Woodloch Forest; Ste 300 The Woodlands, TX 77380	OGRID: 331165
	Action Number: 165955
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 165955

CONDITIONS

Operator: Earthstone Operating, LLC 1400 Woodloch Forest; Ste 300 The Woodlands, TX 77380	OGRID: 331165
	Action Number: 165955
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	RT EXPIRES 2/1/2023.	12/12/2022