

Subsequent Report

Sundry ID: 2701553

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/04/2022

Time Sundry Submitted: 12:35

Date Operation Actually Began: 10/12/2022

Actual Procedure: The following well has been P&A'd as of 10/14/2022. Please see the attached plugging operations.

SR Attachments

Actual Procedure

Mestenas_Canyon_1_P_A_SR_20221104123548.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA WALKER

Signed on: NOV 04, 2022 12:35 PM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST.

City: HOUSTON

State: TX

Phone: (346) 237-2177

Email address: mwalker@hilcorp.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Phone: 5055647742

Disposition: Accepted

Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer

BLM POC Email Address: krennick@blm.gov

Disposition Date: 11/04/2022

CONFIDENTIAL

Mestenas Canyon 1
30-039-27677
NMSF079756A
SR P&A

10/12/2022: MIRU. CK WELL PRESSURES (SITP-0, SICP-300, SIBHP-0). REMOVE HH. POOH & LD RODS. ND WH. NU BOPE & FT, GOOD. SDFN.

10/13/2022: CK WELL PRESSURES (SITP-0, SICP-611, SIBHP-0). POH LD TBG. RIH W/SCRAPER T/3806'. TOO. RIH & SET CICR @ 3806'. LOAD HOLE. SDFN.

10/14/2022: CK WELL PRESSURES (SITP-0, SICP-0, SIBHP-0). LOAD HOLE & PT CSG T/550 PSI, TST GOOD. MIX & PMP PLUG 1 F/ 3806' TO 2581' (OJO & FRUITLAND), 6 BBLS/ 22 SXS CEMENT TYPE III CEMENT. POOH LD 48 JTS. MIX & PUMP PLUG #2 F/ 2267' TO 2117' (NACIMIENTO), 3.57 BBLS/ 15 SXS CEMENT, TYPE III CEMENT. POOH LD 16 JTS. MIX & PUMP PLUG #3 F/ 1247' TO 1147' (SURF SHOE), 2.38 BBLS/ 10 SXS CEMENT, TYPE III CEMENT. POOH LD 39 JTS. R/U WIRELINE RIH, PERF HOLES @ 114' POH & R/D. MIX & PUMP PLUG #4 F/ 114 TO 0' (SURF), 33 SXS CEMENT, TYPE III CEMENT. ND BOPE. DIG DWN 6' HIT HARD SANDSTONE. SDFN

10/14/2022: REMOVE WH & INSTALL MARKER. TOP OFF W/12 SXS CMT. RDRR @ 9:00 HRS.

BLM KEN CHRISTENSEN ON LOCATION TO WITNESS PLUGGING OPERATIONS.



Schematic - Current

Well Name: MESTENAS CANYON #1


API / UWI 3003927677	Surface Legal Location T29N-R04W-S04	Field Name Basin Fruitland Coal	License No.	State/Province New Mexico	Well Configuration Type Horizontal
Original KB/RT Elevation (ft) 7,472.00	KB-Ground Distance (ft) 14.00	Original Spud Date 8/3/2006 06:00	Rig Release Date 9/11/2006 06:00	PBTD (All) (ftKB) Leg 1 - 6,916.0	Total Depth All (TVD) (ftKB) Leg 1 - 4,109.9

Most Recent Job

Job Category Expense Plug & Abandon	Primary Job Type ABANDONMENT P&A	Secondary Job Type	Actual Start Date 10/12/2022	End Date 10/17/2022
--	-------------------------------------	--------------------	---------------------------------	------------------------

TD: 6,922.0

Leg 1 [Horizontal]



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 157683

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 157683
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 10/14/22	12/12/2022