

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Earthstone Operating, LLC 1400 Woodloch Forest Ste. 300 The Woodlands, TX 77380		² OGRID Number 331165	
		³ Reason for Filing Code/ Effective Date NW-01/25/2022	
⁴ API Number 30 - 0 25-46539	⁵ Pool Name GRAMA RIDGE; BONE SPRING, NE		⁶ Pool Code 28435
⁷ Property Code 332562	⁸ Property Name GRAMA RIDGE EAST 34 STATE COM 2BS		⁹ Well Number 6H

II. ¹⁰ Surface Location

UL or lot no. D	Section 34	Township 21S	Range 34E	Lot Idn	Feet from the 155	North/South Line NORTH	Feet from the 850	East/West line WEST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. M	Section 34	Township 21S	Range 34E	Lot Idn	Feet from the 84	North/South line SOUTH	Feet from the 794	East/West line WEST	County LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372603	3BEAR FIELD SERVICES, LLC	O/G

IV. Well Completion Data

²¹ Spud Date 10/13/2021	²² Ready Date 01/25/2022	²³ TD 15334' MD/10446' TVD	²⁴ PBTD 15314'MD/10446'TVD	²⁵ Perforations 10454' - 15297'	²⁶ DHC, MC	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
17.5"		13.375"		1810'		1630
12.25"		9.625"		5707' 5730		1490
8.75"		5.5"		15318'		1495

V. Well Test Data

³¹ Date New Oil 01/27/2022	³² Gas Delivery Date 01/27/2022	³³ Test Date 02/18/2022	³⁴ Test Length 24hrs	³⁵ Tbg. Pressure NA	³⁶ Csg. Pressure 220
³⁷ Choke Size 64/64	³⁸ Oil 616	³⁹ Water 1182	⁴⁰ Gas 653		⁴¹ Test Method FLOW
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Deborah Marberry			OIL CONSERVATION DIVISION		
Printed name: Deborah Marberry			Approved by:		
Title: SR. REGULATORY ANALYST			Title: Petroleum Engineer		
E-mail Address: dmarberry@earthstoneenergy.com			Approval Date: 12/16/22		
Date: 10/25/2022		Phone: 713-906-5868			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-46539	² Pool Code 28435	³ Pool Name GRAMA RIDGE; BONE SPRING, NE
⁴ Property Code 332562	⁵ Property Name GRAMA RIDGE EAST 34 STATE COM 2BS	⁶ Well Number 6H
⁷ OGRID No. 331165	⁸ Operator Name EARTHSTONE OPERATING, LLC	⁹ Elevation 3712'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	34	21S	34E		155	N	850	W	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	34	21S	34E		84	S	794	W	LEA

¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

KOP 128' FNL 770' FWL LAT 32.442315 LONG -103.463813 NAD 83 SL 155' FNL 850' FWL SURFACE LOCATION LAT 32.442242 LONG -103.463554 NAD83 TOP PERF. 349' FNL 780' FWL LAT 32.441707 LONG -103.463782 NAD 83 TOE PERF. 121' FSL 794' FWL LAT 32.428464 LONG -103.463727 NAD 83 BHL 84' FSL 794' FWL BHL LOCATION LAT 32.428362 LONG -103.463727 NAD83 22S 34E	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Deborah Marberry</i> 10/25/2022 Signature Date Deborah Marberry Printed Name dmarberry@earthstoneenergy.com E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor: Certificate Number
---	---



Chisholm Grama Ridge East 34 State 2BS 6H Surveys to 15334' MD

Survey Geodetic Report

(Def Survey)

Report Date: November 01, 2021 - 11:53 AM Client: Chisholm Field: NM Lea County (NAD 83) Structure / Slot: Chisholm Grama Ridge East 34 State 2BS 6H / New Slot Wall: Grama Ridge East 34 State 2BS 6H Borehole: Original Borehole UWI / API#: Unknown / 30-025-46539 Survey Name: Chisholm Grama Ridge East 34 State 2BS 6H Surveys to 15334' MD Survey Date: October 11, 2021 Tort / AHD / DDI / ERD Ratio: 175.464 * / 5331.594 ft / 6.136 / 0.508 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 26' 32.07120", W 103° 27' 48.79440" Location Grid N/E/Y/X: N 525711.285 ftUS, E 809660.959 ftUS CRS Grid Convergence Angle: 0.4666 ° Grid Scale Factor: 0.99999155 Version / Patch: 2.10.824.0	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 179.490 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3738.000 ft above MSL Seabed / Ground Elevation: 3712.000 ft above MSL Magnetic Declination: 6.417 ° Total Gravity Field Strength: 998.4741mgn (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47815.600 nT Magnetic Dip Angle: 60.168 ° Declination Date: October 20, 2021 Magnetic Declination Model: HDGM 2021 North Reference: Grid North Grid Convergence Used: 0.4666 ° Total Corr Mag North->Grid North: 5.9508 ° Local Coord Referenced To: Well Head	
---	--	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
SHL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	525711.28	809660.96	N 32 26 32.07 W 103 27 48.79		0.00	0.00
	101.68	0.69	356.45	101.68	-0.61	0.61	-0.04	0.68	525711.90	809660.92	N 32 26 32.08 W 103 27 48.79		0.61	356.45
	187.16	0.77	4.06	187.15	-1.70	1.70	-0.03	0.15	525712.98	809660.93	N 32 32.09 W 103 27 48.79		1.70	359.02
	288.50	0.81	16.78	288.48	-3.06	3.06	0.23	0.18	525714.35	809661.18	N 32 26 32.10 W 103 27 48.79		3.07	4.22
	388.51	0.67	30.97	388.48	-4.23	4.24	0.73	0.23	525715.53	809661.69	N 32 26 32.11 W 103 27 48.79		4.30	9.78
	488.52	0.77	38.78	488.48	-5.25	5.27	1.45	0.14	525716.55	809662.41	N 32 26 32.12 W 103 27 48.78		5.46	15.42
	590.32	0.71	37.57	590.28	-6.28	6.30	2.27	0.06	525717.58	809663.22	N 32 26 32.13 W 103 27 48.77		6.69	19.78
	687.42	0.61	49.96	687.37	-7.08	7.11	3.03	0.18	525718.39	809663.99	N 32 26 32.14 W 103 27 48.76		7.73	23.07
	790.08	0.43	40.25	790.03	-7.72	7.75	3.70	0.19	525719.04	809664.65	N 32 26 32.15 W 103 27 48.75		8.59	25.48
	885.86	0.39	55.16	885.80	-8.18	8.21	4.20	0.12	525719.50	809665.15	N 32 26 32.15 W 103 27 48.74		9.22	27.05
	988.80	0.24	53.84	988.74	-8.50	8.54	4.66	0.15	525719.83	809665.62	N 32 26 32.16 W 103 27 48.74		9.73	28.60
	1090.26	0.15	4.59	1090.20	-8.76	8.80	4.84	0.18	525720.08	809665.80	N 32 26 32.16 W 103 27 48.74		10.04	28.81
	1190.80	0.11	9.09	1190.74	-8.98	9.03	4.86	0.04	525720.31	809665.82	N 32 26 32.16 W 103 27 48.74		10.25	28.32
	1291.88	0.14	53.27	1291.82	-9.15	9.20	4.98	0.10	525720.48	809665.94	N 32 26 32.16 W 103 27 48.74		10.46	28.43
	1385.67	0.15	105.05	1385.61	-9.19	9.23	5.19	0.14	525720.52	809666.15	N 32 26 32.16 W 103 27 48.73		10.59	29.34
	1485.31	0.43	152.42	1485.25	-8.82	8.87	5.49	0.35	525720.15	809666.45	N 32 26 32.16 W 103 27 48.73		10.43	31.76
	1587.25	0.52	169.50	1587.19	-8.02	8.07	5.75	0.16	525719.36	809666.71	N 32 26 32.15 W 103 27 48.73		9.91	35.46
	1688.10	0.61	176.93	1688.03	-7.04	7.09	5.86	0.11	525718.37	809666.82	N 32 26 32.14 W 103 27 48.73		9.20	39.59
	1787.56	0.56	167.55	1787.49	-6.03	6.08	6.00	0.11	525717.37	809666.95	N 32 26 32.13 W 103 27 48.72		8.54	44.58
	1887.00	0.72	155.98	1886.92	-4.98	5.04	6.35	0.21	525716.32	809667.31	N 32 26 32.12 W 103 27 48.72		8.11	51.59
	1989.09	0.78	123.58	1989.00	-4.00	4.07	7.19	0.41	525715.35	809668.15	N 32 26 32.11 W 103 27 48.71		8.27	60.51
	2089.72	1.17	99.78	2089.62	-3.44	3.52	8.78	0.55	525714.80	809669.74	N 32 26 32.11 W 103 27 48.69		9.46	68.17
	2189.52	1.26	95.69	2189.39	-3.14	3.23	10.87	0.13	525714.52	809671.83	N 32 26 32.10 W 103 27 48.67		11.34	73.44
	2287.24	1.27	97.80	2287.09	-2.86	2.98	13.02	0.05	525714.26	809673.97	N 32 26 32.10 W 103 27 48.64		13.35	77.10
	2387.17	1.30	99.43	2387.00	-2.51	2.64	15.23	0.05	525713.93	809676.19	N 32 26 32.10 W 103 27 48.62		15.46	80.15
	2487.09	0.13	147.18	2486.91	-2.22	2.36	16.41	1.22	525713.65	809677.37	N 32 26 32.09 W 103 27 48.60		16.58	81.81
	2591.48	1.32	246.87	2591.29	-1.65	1.79	15.37	1.29	525713.08	809676.33	N 32 26 32.09 W 103 27 48.61		15.47	83.35
	2688.92	1.43	250.98	2688.70	-0.84	0.95	13.19	0.15	525712.24	809674.15	N 32 26 32.08 W 103 27 48.64		13.22	85.86
	2786.67	1.57	249.90	2786.42	0.00	0.10	10.78	0.15	525711.38	809671.74	N 32 26 32.07 W 103 27 48.67		10.78	89.49
	2890.91	1.46	248.58	2890.62	0.95	-0.88	8.20	0.11	525710.41	809669.16	N 32 26 32.06 W 103 27 48.70		8.25	96.12
	2994.37	1.42	251.71	2994.05	1.81	-1.76	5.76	0.09	525709.52	809666.71	N 32 26 32.05 W 103 27 48.73		6.02	107.03
	3089.83	1.18	246.52	3089.48	2.56	-2.53	3.73	0.28	525708.76	809664.69	N 32 26 32.05 W 103 27 48.75		4.51	124.10
	3191.04	0.69	243.36	3190.68	3.23	-3.21	2.23	0.49	525708.07	809663.19	N 32 26 32.04 W 103 27 48.77		3.91	145.25
	3285.17	0.36	215.19	3284.80	3.72	-3.71	1.55	0.44	525707.57	809662.51	N 32 26 32.03 W 103 27 48.78		4.02	157.29
	3388.94	0.20	147.78	3388.57	4.14	-4.13	1.46	0.33	525707.15	809662.42	N 32 26 32.03 W 103 27 48.78		4.38	160.51
	3488.99	0.39	88.67	3488.62	4.29	-4.27	1.90	0.33	525707.02	809662.85	N 32 26 32.03 W 103 27 48.77		4.67	156.06
	3590.23	0.71	81.81	3589.86	4.20	-4.17	2.86	0.32	525707.11	809663.82	N 32 26 32.03 W 103 27 48.76		5.06	145.56
	3687.89	1.05	72.83	3687.51	3.86	-3.82	4.31	0.37	525707.46	809665.27	N 32 26 32.03 W 103 27 48.74		5.76	131.54
	3790.64	1.53	70.06	3790.23	3.25	-3.19	6.54	0.47	525708.09	809667.50	N 32 26 32.04 W 103 27 48.72		7.28	116.01
	3886.80	0.82	46.14	3886.37	2.46	-2.38	8.28	0.94	525708.90	809669.23	N 32 26 32.05 W 103 27 48.70		8.61	106.06
	3986.68	0.84	0.14	3986.24	1.23	-1.16	8.79	0.65	525710.13	809669.75	N 32 26 32.06 W 103 27 48.69		8.87	97.48
	4088.27	0.85	347.73	4087.82	-0.25	0.33	8.63	0.18	525711.61	809669.59	N 32 26 32.07 W 103 27 48.69		8.64	87.84
	4187.31	0.99	345.85	4186.85	-1.80	1.87	8.27	0.14	525713.16	809669.23	N 32 26 32.09 W 103 27 48.70		8.48	77.24
	4288.16	0.84	335.44	4287.68	-3.32	3.39	7.75	0.22	525714.68	809668.71	N 32 26 32.10 W 103 27 48.70		8.46	66.37
	4387.90	0.82	342.19	4387.41	-4.67	4.73	7.23	0.10	525716.02	809668.19	N 32 26 32.12 W 103 27 48.71		8.64	56.77
	4489.00	0.72	297.87	4488.50	-5.66	5.72	6.44	0.58	525717.01	809667.40	N 32 26 32.13 W 103 27 48.72		8.62	48.40
	4587.67	0.73	332.65	4587.17	-6.52	6.57	5.61	0.44	525717.85	809666.57	N 32 26 32.14 W 103 27 48.73		8.64	40.49
	4689.30	2.21	2.82	4688.76	-9.05	9.10	5.41	1.59	525720.39	809666.37	N 32 26 32.16 W 103 27 48.73		10.59	30.71
	4789.45	2.88	8.41	4788.81	-13.47	13.52	5.87	0.71	525724.80	809666.83	N 32 26 32.20 W 103 27 48.72		14.74	23.47
	4889.55	3.12	9.81	4888.78	-18.63	18.69	6.70	0.25	525729.98	809667.66	N 32 26 32.26 W 103 27 48.71		19.86	19.72
	4989.54	2.95	9.45	4988.62	-23.84	23.91	7.59	0.17	525735.19	809668.55	N 32 26 32.31 W 103 27 48.70		25.08	17.61
	5089.14	2.59	16.79	5088.11	-28.51	28.59	8.66	0.51	525739.88	809669.62	N 32 26 32.35 W 103 27 48.69		29.87	16.85
	5189.47	1.63	27.45	5188.37	-31.94	32.03	9.97	1.03	525743.31	809670.93	N 32 26 32.39 W 103 27 48.68		33.55	17.29
	5289.20	0.79	73.23	5288.08	-33.38	33.49	11.28	1.22	525744.77	809672.24	N 32 26 32.40 W 103 27 48.66		35.34	18.62
	5389.65	0.64	213.57	5388.53	-33.11	33.22	11.64	1.34	525744.50	809672.59	N 32 26 32.40 W 103 27 48.66		35.20	19.30
	5489.62	1.31	222.42	5488.48	-10.43	10.43	10.43	0.90	525743.05	809671.39	N 32 26 32.38 W 103 27 48.67		33.44	18.17
	5589.14	2.22	209.35	5587.94	-29.03	29.11	8.59	0.81	525740.39	809669.54	N 32 26 32.36 W 103 27 48.69		30.35	16.43
	5805.00	2.53	216.71	5803.62	-21.61	21.64	3.69	0.20	525732.93	809664.65	N 32 26 32.29 W 103 27 48.75		21.96	9.67
	5900.00	1.11	205.95	5898.57	-19.12	19.14	2.03	1.53	525730.42	809662.99	N 32 26 32.26 W 103 27 48.77		19.24	6.06
	5994.00	0.92	172.06	5992.55	-17.55	17.57	1.74	0.66	525728.85	809662.70	N 32 26 32.24 W 103 27 48.77		17.65	5.65
	6088.00	0.73	179.39	6086.54	-16.21	16.22	1.85	0.23	525727.51	809662.81	N 32 26 32.23 W 103 27 48.77		16.33	6.50
	6182.00	0.95	185.10	6180.53	-14.83	14.85	1.79	0.25	525726.13	809662.74	N 32 26 32.22 W 103 27 48.77		14.96	6.86
	6278.00	0.82	189.55	6274.52	-13.39	13.41	1.61	0.16	525724.69	809662.56	N 32 26 32.20 W 103 27 48.77		13.50	6.83
	6371.00	1.13	197.54	6369.51	-11.83	11.85	1.21	0.36	525723.13	809662.17	N 32 26 32.19 W 103 27 48.78		11.91	5.83
	6465.00	0.89	195.57	6463.49	-10.25	10.26	0.73	0.26	525721.54	809661.69	N 32 26 32.17 W 103 27 48.78		10.28	4.10
	6560.00	1.01	189.17	6558.48	-8.72	8.72	0.40	0.15	525720.01	809661.36	N 32 26 32.16 W 103 27 48.79		8.73	

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
	9388.00	6.62	252.21	9383.36	-48.87	48.50	-42.16	2.60	525759.78	809618.80	N 32 26 32.55 W	103 27 49.28	64.26	319.00
	9438.00	6.72	248.62	9433.02	-46.97	46.55	-47.63	0.86	525757.83	809613.33	N 32 26 32.54 W	103 27 49.35	66.60	314.34
	9533.00	6.80	241.43	9527.36	-42.35	41.83	-57.75	0.89	525753.12	809603.21	N 32 26 32.49 W	103 27 49.46	71.31	305.92
	9627.00	6.92	229.95	9620.69	-36.12	35.53	-66.97	1.46	525746.81	809593.99	N 32 26 32.43 W	103 27 49.57	75.81	297.95
	9722.00	3.94	243.36	9715.26	-31.04	30.38	-74.27	3.39	525741.67	809586.69	N 32 26 32.38 W	103 27 49.66	80.24	292.25
	9816.00	1.10	227.21	9809.16	-29.01	28.32	-77.82	3.08	525739.60	809583.14	N 32 26 32.36 W	103 27 49.70	82.81	290.00
	9911.00	1.44	231.18	9904.13	-27.66	26.95	-79.42	0.37	525738.24	809581.54	N 32 26 32.34 W	103 27 49.72	83.87	288.75
	9942.00	3.54	203.56	9935.10	-26.54	25.83	-80.10	7.61	525737.12	809580.86	N 32 26 32.33 W	103 27 49.73	84.16	287.87
	9973.00	6.65	200.49	9965.98	-23.99	23.27	-81.11	10.07	525734.56	809579.85	N 32 26 32.31 W	103 27 49.74	84.39	286.01
	10005.00	9.79	200.55	9997.05	-19.72	18.99	-82.72	9.81	525730.27	809578.24	N 32 26 32.27 W	103 27 49.76	84.87	282.93
	10036.00	12.98	200.64	10028.03	-14.01	13.26	-84.87	10.29	525724.54	809576.09	N 32 26 32.21 W	103 27 49.78	85.90	278.88
	10068.00	14.62	201.66	10059.11	-6.92	6.14	-87.63	5.18	525717.43	809573.33	N 32 26 32.14 W	103 27 49.82	87.84	274.01
	10099.00	15.32	193.58	10089.06	0.67	-1.47	-90.03	7.09	525709.81	809570.93	N 32 26 32.06 W	103 27 49.85	90.05	269.06
	10130.00	17.80	183.18	10118.78	9.38	-10.19	-91.26	12.44	525701.09	809569.70	N 32 26 31.98 W	103 27 49.86	91.83	263.63
	10162.00	20.87	175.84	10148.97	19.95	-20.76	-91.12	12.22	525690.52	809569.84	N 32 26 31.87 W	103 27 49.86	93.45	257.16
	10193.00	23.65	172.71	10177.66	31.64	-32.44	-89.93	9.75	525678.84	809571.03	N 32 26 31.76 W	103 27 49.85	95.60	250.16
	10225.00	27.85	173.12	10206.48	45.45	-46.23	-88.22	13.14	525665.05	809572.74	N 32 26 31.62 W	103 27 49.83	99.60	242.34
	10256.00	32.00	174.03	10233.34	60.83	-61.60	-86.49	13.47	525649.69	809574.47	N 32 26 31.47 W	103 27 49.81	106.19	234.54
	10287.00	35.65	173.91	10259.09	78.00	-78.76	-84.68	11.78	525632.53	809576.28	N 32 26 31.30 W	103 27 49.79	115.64	227.08
	10334.00	40.48	171.76	10296.08	106.77	-107.49	-81.04	10.66	525603.79	809579.92	N 32 26 31.01 W	103 27 49.75	134.62	217.01
	10381.00	45.93	170.95	10330.33	138.61	-139.29	-76.19	11.66	525572.00	809584.77	N 32 26 30.70 W	103 27 49.70	158.77	208.68
	10428.00	51.48	172.47	10361.33	173.58	-174.22	-71.12	12.06	525537.07	809589.84	N 32 26 30.35 W	103 27 49.64	188.18	202.21
	10475.00	57.36	174.03	10388.67	211.56	-212.16	-66.65	12.80	525499.12	809594.31	N 32 26 29.98 W	103 27 49.59	222.39	197.44
	10522.00	61.19	175.77	10412.68	251.83	-252.40	-63.07	8.75	525458.89	809597.89	N 32 26 29.58 W	103 27 49.55	260.16	194.03
	10569.00	66.09	176.11	10433.54	293.85	-294.39	-60.10	10.45	525416.90	809600.86	N 32 26 29.16 W	103 27 49.52	300.46	191.54
	10616.00	72.14	175.70	10450.29	337.65	-338.17	-56.96	12.90	525373.12	809604.00	N 32 26 28.73 W	103 27 49.49	342.93	189.56
	10663.00	77.48	175.44	10462.60	382.89	-383.38	-53.45	11.37	525327.91	809607.51	N 32 26 28.28 W	103 27 49.45	387.09	187.94
	10710.00	80.22	176.26	10471.69	428.90	-429.36	-50.12	6.08	525281.92	809610.84	N 32 26 27.83 W	103 27 49.42	432.28	186.66
	10757.00	83.47	177.12	10478.35	475.36	-475.80	-47.43	7.15	525235.48	809613.52	N 32 26 27.37 W	103 27 49.39	478.16	185.69
	10804.00	85.84	177.71	10482.73	522.13	-522.55	-45.32	5.20	525188.74	809615.63	N 32 26 26.90 W	103 27 49.37	524.51	184.96
	10851.00	88.08	177.47	10485.22	569.03	-569.44	-43.35	4.79	525141.85	809617.61	N 32 26 26.44 W	103 27 49.35	571.09	184.35
	10945.00	88.53	175.93	10488.00	662.87	-663.24	-37.94	1.71	525048.05	809623.02	N 32 26 25.51 W	103 27 49.30	664.32	183.27
	11039.00	89.07	173.58	10489.97	756.53	-756.82	-29.35	2.56	524954.47	809631.61	N 32 26 24.59 W	103 27 49.21	757.39	182.22
	11114.00	90.13	173.00	10490.50	831.08	-831.30	-20.59	1.61	524879.99	809640.37	N 32 26 23.85 W	103 27 49.11	831.56	181.42
	11208.00	90.69	177.15	10489.82	924.78	-924.93	-12.52	4.45	524786.36	809648.44	N 32 26 23.02 W	103 27 49.03	925.02	180.78
	11301.00	90.57	180.32	10488.90	1017.76	-1017.89	-10.47	3.41	524693.41	809650.49	N 32 26 22.00 W	103 27 49.01	1017.94	180.59
	11396.00	90.57	182.87	10487.85	1112.68	-1112.84	-13.11	2.68	524598.46	809647.85	N 32 26 21.06 W	103 27 49.05	1112.92	180.68
	11489.00	90.55	182.64	10486.95	1205.52	-1205.73	-17.58	0.25	524505.57	809643.38	N 32 26 20.14 W	103 27 49.11	1205.86	180.84
	11583.00	90.55	182.79	10486.04	1299.37	-1299.62	-22.03	0.16	524411.68	809638.92	N 32 26 19.21 W	103 27 49.17	1299.81	180.97
	11678.00	90.55	182.73	10485.13	1394.21	-1394.50	-26.61	0.06	524316.79	809634.35	N 32 26 18.28 W	103 27 49.24	1394.76	181.09
	11772.00	90.68	180.88	10484.12	1488.13	-1488.45	-29.57	1.97	524222.85	809631.39	N 32 26 17.35 W	103 27 49.28	1488.74	181.14
	11866.00	90.65	180.09	10483.03	1582.10	-1582.44	-30.36	0.84	524128.86	809630.59	N 32 26 16.42 W	103 27 49.30	1582.73	181.10
	11959.00	90.64	180.20	10481.98	1675.09	-1675.43	-30.60	0.12	524035.87	809630.36	N 32 26 15.50 W	103 27 49.31	1675.71	181.05
	12054.00	90.67	179.02	10480.98	1770.02	-1770.43	-30.78	0.20	523940.88	809630.18	N 32 26 14.56 W	103 27 49.32	1770.69	181.00
	12148.00	90.55	180.17	10480.06	1864.07	-1864.42	-30.94	0.16	523846.88	809630.02	N 32 26 13.63 W	103 27 49.33	1864.68	180.95
	12242.00	90.69	180.14	10479.05	1958.06	-1958.42	-31.19	0.15	523752.89	809629.77	N 32 26 12.70 W	103 27 49.34	1958.66	180.91
	12336.00	90.55	179.86	10478.03	2052.05	-2052.41	-31.19	0.33	523658.90	809629.77	N 32 26 11.77 W	103 27 49.35	2052.65	180.87
	12430.00	90.59	180.05	10477.09	2146.04	-2146.41	-31.12	0.21	523564.90	809629.84	N 32 26 10.84 W	103 27 49.36	2146.63	180.83
	12524.00	90.64	180.03	10476.08	2240.03	-2240.40	-31.18	0.06	523470.91	809629.77	N 32 26 9.91 W	103 27 49.37	2240.62	180.80
	12618.00	90.55	179.96	10475.11	2334.02	-2334.39	-31.18	0.12	523376.91	809629.78	N 32 26 8.98 W	103 27 49.38	2334.60	180.77
	12712.00	90.67	179.74	10474.11	2428.02	-2428.39	-30.93	0.27	523282.92	809630.03	N 32 26 8.05 W	103 27 49.39	2428.59	180.73
	12806.00	90.67	179.63	10473.01	2522.01	-2522.38	-30.41	0.12	523188.93	809630.55	N 32 26 7.12 W	103 27 49.39	2522.56	180.69
	12900.00	90.58	179.47	10471.98	2616.00	-2616.37	-29.68	0.20	523094.94	809631.28	N 32 26 6.19 W	103 27 49.39	2616.54	180.65
	12995.00	90.59	179.52	10471.01	2711.00	-2711.36	-28.84	0.05	522999.95	809632.12	N 32 26 5.25 W	103 27 49.39	2711.52	180.61
	13089.00	90.52	179.62	10470.10	2805.00	-2805.36	-28.13	0.13	522905.96	809632.83	N 32 26 4.32 W	103 27 49.39	2805.50	180.57
	13183.00	90.62	179.67	10469.17	2898.99	-2899.35	-27.55	0.12	522811.96	809633.41	N 32 26 3.39 W	103 27 49.39	2899.48	180.54
	13277.00	90.63	179.70	10468.14	2992.98	-2993.34	-27.03	0.03	522717.97	809633.93	N 32 26 2.46 W	103 27 49.39	2993.47	180.52
	13372.00	90.59	179.63	10467.13	3087.98	-3088.34	-26.48	0.08	522622.98	809634.48	N 32 26 1.52 W	103 27 49.40	3088.45	180.49
	13466.00	90.63	179.69	10466.13	3181.97	-3182.33	-25.92	0.08	522528.99	809635.04	N 32 26 0.59 W	103 27 49.40	3182.43	180.47
	13560.00	90.63	179.38	10465.10	3275.97	-3276.32	-25.16	0.33	522435.00	809635.80	N 32 26 0.06 W	103 27 49.40	3276.42	180.44
	13654.00	90.81	179.78	10464.08	3369.96	-3370.31	-24.47	0.43	522341.01	809636.49	N 32 26 0.00 W	103 27 49.40	3370.40	180.42
	13748.00	90.62	179.80	10463.07	3463.95	-3464.31	-24.12	0.02	522247.01	809636.84	N 32 25 57.80 W	103 27 49.40	3464.39	180.40
	13843.00	90.60	179.69	10462.06	3558.95	-3559.30	-23.70	0.12	522152.02	809637.26	N 32 25 56.86 W	103 27 49.41	3559.38	180.38
	13937.00	90.55	179.38	10461.12	3652.94	-3653.29	-22.94	0.33	522058.03	809638.02	N 32 25 55.93 W	103 27 49.41	3653.36	180.36
	14031.00	90.53	179.23	10460.23	3746.94	-3747.28	-21.80	0.16	521964.04	809639.16	N 32 25 55.00 W	103 27 49.40	3747.34	180.33
	14125.00	90.67	179.72	10459.25	3840.93	-3841.27	-20.94	0.54	521870.05	809640.02	N 32 25 54.07 W	103 27 49.40	3841.33	180.31
	14219.00	90.67	179.68	10458.15	3934.93	-3935.26</								

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-46539
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name GRAMA RIDGE EAST 34 STATE COM 2BS
8. Well Number 6H
9. OGRID Number 372137
10. Pool name or Wildcat GRAMA RIDGE; BONE SPRING, NE

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other	
2. Name of Operator CHISHOLM ENERGY OPERATING, LLC	
3. Address of Operator 801 CHERRY ST., SUITE 1200-UNIT 20 FORT WORTH, TX 76102	
4. Well Location Unit Letter <u>D</u> : <u>155</u> feet from the <u>NORTH</u> line and <u>850</u> feet from the <u>WEST</u> line Section <u>34</u> Township <u>21S</u> Range <u>34E</u> NMPM County <u>LEA</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3712' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: COMPLETIONS/PRODUCTION START UP ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/28/2021-PBTD @ 15314' MD
-RAN CBL W/ EST TOC @ 4700' MD
12/29/2021-SET CBP @ 15305' MD
-TEST 5.5" PROD CSG TO 9900 PSI 30 MIN; GOOD TEST
-PERFORATE STAGE 1 @ 15297'-15134'
01/04-01/14/2022-PERFORATE STAGES 2-27 @ 15114'-10454'; FRACTURE ALL STAGES W/717 BBLS HCl + 238515 BBLS SW
W/6882023# 100 MESH + 3727387# 40/70 SAND
01/15-01/16/2022-DRILL OUT
01/20/2022-TURN WELL OVER TO PRODUCTION
01/25/2022-BEGIN FLOWBACK

Spud Date:

10/13/2021

Rig Release Date:

11/03/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jennifer Elrod TITLE SR. REGULATORY ANALYST DATE 02/02/2022

Type or print name JENNIFER ELROD E-mail address: jelrod@chisholmenergy.com PHONE: 817-953-3728

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-46539		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name GRAMA RIDGE EAST 34 STATE COM 2BS		
								6. Well Number: 6H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator EARTHSTONE OPERATING, LLC						9. OGRID 331165				
10. Address of Operator 1400 WOODLOCH FOREST, STE 300 THE WOODLANDS, TX 77380						11. Pool name or Wildcat GRAMA RIDGE; BONE SPRING, NE (28435)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	D	34	21S	34E		155	N	850	W	LEA
BH:	M	34	21S	34E		84	S	794	W	LEA
13. Date Spudded 10/13/2021	14. Date T.D. Reached 10/31/2021		15. Date Rig Released 11/03/2021			16. Date Completed (Ready to Produce) 01/25/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3712 GR		
18. Total Measured Depth of Well 15,334'MD/10,446'TVD			19. Plug Back Measured Depth 15,314'MD/10,446' TVD			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA, MWD, CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name GRAMA RIDGE; BONE SPRING, NE - 10,454'-15,134'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5#, J-55		1810'		17.5"		1630		
9.625		40#, J-55		5730'		12.25"		1490		
5.5		20#, P-110		15,318		8.75		1495		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 0.42" SPF 4/40 HOLES/STATE X 27 STAGES = 1080 TOTAL HOLES 10454-15,297						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10454-15297		717 BBLS HCI + 238515 BBLS SW/6882023# 100 MESH		
								+3727387# 40/70 SAND		
28. PRODUCTION										
Date First Production 01/27/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PROD				
Date of Test 02/18/2022	Hours Tested 24	Choke Size 64/64	Prod'n For Test Period	Oil - Bbl 616	Gas - MCF 653	Water - Bbl. 1182	Gas - Oil Ratio 1060			
Flow Tubing Press. NA	Casing Pressure 220	Calculated 24-Hour Rate	Oil - Bbl. 616	Gas - MCF 653	Water - Bbl. 1182	Oil Gravity - API - (Corr.) 42.5				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By MURPHY WELL CONTROL		
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Deborah Marberry</i>			Printed Name DEBORAH MARBERRY			Title SR. REG. TECH			Date 10/25/2022	
E-mail Address DMARBERRY@EARTHSTONEENERGY.COM										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1873 TVD	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 2249 TVD	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 4080 TVD	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 5678 TVD	T. Morrison	
T. Drinkard	T. Bone Springs 8472 TVD	T. Todilto	
T. Abo	T. CAPITAN REEF 4470 TVD	T. Entrada	
T. Wolfcamp	T. 1ST BONE SPRING 8633 TVD	T. Wingate	
T. Penn	T. 2ND BONE SPRING 10191 TVD	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	






No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

TVD ft-RKB		Geological Tops	Wellbore Sketch	Hole Size	Casing	Drilling Fluids	Cement	OH Evaluation/Logs						
2,000	1,795 Rustler			17-1/2"	Surface: 13-3/8" 54.5# J55 BTC	FW Spud Mud 8.4 - 9.4 ppg 32 - 34 Vis	Top of Lead: Surface 12.8 ppg 1.68 cuft/sk 1080 sks - 100% XS Top of Tail: 1,300' 14.8 ppg 1.33 cuft/sk 550 sks - 100% XS							
3,000				12-1/4"	Intermediate: 9-5/8" 40# J55 LTC	Brine 10.0 ppg 28 Vis	Stage 1 Top of Lead: 3,892' 11.5 ppg 2.79 cuft/sk 295 sks - 100% XS Top of Tail: 5,200' 14.8 ppg 1.33 cuft/sk 250 sks - 100% XS Stage 2 Top of Lead: Surface 11.5 ppg 2.78 cuft/sk 945 sks - 200% XS							
4,000	3,850 Yates													
	4,430 Capitan Reef			8-3/4" 8-1/2" Lateral	Production: 5-1/2" 20# P110 BTC	Curve & Lateral OBM 8.9 - 9.1 ppg 50 - 70 Vis 75/25 OWR	Top of Lead: 4,700' 11.3 ppg 2.8 cuft/sk 500 sks - 10% XS Top of Tail: 9,600' 13.2 ppg 1.5 cuft/sk 995 sks - 10% XS							
5,000														
	5,655 Delaware Mtn Grp				8-3/4" 8-1/2" Lateral	Production: 5-1/2" 20# P110 BTC	Curve & Lateral OBM 8.9 - 9.1 ppg 50 - 70 Vis 75/25 OWR	Top of Lead: 4,700' 11.3 ppg 2.8 cuft/sk 500 sks - 10% XS Top of Tail: 9,600' 13.2 ppg 1.5 cuft/sk 995 sks - 10% XS	PROD CSG SET @ 15,318' MD					
6,000														
7,000														
8,000														
	8,470 Bone Spring													
9,000														
	9,635 1st Bone Sprg SS													
10,000	10,200 2nd Bone Sprg SS													
	10,505 Target LP													
11,000														
PERFORATIONS @ 10,454' - 15,297'														
PBTD @ 15,314' MD/ 10,446' TVD														
15,334 TD 10,446' TVD														

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 154305

ACKNOWLEDGMENTS

Operator: Earthstone Operating, LLC 1400 Woodloch Forest; Ste 300 The Woodlands, TX 77380	OGRID: 331165
	Action Number: 154305
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 154305

CONDITIONS

Operator: Earthstone Operating, LLC 1400 Woodloch Forest; Ste 300 The Woodlands, TX 77380	OGRID: 331165
	Action Number: 154305
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	12/16/2022