

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101
Revised July 18, 2013

Energy Minerals and Natural Resources

Oil Conservation Division

AMENDED REPORT

1220 South St. Francis Dr.

Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079		² OGRID Number 329326
		³ API Number 30-025-09192
⁴ Property Code 326928	⁵ Property Name EMERY KING NW	⁶ Well No. #004

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
F	01	23S	36E		1650	N	2310	W	LEA

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
F	01	23S	36E		1650	N	2310	W	LEA

9. Pool Information

Pool Name JALMAT; TAN-YATES-7 RVRs (GAS) // LANGLIE MATTIX; 7 RVRs-Q-GRAYBURG	Pool Code 79240 // 37240
--	-----------------------------

Additional Well Information

DHC-5135

¹¹ Work Type A	¹² Well Type O	¹³ Cable/Rotary R	¹⁴ Lease Type S	¹⁵ Ground Level Elevation 3422'
¹⁶ Multiple YES	¹⁷ Proposed Depth 3806'	¹⁸ Formation 7 RVRs	¹⁹ Contractor TBD	²⁰ Spud Date 01/05/2023
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program


Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surface	12.250"	8.625"	24#	313'	200 sxs	Surface
Production	7.875"	5.500"	15.5#	3797'	600 sxs	

Casing/Cement Program: Additional Comments

--

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	3,000#	3,000#	Unknown

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that I have complied with 19.15.14.9 (A) NMAC <input type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input type="checkbox"/> , if applicable. Signature:  Printed name: VANESSA NEAL Title: SR RESERVOIR ENGINEER E-mail Address: vanessa@faenergyus.com Date: 20 DEC 2022	OIL CONSERVATION DIVISION	
	Approved By: 	
	Title:	
	Approved Date: 12/21/2022	Expiration Date: 12/21/2024
	Conditions of Approval Attached	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-09192		² Pool Code 79240		³ Pool Name JALMAT; TAN-YATES-7 RVRs (GAS)	
⁴ Property Code 326928		⁵ Property Name EMERY KING NW			⁶ Well Number #004
⁷ OGRID No. 329326		⁸ Operator Name FAE II OPERATING, LLC			⁹ Elevation 3422'

¹⁰ Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
F	01	23S	36E		1650	N	2310	W	LEA

¹¹ Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
					DHC-5135				

¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁶ 					<p>¹⁷ OPERATOR CERTIFICATION</p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p style="text-align: right;"> 12/20/2022 Signature Date </p> <p> VANESSA NEAL Printed Name </p> <p> vanessa@faenergyus.com E-mail Address </p>
	2310'	1650'	NW/4 Sec 01 (160 acres)		
					<p>¹⁸ SURVEYOR CERTIFICATION</p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p> _____ Date of Survey </p> <p> _____ Signature and Seal of Professional Surveyor: </p> <p> _____ Certificate Number </p>

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
 AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-09192		² Pool Code 37240		³ Pool Name LANGLIE MATTIX; 7 RVRs-QUEEN-GRAYBURG	
⁴ Property Code 326928		⁵ Property Name EMERY KING NW			⁶ Well Number #004
⁷ OGRID No. 329326		⁸ Operator Name FAE II OPERATING, LLC			⁹ Elevation 3422'

¹⁰ Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
F	01	23S	36E		1650	N	2310	W	LEA

¹¹ Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County

¹² Dedicated Acres 40	¹³ Joint or Infill Y	¹⁴ Consolidation Code	¹⁵ Order No. DHC-5135
-------------------------------------	------------------------------------	----------------------------------	--

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁶ 	¹⁷ OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> Signature Date 12/20/2022	
	VANESSA NEAL Printed Name vanessa@faenergyus.com E-mail Address	
¹⁸ SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i>		Date of Survey Signature and Seal of Professional Surveyor:
Certificate Number		

State of New Mexico
 Energy, Minerals and Natural Resources Department

Submit Electronically
 Via E-permitting

Oil Conservation Division
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description
Effective May 25, 2021

I. Operator: FAE II Operating, LLC **OGRID:** 329326 **Date:** 12/20/2022

II. Type: Original Amendment due to 19.15.27.9.D(6)(a) NMAC 19.15.27.9.D(6)(b) NMAC Other.

If Other, please describe: DO BPs, Add Perfs & Acidize 7 RVRs in Emery King NW #004; DHC Jalmat & Langlie Mattix

III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
EMERY KING NW #004	30-025-09192	F-01-23S-36E	1650' FNL & 2310' FWL	1	24	21

IV. Central Delivery Point Name: EMERY KING NW #1 BATTERY [See 19.15.27.9(D)(1) NMAC]

V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud Date	TD Reached Date	Completion Commencement Date	Initial Flow Back Date	First Production Date
EMERY KING NW #004	30-025-09192	01/05/2023	01/05/2023	01/05/2023	01/11/2023	01/12/2023

VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 2 – Enhanced Plan

EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system will will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator does does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

Attach Operator’s plan to manage production in response to the increased line pressure.

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Section 3 - Certifications

Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system.

If Operator checks this box, Operator will select one of the following:

Well Shut-In. Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices


1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: 
Printed Name: Vanessa Neal
Title: Sr. Reservoir Engineer
E-mail Address: vanessa@faenergyus.com
Date: 20 DEC 2022
Phone: 832-219-0990

OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)

Approved By:
Title:
Approval Date:
Conditions of Approval:

FAE II Operating, LLC (“FAE”) Natural Gas Management Plan

VI. Separation Equipment

- Separation equipment is sized to allow for retention time and velocity to adequately separate oil, gas, and water at anticipated peak rates.
- Valves and meters are designed to service without flow interruption or venting of gas.
- Gas from treater and wellhead will be tied into the sales line.

VII. Operational Practices

19.15.27.8 (A)

FAE’s field operations are designed with the goal of minimizing venting of natural gas. Wellhead and existing production equipment are tied into the gas sales line.

19.15.27.8 (B) Venting and Flaring during drilling operations

- Venting will only occur if there is an equipment malfunction and/or to avoid risk of an immediate and substantial adverse impact on safety, public health, or the environment.
- Daily vented volumes during drilling operations will be estimated on the daily report.
- All equipment will be available to process wellhead production upon completion of the well.

19.15.27.8 (C) Venting and Flaring during completions or recompletions operations.

- During all phases of flowback, wells will flow through a sand separator, or other appropriate flowback separation equipment, and the well stream will be directed to a central tank battery (CTB) through properly sized flowlines.
- The CTB will have properly sized separation equipment for maximum anticipated flowrates.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from well is <60 MCFPD.

19.15.27.8 (D) Venting and Flaring during production operations.

- During production, the well stream will be routed to the CTB where multiple stages of separation will separate gas from liquids. All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from well is <60 MCFPD.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.

19.15.27.8 (E) Performance Standards

- Production equipment will be designed to handle maximum anticipated rates and pressure.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas/H₂S detectors will be installed throughout the facilities and wellheads to detect leaks and enable timely repairs.

19.15.27.8 (F) Measurement or estimation of vented and flared natural gas

- All gas from wellhead and treater will be routed to a sales outlet.
- When metering is not practical due to low pressure/low rate (<60 MCFPD), the vented volume will be estimated based on annual GOR.

VIII. Best Management Practices


- FAE will use best management practices to vent as minimally as possible during well intervention operations and downhole well maintenance.
- All gas from wellhead and treater will be routed to a sales outlet. Fluids will be routed to tanks; vented gas volumes from oil tanks will be estimated based on annual GOR since expected production from well is <60 MCFPD. All venting events will be recorded and all start-up, shutdown, maintenance logs will be kept for control equipment
- All equipment will be maintained to provide highest run-time possible.
- AVO inspections will be conducted on the well and facility as required (weekly or monthly) based on actual daily production from the well or facility. Records of inspections will be kept for no less than 5 years. Any active leaks or releases will be reported as required and repaired in a timely manner.
- Gas sales volumes are recorded and monitored via EFMS.
- All procedures are drafted to keep venting to the absolute minimum.

Well Name: Emery King NW #004 Lease No: 326928 Lease Type: Private
 Township: 23-S Range: 36-E Sec: 1-F Location: 1650' FNL & 2310' FWL
 County: Lea State: NM API: 30-025-09192 Formation: Jalmat; Tansill-Yates-7 Rvrs

CURRENT

Surface Csg
 Size: 8-5/8"
 Wt.&Thrd: 24#
 Grade: J-55
 Set @: 313'
 Sxs cmt: 200 sxs
 Circ: Circ
 TOC: Surface
 Hole Size: 12-1/4"

KB: 3432'
 DF: _____
 GL: 3422'
 Spud Date: 4/6/1959
 Compl. Date: 4/17/1959



Csg leaks @ 540-925'
 Sqz w/ 3700 sxs cmt

History - Highlights
1972-08: Set CIBP to isolate Langlie-Mattix; Perfs YATES & Upr 7 RVRs; Acidize w/ 1500 gals 15% NE acid; Frac w/ 20,000 gals & 30,000# 20/40 sand
2001-02: Found csg leaks & squeezed; Drilled out cmt; Drilled out CIBP @ 3396'; Set 2 CIBPs @ 3620' & 3617'; Reperf YATES & Upr 7 RVRs; Acidize Old & New Perfs w/ 4200 gals acid & 86 ball sealers

SN 3506'
 EOT 3524'
 CIBP 3617'
 CIBP 3620'
 Remainder of DO CIBP 3649'
 RBP 3709'

YATES (Top @ 2983')

3125', 3129', 3134', 3140', 3151', 3156', 3159', 3162', 3170', 3179', 3182', 3187',
 3192', 3194', 3212', 3222', 3227', 3232', 3237', 3240', 3242', 3245', 3248', 3261',
 3263', 3266', 3268', 3273' (1 SPF) - Aug 1972
 Acidized & Fraced w/ Upr 7 RVRs
 3136', 3144', 3147', 3189', 3230', 3235', 3271', 3276', 3279' (1 SPF) - Feb 2001
 Acididze w/ YATES & Upr 7 RVRs

SEVEN RIVERS (Top @ 3277')

3283', 3292', 3315', 3317', 3333', 3353' (1 SPF) - Aug 1972
 Acidized & Fraced w/ YATES
 3644-3707' (4 SPF) - Jan 1960
 Frac w/ 23,000 gals oil & 23,000# sand

QUEEN (Top @ 3678')

3690-3698', 3704-3707', 3726-3733', 3737-3744', 3750-3758' - Apr 1959
 Frac w/ 40,000 gals oil & 40,000# 20/40 sand

Production Csg
 Size: 5-1/2"
 Wt.&Thrd: 15.5#
 Grade: J-55
 Set @: 3797'
 Sxs Cmt: 600 sxs
 Circ: _____
 TOC: _____
 Hole Size: 7-7/8"

PBTB 3617'
 TD 3806'

Tubulars - Capacities and Performance


2-3/8" 4.7# J-55 EUE 8rd Tubing (108 jts 2-3/8" tbg, SN, MA) @ 3524'	
Rods: 2" x 1-1/4" x 12' RHAC, 139- 3/4" rods, 8', 6', 4', 2' subs, 1-1/4" x 16' polished rod w/ liner	
POP @ 7.5 SPM x 64" x 1-1/4"	Lufkin C-114D-143-64

Well Name: Emery King NW #004 Lease No: 326928 Lease Type: Private
 Township: 23-S Range: 36-E Sec: 1-F Location: 1650' FNL & 2310' FWL
 County: Lea State: NM API: 30-025-09192 Formation: Jalmat & Langlie-Mattix; Y-7R-Q

PROPOSED

Surface Csg
 Size: 8-5/8"
 Wt.&Thrd: 24#
 Grade: J-55
 Set @: 313'
 Sxs cmt: 200 sxs
 Circ: Circ
 TOC: Surface
 Hole Size: 12-1/4"

KB: 3432'
 DF: _____
 GL: 3422'
 Spud Date: 4/6/1959
 Compl. Date: 4/17/1959



Csg leaks @ 540-925'
 Sqz w/ 3700 sxs cmt

History - Highlights
1972-08: Set CIBP to isolate Langlie-Mattix; Perfs YATES & Upr 7 RVRs; Acidize w/ 1500 gals 15% NE acid; Frac w/ 20,000 gals & 30,000# 20/40 sand
2001-02: Found csg leaks & squeezed; Drilled out cmt; Drilled out CIBP @ 3396'; Set 2 CIBPs @ 3620' & 3617'; Reperf YATES & Upr 7 RVRs; Acidize Old & New Perfs w/ 4200 gals acid & 86 ball sealers
Proposed: DO 4 CIBPs, Add Perfs in 7 RVRs G, Acidize Oil Window 3644-3758' w/ 5000 gals 15% NEFE acid, 1500# rock salt & flush w/ 1000 bbls 2% KCL water, DHC Jalmat & Langlie-Mattix pools

YATES (Top @ 2983')

3125', 3129', 3134', 3140', 3151', 3156', 3159', 3162', 3170', 3179', 3182', 3187', 3192', 3194', 3212', 3222', 3227', 3232', 3237', 3240', 3242', 3245', 3248', 3261', 3263', 3266', 3268', 3273' (1 SPF) - Aug 1972

Acidized & Fraced w/ Upr 7 RVRs

3136', 3144', 3147', 3189', 3230', 3235', 3271', 3276', 3279' (1 SPF) - Feb 2001

Acidize w/ YATES & Upr 7 RVRs

SEVEN RIVERS (Top @ 3277')

3283', 3292', 3315', 3317', 3333', 3353' (1 SPF) - Aug 1972

Acidized & Fraced w/ YATES

3644-3707' (4 SPF) - Jan 1960

Frac w/ 23,000 gals oil & 23,000# sand

Add Perfs in 7 RVRs G

QUEEN (Top @ 3678')

3690-3698', 3704-3707', 3726-3733', 3737-3744', 3750-3758' - Apr 1959

Frac w/ 40,000 gals oil & 40,000# 20/40 sand

SN 3700'
 EOT 3736'

Production Csg
 Size: 5-1/2"
 Wt.&Thrd: 15.5#
 Grade: J-55
 Set @: 3797'
 Sxs Cmt: 600 sxs
 Circ: _____
 TOC: _____
 Hole Size: 7-7/8"

PBTd 3797'
TD 3806'

Tubulars - Capacities and Performance

2-3/8" 4.7# J-55 EUE 8rd Tubing (~115 jts 2-3/8" tbg, SN, perf sub, MA w/ bull plug) @ 3736'

Lufkin C-114D-143-64

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 169068

CONDITIONS

Operator: FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079	OGRID: 329326
	Action Number: 169068
	Action Type: [C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	12/21/2022