

Submit 1 Copy To Appropriate District
Office

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised July 18, 2013

WELL API NO.
30-025-11386

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.
330390

7. Lease Name or Unit Agreement Name
Hodges B

8. Well Number 5

9. OGRID Number
256073

10. Pool name or Wildcat
Justis Tubbs-Drinkard [35280]

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
J R Oil Ltd, Co.

3. Address of Operator
PO Box 2975, Hobbs, NM 88241

4. Well Location
Unit Letter L : 1,936 feet from the South line and 1,254 feet from the West line
Section 1 Township 25E Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,112' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: Extend TA status ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

J R Oil respectfully requests permission to extend approved TA status after a successful MIT.

Original TA status approved February 11, 2019

Spud Date:

Feb. 21, 1962

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE Engineer

DATE November 10, 2022

Type or print name Ian Petersen

E-mail address: ian@ddpetro.com

PHONE: (432) 634-4922

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):


J R Oil Ltd., Co.

TO: NMOCD, Hobbs District
FROM: Ian Petersen
(432) 634-4922
SUBJECT: Hodges B #5 (30-025-11386)
DATE: November 10, 2022

J R Oil respectfully requests permission to extend approved TA status after a successful MIT.

Original TA status approved February 11, 2019.


Hodges B #5




Released to Imaging: 12/22/2022 12:36:07 PM

JR Oil Ltd.

Hodges B #5



Csg leak @ 3,844' - 4,002' (sqz'd 2x no hold)



WELL NAME: Hodges B #5				FORMATION: Tubb-Drinkard				KB:				
API NO: 30-025-11386				FIELD: Justis				PBTD:				
SPUD DATE: February 21, 1962				COUNTY: Lea				TD: 8,500				
CASING								CEMENT & HOLE DATA				
	joints	OD	lb/ft	grade	ID (in)	drift (in)	top	bottom	bit size	depth	sacks	TOC
Surface	15	13 3/8	48.00	H-40	12.715	12.559	0'	498'	17 1/2	499'	540	circ.
Intermediate (DV Tool)	110	9 5/8	36.00	H-40, J-55	8.921	8.765	0'	1,036'	12 1/4		1,000	860'
Production (DV Tool)	197	7	23, 26	J-55	6.366	6.151	1036'	3,405'		3,405'	2,400	1,595'
Sidetrack (DV Tool)		4 1/2	11.60	L-80	4.000	3.875	0'	5,742'	8 3/4		390	2,317' (calc.)
							5742'	7,250'		8,500'	520	circ.
							0'	4,918'	6 1/8		230	150'
							4,918'	7904		7,941'	210	circ.
History:							PERFORATIONS					
2/21/1962 Spud by Cities Service Petroleum Co., TD, spot cement 25sx @ 8,500' - 425', set pipe, perf Devonian, no stim, IP 493 BOPD, 32 BWPD, API 34.8							top	bottom	zone	status	tfl shots	date
7/31/1970 Shut in, uneconomic							5,208'	5,368'	Blinebry	squeezed	25	07/12/73
7/12/1973 CIBP @ 7,160', 4sx cement, TOC 7,140', perf Blinebry, swab, acidize 3,200 gal 15% & BS, swab, frac 41.3k# 20/40 sand in 30k gal gel brine, swab & flow, POP, IP 54 BOPD, 100 MCFD, 6 BWPD, API 36.7							5,421'	5,793'	L. Blinebry	squeezed	32	01/07/76
1/7/1976 Perf L. Blinebry, swab, pump new perfs only 5 BOPD, 25 BWPD, frac Blinebry & L. Blinebry 84k# 20/40 sand in 60k gal brine, POP, IP all perfs 62 BOPD, 62 MCFD, 63 BWPD, API 37.2							6,240'	6,304'	Tubb	TA'd	102	06/09/15
6/24/1982 Drill salt bridges & CIBP, acidize Devonian 1,500 gal 20%, squeeze Blinebry & L. Blinebry, 400 sx cement, drill & test 1,500 psi, perf U. Devonian, POP, IP 157 BOPD, 301 BWPD, API 36.7							7,147'	7,172'	U. Devonian	plugged	20	06/24/82
5/2/2011 Tag 7,178', CIBP @ 7,100', circ. pkr fluid, isolate csg leak @ 3,844' - 966', csg inspection log, spot 25 sx cement plugs @ 7,100', 6,450' - 350', 5,875' - 775', 5,175' - 075', 4,850' - 750', CR @ 3,750', sqz 180 sx, CBL, circ. pkr fluid							7,186'	7,199'	Devonian	plugged	52	02/21/62
1/2/2012 Drill out to 4,672', isolate csg leak @ 3,876' - 4,002', sqz 300 sx, didn't hold pressure, drill to 5,018', whipstock @ 4,924', drill to 7,941' MD / 7,668' TVD, log, set pipe, drill out to 7,795', CBL, perf L. Devonian, acidize 1k gal 7.5%, swab, CIBP @ 7,350', cap 4 sx, perf U. Devonian, acidize 1k gal 7.5%, swab, POP, IP 6 BOPD, 26 MCFD, 170 BWPD							7,230'	7,240'	U. Devonian	plugged	66	01/02/12
10/27/2014 CIBP @ 7,184', 25 sx cement, tag TOC @ 6,862', CIBP @ 6,694', 15 sx, tag TOC @ 6,584'							7,380'	7,390'	L. Devonian	plugged	66	01/02/12
6/9/2015 Perf Tubb, frac 1,490 gal 15% & 27.3k# sand in 12.9k gal 15# linear gel & 38.4k gal 15# XL gel, clean out to 6,584', POP, IP 6 BOPD, 2 MCFD, 30 BWPD												
1/3/2019 CIBP @ 6,190', test csg 500 psi, held, dump 5 sx cement, tag TOC @ 6,150', circ. pkr fluid, well TA'd												
							TUBING (none)					
								OD (in)	ID (in)	joints	length (ft)	depth (ft)
							</					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 157802

CONDITIONS

Operator: J R OIL, LTD. CO. P.O. Box 52647 Tulsa, OK 74152	OGRID: 256073
	Action Number: 157802
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run TA status MIT/NHT	12/22/2022