

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-025-20530
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name NEW MEXICO BO STATE
8. Well Number 8
9. OGRID Number 298299
10. Pool name or Wildcat VACUUM; ABO REEF

**SUNDRY NOTICES AND REPORTS ON WELLS**  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator  
CROSS TIMBERS ENERGY, LLC

3. Address of Operator  
400 W 7TH ST, FORT WORTH, TX 76102

4. Well Location  
 Unit Letter B : 990 feet from the N line and 1648 feet from the E line  
 Section 12 Township 18S Range 34E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3985 GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) MIRU 8/15/2022. RIH w/ mule shoe on tbg. Tagged bad spot in casing, unable to get past it. POOH w/tbg.
- 2) NDBOP and casing head. Spear into and POOH w/ 4 1/2" casing.
- 3) RIH with 4 1/2" casing patch assembly and casing. Latched onto casing and set patch.
- 4) RIH w/ bit and tubing. POOH.
- 5) RIH with production tbg, rods, and insert pump and returned well to production.
- 6) RDMO 08/29/2022.

Witnessed BHT submitted online, reference violation cGR2224350347.

Spud Date:

04/09/1963

Rig Release Date:

08/29/2022

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE REGULATORY TECH DATE 09/29/2022

Type or print name CONNIE BLAYLOCK E-mail address: cblaylock@mspartners.com PHONE: 817-334-7882

**For State Use Only**

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 12/22/22  
 Conditions of Approval (if any):

Location: 990' FNL & 1648' FEL Sec: 12  
County: Lea State: NM

Township: 18S Range: 34E  
API: 30-025-20530

CURRENT - 09/26/2022

**Surface Csg**

Size: 13-3/8"  
Wt & Thrd: 48#  
Grade: H-40  
Set @: 308'  
Sx Cmt: 325  
Circ: Yes  
TOC: Sfc

KB: 3,996'  
GL:  
Spud Date: 4/9/1963

**Intermediate Csg**

Size: 8-5/8"  
Wt & Thrd: 24#  
Grade: J-55  
Set @: 3,398'  
Sx Cmt: 650  
Circ: NO  
TOC: 1800' by TS

08/2022: Casing repair. Packer Style casing patch @ 2,308' (pulled casing and RBIH w/ packer style patch to latch back onto string)

Tubing:  
2-3/8", 4.6#, J-55

Rods:  
Steel Rod String w/ Insert Pump

**Production Casing**

Size: 4-1/2"  
Wt & Thrd: 11.6#, STC  
J-55 (to 3,398')  
Grade: & N-80 to TD  
Set @: 8,750'  
Sx Cmt: 1150  
Circ: no  
TOC: 2850' by TS

Abo Perfs (1981):  
8415, 8422, 8434, 8690, 8711 (1 SPF, 5 shots)

Abo Perfs (1963):  
8480, 8507, 8517, 8526, 8545, 8557, 8575, 8592,  
8602, 8616, 8636, 8658, 8670 (1 SPF, 20 shots)

PBTD:  
TD: 9,025'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 147786

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 147786
	Action Type: [C-103] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	12/22/2022