

Well Name: SANDY	Well Location: T27N / R12W / SEC 32 / SESE / 36.526301 / -108.129531	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM94827	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004532347	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2708327

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 12/21/2022

Time Sundry Submitted: 01:33

Date Operation Actually Began: 12/16/2022

Actual Procedure: The subject well was Plugged & Abandoned on 12/16/2022 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

00_EOW_BLM_Submittal_mc_20221221133306.pdf

Well Name: SANDY

Well Location: T27N / R12W / SEC 32 / SESE / 36.526301 / -108.129531

County or Parish/State: SAN JUAN / NM

Well Number: 1

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM94827

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004532347

Well Status: Abandoned

Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD

Signed on: DEC 21, 2022 01:33 PM

Name: DJR OPERATING LLC

Title: Regulatory Technician

Street Address: 1 ROAD 3263

City: AZTEC

State: NM

Phone: (505) 634-6722

Email address: MCOLLARD@DJRLLC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 12/21/2022

Signature: Kenneth Rennick

DJR Operating, LLC
P&A End of Well Report
Sandy 1
API # 30-045-32347
SE/SE Unit P. Sec 32, T27N, R12W
San Juan County, NM
Spud Date: 3-7-2007
Plug Date: 12-16-2022

12-15-2022:

MIRU rig and equipment. SITP = 0, SICP = 65, BH = 0. Pull rods. NDWH, NU BOP. TOO H with 2 3/8" production string.

TIH with scraper to 1172'. TOO H. TIH with retainer, set retainer at 1172'. Load and roll hole, PT casing, good test.

P&A Plug 1: Fruitland perforations: Mix and pump plug of 8 sx through retainer into perforations. Pressured up, sting out of retainer, place 4 sx above retainer to 1137'. TOO H, take off retainer stinger.

TIH to 1137'.

P&A Plug 2: 1137' to surface, cover Fruitland, Kirtland and Ojo Alamo formation tops and surface casing shoe to surface. Mix and pump 105 sx from 1137' to surface.

TOO H.

Cut off WH, TOC, 4'in casing and 59' in annulus. Install underground P&A marker. Top off annulus and cellar with 32 sx.


Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Tyler Offerly, BLM, and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.52631 N, Long; 108.12952 W

DJR Operating, LLC
P&A Marker
Sandy 1
API # 30-045-32347
SE/SE Unit P. Sec 32, T27N, R12W
San Juan County, NM
Spud Date: 3-7-2007
Plug Date: 12-16-2022



DJR Operating, LLC
End of Well Report
Sandy 1
 API # 30-045-32347
 SE/SE, Unit P, Sec 32, T27N, R12W
 San Juan County, NM

GL 5922'
 KB N/A
 Spud Date 3/7/2007

SURF CSG

Hole size 9.875"
 Csg Size: 7"
 Wt: 20#
 Grade: J-55
 ID: 6.456"
 Depth 132'
 casing cap ft³/ft: 0.2273
 TOC: Circ cmt to surface

FORMATION TOPS


Formation	Surface
Nacimiento	N/A
Ojo Alamo	N/A
Kirtland	N/A
Fruitland Coal	1199'
Pictured Cliffs	1218'

PROD CSG

Hole size 6.25"
 Csg Size: 4.5"
 Wt: 10.5#
 Grade: J-55
 ID: 4.052"
 Depth 1449'
 casing cap ft³/ft: 0.0895
 7x4.5 capacity ft³/ft 0.1106
 TOC: Circ cmt to surface

Fruitland Coal perms
 1197-1212'

PBTD 1406'
 TD 1456'



12-16-2022: Cut off WH. TOC in casing at 4', 59' in annulus. Install underground P&A marker. Top off casings and cellar with 32 sx.

12-15-2022: Plug 2: Fruitland, Kirtland, Ojo Alamo and surface casing shoe to surface: Mix and pump plug of 105 sx from 1137' to surface.

12-15-2022: Plug 1: Fruitland perforations: Set CR at 1172', Mix and pump plug of 8 sx through CR into perforations, pressured up, sting out and place 4 sx above CR to 1137'.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx
 Regulatory representative: Tyler Offerly, BLM and Monica Kuehling, NMOCD via phone
 GPS Coordinates: Lat; 36.52631 N, Long; 108.12952 W

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 169582

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 169582
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 12/16/22	12/28/2022