

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-07968
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injection <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator State of New Mexico formerly Robinson Oil Inc		6. State Oil & Gas Lease No. FEE
3. Address of Operator 1625 N. French Drive, Hobbs, N 88240		7. Lease Name or Unit Agreement Name Foster
4. Well Location Unit Letter D : 990 feet from the N line and 330 feet from the W line Section 5 Township 19S Range 39E NMPM Lea County		8. Well Number. #1
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 37636
		10. Pool name or Wildcat Foster San Andres

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/3/22: MOL. Safety Mtg on loc w/ DXP on H2S. Open up well; BD 200# csg pressure; 20# tbg pressure and 1000ppm H2S.  
 11/4/22: Held JSA. DXP on loc. BD 20# on casing and 1000ppm H2S. Start to TOH with rods; parted. Strip out pulling 4 jts; found rods. TOH and LD rods. TOH with 2500' tubing.  
 11/5/22: Held JSA. DXP on loc. BD 20# on casing and 100ppm H2S. LD remaining tbg; total 4500'. Prep road for pipe trailer.  
 11/7/22: Held JSA. DXP on loc. BD 100ppm H2S. RU A-Plus Wireline; set 4.5" CIBP @ 4368'. RIH w/tubing and attempt to tag CIBP; no CIBP. K. Fortner, NMOCD, approved procedure change. RIH and set 4.5" WL CIBP @ 4353'.  
 11/8/22: Held JSA. DXP on loc. BD 100ppm H2S. Kill well w/200bbls brine water; no H2S. RU A-Plus WL; run RCBL from 4353'. K. Fortner, NMOCD, after reviewing RCBL approved to continue P&A per sundry.  
 Plug #1: W/CIBP @ 4353' spot 26 sxs Type III cement to 4218'. TOH and WOC overnight.  
 11/9/22: Held JSA. DXP on loc. Open up well; no pressure or H2S. TIH and tag cmt @ 4250'. PUH.  
 Plug #2 25 sxs from 3055'. Plug #3: 25 sxs from 1960'. WOC overnight.  
 11/10/22: Note: Smithsonian Channel on location to film. Held JSA. No pressures or H2S. Tag Plug #3 @ 1820'. Perforate @ 380'. Plug #4 Mix and pump 55 sxs Class G cmt down 4.5" casing. WOC overnight.  
 11/10/22. Held JSA. No pressures or H2S. Tag Plug #4 @ 200'. Perforate @ 150'. Plug #5 Mix and pump 87 sxs down surface; circulate good cement. RD rig and equipment. MOL.

Note: P&A marker will be set once is tested by Welldone. A follow up sundry will be submitted when marker is set.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Neil Lindenmeyer TITLE Engineering Tech DATE 2/21/22

Type or print name Neil Lindenmeyer E-mail address: neil@apluswell.com PHONE: 505 486 6958  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
 Conditions of Approval (if any): \_\_\_\_\_







Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-07968
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injection <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator State of New Mexico formerly Robinson Oil Inc		6. State Oil & Gas Lease No. FEE
3. Address of Operator 1625 N. French Drive, Hobbs, N 88240		7. Lease Name or Unit Agreement Name Foster
4. Well Location Unit Letter D : 990 feet from the N line and 330 feet from the W line Section 5 Township 19S Range 39E NMPM Lea County		8. Well Number. #1
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 37636
10. Pool name or Wildcat Foster San Andres		

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/3/22: MOL. Safety Mtg on loc w/ DXP on H2S. Open up well; BD 200# csg pressure; 20# tbg pressure and 1000ppm H2S.  
 11/4/22: Held JSA. DXP on loc. BD 20# on casing and 1000ppm H2S. Start to TOH with rods; parted. Strip out pulling 4 jts; found rods. TOH and LD rods. TOH with 2500' tubing.  
 11/5/22: Held JSA. DXP on loc. BD 20# on casing and 100ppm H2S. LD remaining tbg; total 4500'. Prep road for pipe trailer.  
 11/7/22: Held JSA. DXP on loc. BD 100ppm H2S. RU A-Plus Wireline; set 4.5" CIBP @ 4368'. RIH w/tubing and attempt to tag CIBP; no CIBP. K. Fortner, NMOCD, approved procedure change. RIH and set 4.5" WL CIBP @ 4353'.  
 11/8/22: Held JSA. DXP on loc. BD 100ppm H2S. Kill well w/200bbls brine water; no H2S. RU A-Plus WL; run RCBL from 4353'. K. Fortner, NMOCD, after reviewing RCBL approved to continue P&A per sundry.  
 Plug #1: W/CIBP @ 4353' spot 26 sxs Type III cement to 4218'. TOH and WOC overnight.  
 11/9/22: Held JSA. DXP on loc. Open up well; no pressure or H2S. TIH and tag cmt @ 4250'. PUH.  
 Plug #2 25 sxs from 3055'. Plug #3: 25 sxs from 1960'. WOC overnight.  
 11/10/22: Note: Smithsonian Channel on location to film. Held JSA. No pressures or H2S. Tag Plug #3 @ 1820'. Perforate @ 380'. Plug #4 Mix and pump 55 sxs Class G cmt down 4.5" casing. WOC overnight.  
 11/10/22. Held JSA. No pressures or H2S. Tag Plug #4 @ 200'. Perforate @ 150'. Plug #5 Mix and pump 87 sxs down surface; circulate good cement. RD rig and equipment. MOL.

Note: P&A marker will be set once is tested by Welldone. A follow up sundry will be submitted when marker is set.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Neil Lindenmeyer TITLE Engineering Tech DATE 2/21/22

Type or print name Neil Lindenmeyer E-mail address: neil@apluswell.com PHONE: 505 486 6958  
**For State Use Only**


APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
 Conditions of Approval (if any): \_\_\_\_\_

# Foster #1 As Plugged 11/10/22

Foster (San Andres)

Unit D, 990' FNL &amp; 330' FWL, Section 5, T19S, R39E

Lea County, NM, API #30-025-07968



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

COMMENTS

Action 169284

COMMENTS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 169284
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
bpowell	Inspected by compliance officer David Alvarado on 12/27/22. Well is plugged, but needing final reclamation work and abandonment marker installed.	12/29/2022

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 169284

CONDITIONS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 169284
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
bpowell	None	12/29/2022