

Submit 1 Copy To Appropriate District Office

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505WELL API NO.
30-025-079685. Indicate Type of Lease
STATE ☐ FEE ☒6. State Oil & Gas Lease No.
FEE

7. Lease Name or Unit Agreement Name

Judy

8. Well Number. #3

9. OGRID Number
3763610. Pool name or Wildcat
Langlie Mattix / 7 Rivers

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other Injection ☐2. Name of Operator
State of New Mexico formerly Primal Energy Corporation3. Address of Operator
1625 N. French Drive, Hobbs, N 88240

4. Well Location

Unit Letter F : 2080 feet from the N line and 2080 feet from the W line
Section 7 Township 25S Range 37E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/18/22: MOL. Dig out surface valves.

11/21/22: Held JSA. Check well pressures; 20# csg. BD csg. POOH w/ rods. Start POOH with prod tbg. separated @ jnt 95.

11/22/22: Held JSA. Check well pressures; 10# csg. BD csg. RU and RIH 2 19/32" overshot, failed to latch onto separated tubing. Wait on spear and mill. 11/23/22: Held JSA. Check pressures; 0# csg w/ 25 ppm H2S. Latch on to 2 7/8" tbg stuck in hole, PUH recovered 1 1/2" joints. Wait on new overshot and SDFD. 11/28/22: Held JSA. RU DXP, BD well. RU and RIH 2 7/8" overshot, tag fish @ 3010'; unable to fish due to overshot sticking in fill and paraffin. RU A-Plus WL w/ gauge ring, RIH and tag fish @ 3002'. RD WL. TIH w/ packer to 2754' set and establish rate @ 4 bpm @ 50# w/ 10 bbls brine gel. SDFD.

11/29/22: Held JSA. RU DXP, BD well. Plug #1 & 2: 100 sxs Type III cmt from packer @ 2754' to cover Queen perfs @ 3464'-3372'; PU packer and displaced remaining cement to estimated TOC 2754' over Yates zone. RU A-plus WL. soft tag cmt @ 2778', run CBL from 2778' to surface. RD WL. K. Fortner, NMOC, request WOC overnight. 11/30/22: Held JSA. RU DXP, BD well. TIH w/ tbg. tag Plug #1&2 @ 2597'. RIH w/ packer and test casing; found holes between 600'-548'. LD packer. Plug #3: 20 sxs Type III cmt from 1177'-975'. While WOC; isolate additional holes 379'-575'. 12/1/22: Held JSA. RU DXP, BD well. TIH and tag Plug #3 @ 929'. Plug #4: 20 sxs Type III cmt to cover csg holes from 600'-398'. WOC. Unable to tag plug to 600'. Circulate csg w/ 10 bbls, closed casing to attempt circulation out BH, pressured up to 400# @ 1 bpm. Plug #4A: 20 sxs Type III cmt from 600'-398'. WOC. Tag @ 395'. RU A-Plus WL and perf @ 385'. Plug 5: 47 sxs Type III; 32 sxs outside, 15 sxs inside, displaced to 235'. WOC overnight. 12/2/22: Held JSA. RU Tiburon H2S. BD well. RU pump to csg, test @ 500#, tested good. Tag Plug #5 @ 242'. POOH tbg. RU A-Plus WL, perf @ 150'. Circulate 10 bbls out BH. Plug #6: 15 sxs Type III from 150' to surface. RD and MOL.

Note: P&A marker will be set once is tested by Welldone. A follow up sundry will be submitted when marker is set.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Neil Lindermeier TITLE Engineer Tech DATE 12/12/22Type or print name Neil Lindermeier E-mail address: neil@apluswell.com PHONE: 505.486.258
For State Use OnlyAPPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

Submit 1 Copy To Appropriate District Office

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-025-07968 |
| 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No. FEE |
| 7. Lease Name or Unit Agreement Name Judy |
| 8. Well Number. #3 |
| 9. OGRID Number 37636 |
| 10. Pool name or Wildcat Langlie Mattix / 7 Rivers |

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other Injection ☐2. Name of Operator
State of New Mexico formerly Primal Energy Corporation3. Address of Operator
1625 N. French Drive, Hobbs, N 882404. Well Location
Unit Letter F : 2080 feet from the N line and 2080 feet from the W line
Section 7 Township 25S Range 37E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/18/22: MOL. Dig out surface valves.

11/21/22: Held JSA. Check well pressures; 20# csg. BD csg. POOH w/ rods. Start POOH with prod tbg. separated @ jnt 95.

11/22/22: Held JSA. Check well pressures; 10# csg. BD csg. RU and RIH 2 19/32" overshot, failed to latch onto separated tubing. Wait on spear and mill. 11/23/22: Held JSA. Check pressures; 0# csg w/ 25 ppm H2S. Latch on to 2 7/8" tbg stuck in hole. PUH recovered 1 1/2" joints. Wait on new overshot and SDFD. 11/28/22: Held JSA. RU DXP, BD well. RU and RIH 2 7/8" overshot, tag fish @ 3010'; unable to fish due to overshot sticking in fill and paraffin. RU A-Plus WL w/ gauge ring, RIH and tag fish @ 3002'. RD WL. TIH w/ packer to 2754' set and establish rate @ 4 bpm @ 50# w/ 10 bbls brine gel. SDFD.

11/29/22: Held JSA. RU DXP, BD well. Plug #1 & 2: 100 sxs Type III cmt from packer @ 2754' to cover Queen perfs @ 3464'-3372'; PU packer and displaced remaining cement to estimated TOC 2754' over Yates zone. RU A-plus WL. soft tag cmt @ 2778', run CBL from 2778' to surface. RD WL. K. Fortner, NMOC, request WOC overnight. 11/30/22: Held JSA. RU DXP, BD well. TIH w/ tbg. tag Plug #1&2 @ 2597'. RIH w/ packer and test casing; found holes between 600'-548'. LD packer. Plug #3: 20 sxs Type III cmt from 1177'-975'. While WOC; isolate additional holes 379'-575'.

12/1/22: Held JSA. RU DXP, BD well. TIH and tag Plug #3 @ 929'. Plug #4: 20 sxs Type III cmt to cover csg holes from 600'-398'. WOC. Unable to tag plug to 600'. Circulate csg w/ 10 bbls, closed casing to attempt circulation out BH, pressured up to 400# @ 1 bpm. Plug #4A: 20 sxs Type III cmt from 600'-398'. WOC. Tag @ 395'. RU A-Plus WL and perf @ 385'. Plug 5: 47 sxs Type III; 32 sxs outside, 15 sxs inside, displaced to 235'. WOC overnight. 12/2/22: Held JSA. RU Tiburon H2S. BD well. RU pump to csg, test @ 500#, tested good. Tag Plug #5 @ 242'. POOH tbg. RU A-Plus WL, perf @ 150'. Circulate 10 bbls out BH. Plug #6: 15 sxs Type III from 150' to surface. RD and MOL.

Note: P&A marker will be set once is tested by Welldone. A follow up sundry will be submitted when marker is set.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Engineer Tech DATE 12/12/22Type or print name Nell Lindermeyer E-mail address: nelleapluswell.com PHONE: 505.486.258
For State Use OnlyAPPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____




Judy #3 As Plugged 12/2/2022

Langlie Mattix / 7 Rivers

Unit F, 2080' FNL & 2080' FWL, Section 7, T25S, R37E
Lea County, NM, API #30-025-26262

P&A Marker to be set following testing by WellDone, follow up with marker info will be submitted when marker is set.



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 167775

COMMENTS

| | |
|---|--|
| Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499 | OGRID: 370317 |
| | Action Number: 167775 |
| | Action Type: [C-103] Sub. Plugging (C-103P) |

COMMENTS

| Created By | Comment | Comment Date |
|------------|--|--------------|
| jwrinkle | Well inspected by Compliance officer David Alvarado 12-29-22, well is plugged but needing final reclamation work and needs abandonment marker installed. | 12/29/2022 |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 167775

CONDITIONS

| | |
|---|--|
| Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499 | OGRID: 370317 |
| | Action Number: 167775 |
| | Action Type: [C-103] Sub. Plugging (C-103P) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| jwrinkle | None | 12/29/2022 |