

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: SAN JUAN 30-5 UNIT Well Location: T30N / R5W / SEC 15 / County or Parish/State: RIO

SWSE / 36.807379 / -107.342589 ARRIBA / NM

Well Number: 243A Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMSF078997 Unit or CA Name: SAN JUAN 30-5 Unit or CA Number:

UNIT--FR NMNM78419D

US Well Number: 3003927805 Well Status: Abandoned Operator: HILCORP ENERGY

COMPANY

Subsequent Report

Sundry ID: 2702054

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/09/2022 Time Sundry Submitted: 09:55

Date Operation Actually Began: 10/20/2022

Actual Procedure: The following well has been P&A'd as of 10/21/2022. Please see the attached plugging operations.

SR Attachments

Actual Procedure

San_Juan_30_5_Unit_243A_SR_Writeup_20221109095533.pdf

Page 1 of 2

eceived by OCD: 11/10/2022 10:57:14 AM
Well Name: SAN JUAN 30-5 UNIT

Well Location: T30N / R5W / SEC 15 /

SWSE / 36.807379 / -107.342589

County or Parish/State: RIPage 2 o

ARRIBA / NM

Well Number: 243A

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMSF078997

Unit or CA Name: SAN JUAN 30-5

UNIT--FR

Unit or CA Number:

NMNM78419D

US Well Number: 3003927805

Well Status: Abandoned

Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA WALKER Signed on: NOV 09, 2022 09:55 AM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST.

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: mwalker@hilcorp.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Accepted **Disposition Date:** 11/09/2022

Signature: Kenneth Rennick

Page 2 of 2

San Juan 30-5 Unit 243A 30-039-27805 NMSF078997 SR P&A

10/20/2022: MIRU. CK WELL PRESSURES (SITP-60, SICP-60, SIBHP-0). REMOVE HH. UNSEAT PMP & LD RODS. ND WH. NU BOP & FT, GOOD TST. LD TBG, LEFT 2 JTS & MUD ANCHOR IN HOLE. PU SCRAPER & RIH T/3135' LD SCRAPER. SDFN. EMAIL SENT TO MONICA KUEHLING/NMOCD & KENNY RENNICK/BLM TO NOTIFY OF 2 JTS & MUCH ANCHOR LEFT IN HOLE. SCRAPER RAN TO TOP OF LINER @ 3140' WITH NO ISSUES. THE 83' OF TBG IN THE HOLE WILL NOT IMPEDE THE PLUGGING OPERATIONS AS THE CICR WILL BE SET @ 3135'. REQUEST TO LEAVE FISH IN THE HOLE AND CONTINUE PLUGGING OPERATIONS. RECEIVED APPROVAL TO CONTINUE WITH THE PLUGGING OPERATIONS.

10/21/2022: CK WELL PRESSURES (SITP-0, SICP-0, SIBHP-0). RIH W/CICR & SET @ 3135′. PT CSG T/500 PSI, TST GOOD. PLUG 1 F/3135′ TO 2559″, 96 SXS TYPE 3 CEMENT @ 14.6#, YIELD 1.37, 6.64 GAL/H20 PER SXS. POH LD TBG. PLUG #2 F/ 1599′ TO 1449′, 25 SXS TYPE 3 CEMENT @ 14.6#, YIELD 1.37, 6.64 GAL/H20 PER SXS. POH LD TBG. PLUG #3 F/ 279′ TO 0″, 48 SXS TYPE 3 CEMENT @ 14.6#, YIELD 1.37, 6.64 GAL/H20 PER SXS. POH LD TBG. ND BOPE. REMOVE WH. INSTALL MARKER. TOP OFF SURF W/28 SXS TYPE 3 CEMENT @ 14.6#, YIELD 1.37, 6.64 GAL/H20 PER SXS.


WANDA WEATHERFORD/BLM ONSITE DURING PLUGGING OPERATIONS

Hilcorp Energy Company

Current Schematic - Version 3

Well Name: SAN JUAN 30-5 UNIT #243A

| | Surface Legal Location 015-030N-005W-O | Field Name FC | | | State/Province | | Well Configuration Type Vertical |
|--------------------------------|---|------------------|-------------------------------|----------------------|----------------|------------------|----------------------------------|
| Ground Elevation (ft) 6,590.00 | Original KB/RT Elevation (ft) 6,603.00 | | KB-Ground Distance (ft) 13.00 | KB-Casing Flange Dis | tance (ft) | KB-Tubing Hanger | Distance (ft) |



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 157686

CONDITIONS

| Operator: | OGRID: |
|------------------------|--------------------------------|
| HILCORP ENERGY COMPANY | 372171 |
| 1111 Travis Street | Action Number: |
| Houston, TX 77002 | 157686 |
| | Action Type: |
| | [C-103] Sub. Plugging (C-103P) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------------------|----------------|
| mkuehling | well plugged 10/21/22 | 12/28/2022 |