

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-025-31026
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Lovington San Andres Unit
8. Well Number 63
9. OGRID Number 241333
10. Pool name or Wildcat Lovington Grayburg-San Andres

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator Chevron Midcontinent, L.P.	
3. Address of Operator 6301 Deauville Blvd Midland, Texas 79706	
4. Well Location Unit Letter <u>M</u> : <u>100</u> feet from the <u>South</u> line and <u>115</u> feet from the <u>West</u> line Section <u>36</u> Township <u>16 S</u> Range <u>36E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/4/2022: MIRU service rig. Pull rods.  
 11/7/2022: Pull tubing, TAC with service rig.  
 11/8/2/22: Set CIBP at 4561' tag depth (12/5/2022). Secure well for coiled tubing.  
 12/5/2022: move in rig up coiled tubing unit  
 12/6/2022: Spot 32 sacks Class C cement from 4561' to 4245'. (san andres perforations)  
 Spot 26 sacks Class C cement from 3935' to 3685'. (queen)  
 Spot 40 sacks Class C cement from 3135' to 2740'. Tag at 2736'.  
 Spot 27 sacks Class C cement from 2135' to 1885'.  
 Spot 55 sacks Class C cement from 500' to surface.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Hayes Thibodeaux TITLE Engineer DATE 8/8/2022

Type or print name Hayes Thibodeaux E-mail address: Hayes.Thibodeaux@chevron.com PHONE: 281-726-9683

**For State Use Only**

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 12/23/22

Conditions of Approval (if any):



# EMC Ops Summary - External

Well Name LOVINGTON SAN ANDRES UNIT 63	Field Name Lovington	Lease Lovington San Andres Unit	Area Central
Business Unit EMC	County/ Parish Lea	Global Metrics Region EMC US East	Surface UWI 3002531026

Basic Well Data			
Current RKB Elevation	Original RKB Elevation (ft)	Latitude (°)	Longitude (°)

Phases					
Actual Start Date	Actual End Date	Phase 1	Phase 2	Time Log Hrs (hr)	Percent Problem Time (%)
8/19/2022 07:00	8/19/2022 12:00	PREP	FAC	5.00	
11/4/2022 07:00	11/4/2022 08:00	MOB	MOVEON	1.00	
11/4/2022 08:00	11/8/2022 14:00	ABAN	TBGPULL	28.00	
12/6/2022 10:30	12/6/2022 17:30	ABAN	CMTPLUG	7.00	
		REST	FAC		


Start Date	Summary
8/19/2022	Check well for gases, try to blow down well, one production valve was bad and painted red, production had 500 PSI, surface had 0 PSi, crew installed new risers, removed flow line, graded location and moved scrap.
11/4/2022	MOved WSU and cement equipment from LPU 131. MIRU. Checked pressure's and bled down all strings. Laid down 74-7/8", 110-3/4" and pump.
11/7/2022	Checked pressure's and bled down all strings. Circulated hole with 160 bbls. N/D WH, N/U BOPE. Laid down 149 2 7/8", TAC, 4 jts, SN, desander and mud anchor. Picked up WL and prepped for following day.
11/8/2022	Checked pressure's 0 psi all strings. Set 5 1/2" CIBP at 4575'. Load and test casing 500 psi. N/D BOPE, N/U WH. RDMO.
12/5/2022	Moved CT unit using proper journey managment from LSAU 26 to LSAU 63. Spotted in equipment. Rigged up surface lines. Checked pressures and bled off 500 psi from production CSG. Surface showed no pressure.
12/6/2022	Held safety meeting with crew. Checked pressures on well. Complete R/U. BOP test. BOP PT. TIH with CT and tagged at 4561'. PT CSG to 750 psi. Spot 71 bbls of MLF. Spot 32 sks of 14.8 ppg Class C cement from 4561' to 4245'. TOH to 3935'. Spot 26 sks of 14.8 ppg Class C cement from 3935' to 3678'. TOH to 3135'. Spot 40 sks of 14.8 ppc Class C cement from 3135' to 2740'. TOH to surface. Wash up CMT equip. PT CSG to 750 psi. Test was good. TIH and tag TOC at 2736'. TOH to 2135 and pump 27 sks of 14.8 ppg Class C cement from 2135' to 1885'. TOH to 500'. Spotted 55 sks of 14.8 ppg Class C cement from 500' to surface. Shut in well and secure location.



## As Plugged Wellbore Schematic

Well Name <b>LOVINGTON SAN ANDRES UNIT 63</b>		Lease <b>Lovington San Andres Unit</b>		Field Name <b>Lovington</b>		Business Unit <b>EMC</b>	
State/Province <b>New Mexico</b>		County/ Parish <b>Lea</b>		Surface UW1 <b>3002531026</b>		Surface ChevNo <b>OM2002</b>	
Current RKB Elevation		Original RKB Elevation (ft)		Ground Elevation (ft)		Current KB to Ground (ft)	
						Current KB to Csg Flange (ft)	
						Current KB to Tubing Head (ft)	

Original Hole		HUD & Other in Hole				
MD (ftKB)	Vertical schematic (actual)	Top (ftKB)		Des		OD (in)
		4,561.0		Cast Iron Bridge Plug		4.95
Casing Strings						
Csg Des			OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (MD) (ftKB)
Surface			8 5/8	24.00	J-55	365
Production Casing			5 1/2	15.50	J-55	5120
Cement Plug Details						
Des	Btm (ftKB)	Top (ftKB)	Class	Quantity (sacks)	Depth Tagged (MD) (ftKB)	
Cement Plug	4,561.0	4,245.0	C	32	2,736	
Cement Plug	3,935.0	3,685.0	C	26		
Cement Plug	3,135.0	2,740.0	C	40		
Cement Plug	2,135.0	1,885.0	C	27		
Cement Plug	500.0	0.0	C	55		
Perforations						
Top (ftKB)	Btm (ftKB)	Zone Name	Job	String Perforated		
4,675.0	5,064.0					
Zones						
Zone Name				Top (ftKB)		

0.0		<p>Casing Joint, 8 5/8in; 0-365; 365.00; 1-1; 8 5/8; 8.097</p> <p>Casing Joint, 5 1/2in; 0-5120; 5,120.00; 2-1; 5 1/2; 4.950</p> <p>4,675.0-5,064.0ftKB on &lt;DtTm&gt;; 4675-5064</p>
365.2		
500.0		
1,884.8		
2,134.8		
2,735.9		
2,740.2		
3,134.8		
3,685.0		
3,935.0		
4,245.1		
4,561.0		
4,562.0		
4,674.9		
5,064.0		
5,120.1		

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

COMMENTS  
  
Action 167856

COMMENTS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 167856
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	1/5/2023

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 167856

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 167856
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker pics to release	12/23/2022